About us

Home

Editorial Board Archives

Marketing Research.

Journal of Global Trends in Pharmaceutical Sciences

Online Manuscript Submission

Aim And Scope

Abstracted & Indexed

Current Issue

Volume - 13, Issue - 1, Jan - March 2022 CLICK HERE Volume - 13, Issue - 2, April - June 2022 CLICK HERE Volume - 13, Issue - 3, July - September 2022 [CLICK HERE]

(APROVAL FROM NATIONAL INSTITUTE OF SCIENCE COMMUNICATION AND INFORMATION RESOURCESS AND CSIR) NATIONAL SCIENCE LIBRARY,NEW DELHI

Journal Browse MISSION Welcome To Journal of Global Trends in Pharmaceutical Sciences By Issue Thank you for visiting Journal of Global Trends in Pharmaceutical sciences (JGTPS) quarterly online journal (Four Issue per year). The ŝ **Bv** Author journal aims to make significant contributions to applied research and knowledge across the globe through publication of original, high-quality research. JGTPS 3 **By Title** was started in the year 2010. (e-ISSN- 2230-7346). JGTPS was approved by National Institute of Science Imp. Links Communication and Information Resources(NISCAIR), New Delhi and National Science Library, New Delhi. 3 **Editor Message** Journal of Global Trends in Pharmaceutical sciences abbreviated 3 **Copy Right Agreement** (JGTPS) is an International Peer Review Online - quarterly published. JGTPS aims to serve the updated scientific knowledge for 3 Manuscript Review Process international researchers in pharmaceutical fields. Journal of Global Trends in Pharmaceutical sciences (JGTPS) accepts 4 Author instructions review articles, original research articles and short communications in English. The journal includes various fields of pharmaceuticals sciences a **Publication Ethics** such as Pharmaceutics, Pharmacology and Toxicology, Pharmacognosy, Community Pharmacy, Hospital Pharmacy, Clinical Pharmacy, ē. **Contact Us** Pharmaceutical Chemistry, Pharmaceutical Analysis, Pharmaceutical

3 Plagiarism

> Role of the Publisher: In cases of proven scientific misconduct, plagiarism, or fraudulent publication, the publisher, in collaboration with the editorial board, will take appropriate action to clarify the situation, publish an erratum, or retract the work in question. Publishers shall take reasonable steps to identify and prevent the publication of papers where research misconduct has occurred.

> Microbiology and Biotechnology, Regulatory Affairs and Pharmaceutical

COPY RIGHT© Published in 2010

Dr. P. DWARAKANADHA REDDY

M.Pharm,Ph.D,FIC,FAGE,FICCP, MISTE All Rights Reserved

Read More

Home | About us | Editorurrent Issue | Archives | Online Manscript Submission | Aim And Scope

Terms of Use | Privacy Policy | Designing & Hosting by The ColourMoon

To be Provide the best Knowledge on Pharmaceutical Research and health care

Photo Gallery





VIEW MORE

Journal of Global Trends in Pharmaceutical Sciences

Home About us

Editorial Board Archives

Online Manuscript Submission


Aim And Scope

Abstracted & Indexed

Current Issue

Volume - 13, Issue - 1, Jan - March 2022 [CLICK HERE] Volume - 13, Issue - 2, April - June 2022 [CLICK HERE] Volume - 13, Issue - 3, July - September 2022 [CLICK HERE]





Dr. P. S Raghu, Department of Pharmacy Mewar University Chittorgarh Rajasthan

E-mail: binopadmanabhan@gmail.com

Dr. Veeraiah Enturi , Scientist, Formulation R&D, Newjersy, USA

E-mail: veeru121284@gmail.com

Dr. Kalyan Kumar Sethi, Department of Chemistry, NIPER, Guwahati (Assam), India

Dr. Surya Prakasarao Kovvasu, Western university of health Sciences, California, USA

E-mail: ksprakash05@gmail.com

Dr. Deepa Mopuri, Annamacharya College of Pharmacy, AP

E-mail: venkatdeepa19@gmail.com

Prof.S.V.Satyanarayana, Professor, Department of Chemical Engineering, JNTUA, India

E-mail: svsatya7@gmail.com

Dr.Pichika. Mallikarjuna Rao , Professor, Department of Pharmacy, International medical University, (IMU) , Malaysia.

E-mail: mallikarjunarao pichika@imu.edu.my

Prof. T. Satyanarayana, Former Principal, Andhra university, Viskhapatnam, India.

E-mail:proftsn@gmail.com

Prof. G V Subha Reddy, Professor, Department of Chemistry, JNTUA -Pulivendula, AP

Prof. K. Esawr Kumar, Professor, UCPS, Andhra University, viskhapatnam, A.P, India

E-mail: ekilari@gmail.com

Prof. Murali Krishna, Professor, UCPS, Andhra University, Vishapatnam, A.P, India.

Prof. G. K Naidu, Head, Department of Pharmacy,SV Government Polytechnic, Tirupati, A.P., India

gknaidu@gmail.com

Prof. Leela Prabhakaran, Former Principal, SV Government Polytechnic, Tirupati, A.P., India

leelaprabhakaran@gmail.com

Prof. Raghumoorthy, Former head, SV Government Polytechnic, Tirupati, A.P., India

Dr . K. Saravan Kumar, Executive Editor., SVCP, Tirupati

Dr. V.Jaya shankar Reddy, Krishna Teja Pharmacy College, Tirupat

Dr. Raveesha Peeriga, V. V Institute of Pharmaceutical Sciences, Guldavalleru, AP

Dr. Sarath Pawar Naik, Raos College of Pharmacy, Nellore, AP

Dr. Satyanarayana Tanku, Mothertherisa College of Pharmacy, Khammam, AP, India

Dr. Ermias M Terefe | Chair Department of Pharmacology and Pharmacognosy, Chair Academic Committee, School of Pharmacy and Health Sciences | United States International University - Africa

With Best compliments from

Late Prof. KPR Chowdary

Prof. P. Suresh, President, Pharmacy Council of India (PCI), Delhi

Prof. Chinna swamy, President, IACP and member, PCI., Delhi.

-----All my wellwishers and friends ------

Home | About us | Editorurrent Issue | Archives | Online Manscript Submission | Aim And Scope

Terms of Use | Privacy Policy | Designing & Hosting by The ColourMoon

Journal of Global Trends in Pharmaceutical Sciences earch About us **Editorial Board** Archives Aim And Scope Abstracted & Indexed **Online Manuscript Submission** 11/1/11/11/11/11 (APROVAL FROM NATIONAL INSTITUTE OF SCIENCE COMMUNICATION AND INFORMATION RESOURCESS AND CSIR) NATIONAL SCIENCE LIBRARY,NEW DELHI

Volume - 13, Issue - 1, Jan - March 2022 CLICK HERE Volume - 13, Issue - 2, April - June 2022 CLICK HERE Volume - 13, Issue - 3, July - September 2022 [CLICK HERE]

Home

Current Issue

		JGTPS	300
0	Journal Browse	1. HOMOLOGY MODELLING AND DOCKING STUDIES OF BIOACTIVE COMPOUNDS FROM MEDICINAL PLANTS	
3	By Issue	Udaya Kumar Nagapatla * , P. Jaya Chandra Reddy	
	By Author	[DOWNLOAD PDF]	To be Provide the best
3	By Title	2. REGULATORY REQUIREMENTS FOR REGISTRATION OF MEDICAL DEVICES IN SOUTH AFRICA T. Yamini Krishna, M. P Venkatesh	Knowledge on Pharmaceutica Research and health care
0	Imp. Links	[DOWNLOAD PDF]	
a	Editor Message	3. FOOD VIGILANCE SYSTEM IN UNITED STATES Anjana B,M P Venkatesh*, T M Pramod Kumar	Photo Gallery
3	Copy Right Agreement	[DOWNLOAD PDF]	
a	Manuscript Review Process	4. SLEEP DEPRIVED BEHAVIOR OF MALE AND FEMALE RATS VIA SWIM TEST Mansi Singh* and Sanjesh Kumar	
a	Author instructions	[DOWNLOAD PDF]	
a	Publication Ethics	 5. EVALUATION OF ANTI-INFLAMMATORY AND ANALGESIC ACTIVITY OF THE NOVEL DERIVATIVES OF 1, 3, 4-OXADIAZOLE IN EXPERIMENTAL ANIMAL MODELS 	
a	Contact Us	Somashekhar M*, R B Kotnal	
4	Plagiarism	[DOWNLOAD PDF] 6. ANALYTICAL METHOD DEVELOPMENT AND VALIDATION FOR SIMULTANIOUS ESTIMATION OF SOFOSBUVIR AND DACLATASVIR IN BULK AND PHARMACEUTICAL FORMULATION BY RP- HPLC	MAR

Dharmamoorthy G, Tasku Sravani*, Poornima B, Prash

[DOWNLOAD PDF]

7. COMPARATIVE STUDY THE MINERAL CONTENT OF SIDAT FISH (ANGUILLA MARMORATA (Q.) GAIMARDAND ANGUILLA BICOLOR) FROM LAKE POSO **CENTRAL SULAWESI**

Jamaluddin*, Andi Tri Kurniasari, M. Sulaiman Zuba

[DOWNLOAD PDF]

8. CALORIMETRIC DETERMINATION OF CEFTRIAXONE AND SULBACTAM IN INJECTION DOSAGE FORM

Pranaya. A, Vinutha. K, Sridevi P, M. Bhagavan Raj

[DOWNLOAD PDF]

9. ANTI-DIABETIC POTENTIAL OF METHANOLIC EXTRACT OF LEAVES OF SIDA SPINOSA ON HIGH FAT DIET FED AND LOW DOSE STREPTOZOTOCIN- INDUCED DIABETIC RATS

Ndayazi byemero Desire*, Yassa Yoniene Piere, Hame

[DOWNLOAD PDF]

10. PHARMACOVIGILANCE SYSTEM IN USA AND WHO Akash Dambal, M.P. Venkatesh*, Shashank B Rao, T.M

[DOWNLOAD PDF]

11. CURRENT TRENDS IN STANDARDIZATION OF HERBAL FORMULATIONS IN AFRICA

Ndayazi byemero Desire*, Yassa Yoniene Piere, Ngol

[DOWNLOAD PDF]

12. EVALUATION OF EFFECT OF ETHANOLIC EXTRACT OF BRASSICA OLERACEA AGAINST FRUCTOSE INDUCED NON-ALCOHOLIC FATTY LIVER IN WISTAR RATS VIEW MORE

S. Kalpana*, S. Shameem, .S. Nelson Kumar, K. Ravi

[DOWNLOAD PDF]

13. AN OVERVIEW ON CORRECTIVE AND PREVENTIVE ACTION, ROOT CAUSE ANALYSIS AND ITS EFFECTIVE IMPLEMENTATION Syed Shakeeb Ahmed, Gowrav M.P*, Gangadharappa H.V

[DOWNLOAD PDF]

14. ESTIMATION OF ZIPRASIDONE BY A NEWLY DEVELOPED AND VALIDATED ANALYTICAL METHOD USING RP&HPLC WITH UV DETECTION Swetha Sri. R* Sumakanth. M, Bhavya Sri. K, Shradd

[DOWNLOAD PDF]

15. RP-HPLC METHOD DEVELOPMENT AND VALIDATION FOR THE QUANTIFICATION OF SELECTED ANTI RETROVIRAL DRUG Muchu Balaji , K.Thejomoorthy, Sreenivasa prasanna

[DOWNLOAD PDF]

16. IMMUNOMODULATORYACTIVITY OF ETHANOLIC EXTRACT OF MELASTOMA MALABATHRICUM L. IN BALB / C MICE

*Patonah Hasimun, IKetut Adnyana, Nelly Dandan Tib

[DOWNLOAD PDF]

17. SOLATION AND CHARACTERIZATION OFMICROORGANISM ASSOCIATED WITH SPOILED FRUITSOBTAINED FROM DIFFERENT MARKET PLACES IN AND AROUND PUNE REGION

Powar Priyatama V*, ShirodeDevendra S, Takawane Aa

[DOWNLOAD PDF]

18. NANOEMULSIONS: A NOVEL APPROACH FOR INCREASING POSSIBILITIES IN DRUG DELIVERY

Mohd Junaid and Dr. Rahul Shukla

[DOWNLOAD PDF]

19. STABILITY INDICATING RP-HPLC METHOD DEVELOPMENT AND VALIDATION OF FOR ESTIMATION OF APALUTAMIDE IN TABLET DOSAGE FORM R. Kiranjyothi*, M. Balakrishnan, K. B. Chandrasek

[DOWNLOAD PDF]

20. A STABILITY INDICATING ANALYTICAL METHOD FOR SIMULTANEOUS QUANTIFIATION OF ARTEMETHER AND LUMEFANTRINE IN COMBINED DOSAGE FORMS BY RP-HPLC

Swetha Sri. R* Chaitanya.M , Madhavi.A , Ramasubba

[DOWNLOAD PDF]

21. EFFECT OF AMORPHOPHALLUSONCOPHYLLUS PRAIN EX. HOOK. F. TUBERS ADMINISTRATION IN PREVENTING METABOLIC SYNDROME Widhya Aligita* , WinggaFirananda, Elis Susilawati

[DOWNLOAD PDF]

22. CURRENT APPROACHES IN THE MANAGEMENT OF DENGUE: A REVIEW Maha Lakshmi S, G. Jyothi Reddy*, S. Nithya

[DOWNLOAD PDF]

23. METHOD DEVELOPMENT AND VALIDATION FOR SIMULTANEOUS ESTIMATION OF L-GLUTATHIONE AND VITAMIN-C IN EFFERVESCENT TABLET BY RP-HPLC S. G. Patel*, Dr. M. Siddaiah

[DOWNLOAD PDF]

24. ISOLATION AND ENDOPHYTES ANTIMICROBIAL ACTIVITIES FROM SHIITAKE MUSHROOM (LENTINULA EDODES) IN BACTERIA AND FUNGI Ika Kurnia Sukmawati, M.Si., Apt*, Ari Yuniarto,

[DOWNLOAD PDF]

25. GOOD DISTRIBUTION AND STORAGE FOR PHARMACEUTICALS IN UNITED STATES

Bhaskaran J, M P Venkatesh*

[DOWNLOAD PDF]

26. A SURVEY CONDUCTED TO COLLECT THE DATA REGARDING THE HABIT OF CONSUMPTION OF ALCOHOL IN RAMPUR RURAL AREA Roomi Khan* Mohd Saleem

[DOWNLOAD PDF]

27. VALIDATION OF GALLIC ACID BY USING HPTLC AND HPLC TECHNIQUES FOR STANDARDIZATION OF AMLA RAS AND EXPLORATION AS PHYTOSOMES Dhanashri M. Bachhav *, Dr. R.S. Bhambar , Dr. D.L

[DOWNLOAD PDF]

28. CYTOTOXIC AND ANTIBACTERIAL ASSAY OF ZINC OXIDE NANOPARTICLES IN COMPARISON WITH JUSTICIA ADHATODA LEAF EXTRACT Thangapandiyan S, bAarya Nair Arikkath

[DOWNLOAD PDF]

29. ANTIHYPERTENSIVE ACTIVITY OF SEPAT LEAF ETHANOL EXTRACT (MITRAGYNA SPECIOSA KORTH.) ON WHITE RAT Elis Susilawati*, Muhamad Reza Pahlevi, I Ketut Ad

[DOWNLOAD PDF]

30. FORMULATION AND EVALUATION OF SOLID DISPERSION OF RIVAROXABAN CAPSULE

S. D Mankar*M.S.Bhosale

[DOWNLOAD PDF]

31. ETHANOLIC EXTRACT OF ACORUS CALAMUS LINN AND EUGENOL COMBINATION IMPROVED THE COGNITIVE FUNCTIONS OF STREPTOZOTOCIN ADMINISTRATED RATS THROUGH ATTENUATION OF LIPID PEROXIDATION AND ACETYLCHOLINE ESTERASE LEVEL

Irene James, Chennu Manisha, Tenzin Choephel, Gadd

[DOWNLOAD PDF]

32. A PROSPECTIVE STUDY ON ADVERSE DRUG REACTIONS ASSOCIATED WITH ANTIBIOTIC USAGE IN TERTIARY CARE TEACHING HOSPITAL Bhongiri Bhargava, Dr.G.Narasimha Raoa*, Dr.S.Pras

[DOWNLOAD PDF]

33. COMPARATIVE STUDIES ON IN VITRO ANTIOXIDANT AND ANTIMICROBIAL ACTIVITIES OF SESBANIA SESBAN SEEDS AND TEPHROSIACALOPHYLLA LEAVES Adinarayana K*, Ramamohan Reddy K, Nagendra Raju R

[DOWNLOAD PDF]

34. ANTIOXIDANT ACTIVITY, ANTIBACTERIAL ACTIVITY AND TOTAL PHENOL AND FLAVONOID ANALYSIS OF GANODERMA LUCIDUM N. Srinivas Goud , Sachin Kumar Das , Himanshu Ran

[DOWNLOAD PDF]

35. EXPERIMENTAL STUDY ON POLYHERBAL EXTRACT AS A EFFECTIVE REMEDY FOR PREMATURE EJACULATION

Chitta Venkateswararao*, K. Sunil Kumar, J. Venkat

[DOWNLOAD PDF]

36. PHARMACOGNOSTICAL STUDIES ON THE LEAVES OF ODINA WODIER ROXB

Pavithra T*, Tamizh mani T, Rajan M

[DOWNLOAD PDF]

37. A REVIEW ON 1, 3, 4-THIADIAZOLE AS A SINGLE REMEDY FOR THOUSANDS OF PRESCRIPTION

Ancy Thomas*, Sneha Shenoy K U, Vinod B

[DOWNLOAD PDF]

38. IRRADIATION OF GAMMA RAYS IN TYPHONIUM FLAGELLIFORME CLUSTERS OF TISSUE CULTURE

Soni Muhsinin*, Bahrul Hidayat, Ira Adiyati Rum

[DOWNLOAD PDF]

39. A REVIEW ON HERBAL ANTIOXIDANT AGENTS D.Venkatanarayana , P. Umamaheshwari , B.Chakrapan

[DOWNLOAD PDF]

40. IN-VITRO AND IN VIVO ANTI-DIABETIC ACTIVITY OF VARIOUS EXTRACTS OF ERANTHEMUMCAPENSE

L. Anoopa John*1, N. Kannappan2 , P. Manojkumar

[DOWNLOAD PDF]

41. INHIBITION OF OXIDATIVE STRESS AND INFLAMMATION ON PUMPKIN SEED EXTRACT IN NEURO 2A AND RAW 264.7 MACROPHAGE CELL LINES Neelamma G*, Shaik Harun Rasheed, Nagarani.B, Sril

[DOWNLOAD PDF]

42. PHYTOCHEMICAL ANALYSIS AND ANTIOXIDANT ACTIVITY ANALYSIS OF BLACK CURRANT Rohit Kumar Sinha, Dr. Pallavi Praveen

[DOWNLOAD PDF]

43. A CASE REPORT ON PREGNANCY RELATED ACUTE KIDNEY INJURY S. Nouhin*, N. L. Sucharitha , S. Athaur Rahiman ,

[DOWNLOAD PDF]

44. QUALITY BY DESIGN APPROACH TO ANALYTICAL RP@-HPLC METHOD DEVELOPMENT AND ITS VALIDATION Khemeshwari L. Sarve*, Atul T. Hemke ,Tanvi M. Ana

[DOWNLOAD PDF]

45. REGULATORY FILING OF A MEDICINAL PRODUCT IN SAUDI ARABIA & IT $\hat{\boldsymbol{\otimes}}S$ NAVIGATION PATHWAY

Venkateshwara C. Reddy , Abhishek ${\rm B.V}$, M P Venkat

[DOWNLOAD PDF]

 $\label{eq:2.1} \begin{array}{l} \textbf{46. FAST DISSOLVING ORO-DISPERSIBLE FILMS - A REVIEW} \\ \text{Sridevi M , Muthu Kumar S* , Sundaraganapathy R ,} \end{array}$

[DOWNLOAD PDF]

47. HYPOGLYCEMIC AND ANTIDIABETIC ACTIVITY OF TUBEROUS ROOTS OF CYANOTIS CRISTATA IN NORMAL AND ALLOXAN INDUCED DIABETIC RATS J. Venkata Suresh* and M. Sushma

[DOWNLOAD PDF]

48. BENZOTRIAZOLE - OXADIAZOLE HYBRIDS AS MEDICINAL AGENTS IN THE SIGNIFICANCE IN UNITY IS AN ETERNAL WONDER Sneha Shenoy K U*, Ancy Thomas, Vinod B

[DOWNLOAD PDF]

49. PRESCRIBING PATTERNS OF DRUGS IN CHRONIC OBSTRUCTIVE PULMONARY DISEASE- IN A TERTIARY CARE TEACHING HOSPITAL Divya Rekha O*, Jaya Preethi P, Saravanakumar K, S

[DOWNLOAD PDF]

50. STUDY OF USE IRON CHELATION DRUGS IN CHILDREN'S THALASEMIA AT ONE OF THE KUNINGAN HOSPITALS Ani Anggriani , Astrid Meida Tanzani1, Ida Lisni1

[DOWNLOAD PDF]

Home | About us | Editorurrent Issue | Archives | Online Manscript Submission | Aim And Scope

Terms of Use | Privacy Policy | Designing & Hosting by The ColourMoon



An Elsevier Indexed Journal

ISSN-2230-7346



Journal of Global Trends in Pharmaceutical Sciences

EFFECT OF AMORPHOPHALLUSONCOPHYLLUS PRAIN EX. HOOK. F. TUBERS ADMINISTRATION IN PREVENTING METABOLIC SYNDROME

Widhya Aligita^{*}, WinggaFirananda, Elis Susilawati

Department of Pharmacology, Bandung School of Pharmacy, JI. Soekarno Hatta 754, Bandung, Indonesia

*Corresponding author E-mail: w.aligita@gmail.com

ARTICLE	INFO

ABSTRACT

Amorphophallusoncophyllus tubers, diabetes mellitus, hyperlipidemia, hypertension, insulin resistance, metabolic syndrome



Epidemiological studies showed that the prevalence of global metabolic syndrome had increased. The main cause of metabolic syndrome was excessive consumption of carbohydrate. Therefore, the purpose of this study was to find the alternative source of carbohydrate that could suppress the occurrence of metabolic syndrome. One of the potential plants was Amorphophallusoncophyllus tubers (AOT), because of its high glucomannan content. This study was performed in in vivo method by using 3 groups of animals, that were administered food without carbohydrates, food with rice as carbohydrate, and AOT as carbohydrate for 42 days. Parameters measured were body weight, HDL and triglyceride level, insulin sensitivity (value of K_{ITT}), and blood pressure. The results showed body weight in the control group, rice, and AOT were 250.3 g, 316.4 g, 115.0 g; HDL levels 11.2 mg / dL, 9.6 mg / dL, 16.5 mg / dL; triglyceride levels 31.6 mg / dL, 84.1 mg / dL, 44.9 mg / dL; K_{ITT} value 1.58, 0.78, 2.06; and blood pressure 113/77 mmHg, 152/96 mmHg, and 101/75 mmHg; respectively. It could be concluded that the AOT as a source of carbohydrates could prevent the occurrence of metabolic syndrome.

INTRODUCTION

Metabolic syndrome, first known as the syndrome X, is a group of syndromes of metabolic abnormalities that are closely related to cardiovascular, cardiovascular, hyperlipidemia, type 2 diabetes. hypertension, cancer, gallstones, arthritis, and gout (1). Metabolic syndrome is characterized by at least three of the five criteria according to WHO, IDF and NCEP-ATPIII (the National Cholesterol Education Program - Adult Treatment Panel III), that are central obesity (obesity with abdominal circumference that exceeds 80 cm in women and 90 cm in triglyceride men). elevated levels. decreased HDL-cholesterol, fasting glucose up to 110-126 mg / mL (due to decreased insulin sensitivity), and elevated blood pressure (2, 3, 4). Based on the studies, metabolic syndrome are more related to central obesity compared with general obesity. Central obesity is thought to be the main cause of insulin resistance, which is one of the main markers of metabolic syndrome. besides, central obesity can also trigger the release of proinflammatory compounds that are responsible for the emergence of diabetes mellitus, hyperlipidemia, and cardiovascular disease. (5).

According to WHO, in 2014 more than 1.9 adults (> billion 18 vears) were overweight, with 600 million of them being obese. And in 2016, overweight patients increased to 1.9 billion (> 18 years) with 650 million of whom are obese (2). Overall, one in ten of the world's adult population is obese. Overweight and obesity are risk factors for death, at least 2.8 million people die each year. Based on the study, 44% of diabetics, 23% of patients with ischemic heart disease, and 41% of people with cancer were also caused by obesity (2). Because obesity results from an imbalance of energy intake and energy expenditure, the treatment of obesity lies in efforts to balance these energy. To reduce the energy intake is by regulating the amount and or the composition of food. Carbohydrates, fats, and proteins are the macronutrients needed by the body. Many studies had concluded that carbohydrates could cause obesity. The types of food recommended in the prevention of metabolic syndrome, one of which is high fiber diet, especially water soluble fiber. The mechanism of water soluble fiber in preventing and reducing obesity is by replacing energy intake from other nutrients and also providing a sense of satiety because this kind of fiber will absorb water and swell in the digestive Amorphophallusoncophyllus (6). tract tubers (AOT) are one of the food ingredients that have the potential to be used to prevent metabolic syndrome because of its high glucomannan content. Glucomannan is a water-soluble and lowcaloriepolysaccharide. Amorphophallusonc ophyllus is one of the plants that can thrive in Indonesia, although local people have not used it as a food ingredient. Nevertheless, export demand to Japan continues to increase every year. Japanese people use flour obtained from AOT or what they call konjac flour as dietary fiber in the food industry. Based on the previous research, AOT has the activity of decresing body weight, reducing total cholesterol and blood sugar levels, and increasing HDL cholesterol levels (7, 8, 9). According to this studies, the study was aimed to evaluate the activity of *Amorphophallusoncophyllus* flour as a source of carbohydrates that could prevent the metabolic syndrome.

MATERIALS AND METHODS

Animals: Male Swiss–Webster mice 2-3 months old weighing 20-30 g were kept at standard laboratory conditions at 24-26°C, humidity 70-75%, and 12 hours light/dark cycle. Animals were fed with standard chow and water ad libitum. The methods in this study were performed in accordance with ethics and guide for animals care and used. Ethical approval was published by the Ethics Committee Padjajaran University numbered

139/UN6.KEP/EC/2018.

Anti metabolic syndrome evaluation of *Amorphophallusoncophyllus* flour

Rats were randomly divided into 3 groups: control group, rice group, and AOT group. Each group was given with different composition food with the same amount for 42 days. Food compositions could be seen in **Table 1** (10). Parameters measured were body weight, food intake, HDL and triglycerides level, value of insulin tolerance test constant, and blood pressure before treatment and 42 days after treatment.

Insulin Tolerance Test: An insulin tolerance test was an examination to evaluate the level of insulin sensitivity. This evaluation was carried out before treatment and 42 days after treatment. Before evaluation, all mice were fasted for \pm 4 hours, then the initial blood glucose level was measured. Then, insulin was injected intraperitoneally at a dose of 0.05 IU / kgBW and blood glucose level was measured in the 15th, 30th, 45th and 60th minutes (11).

RESULTS AND DISCUSSION

Effect of different source of carbohydrate on body weight

Body weight measurement could be seen in Table 2. The result showed that body weight before treatment did not show significant differences (p > 0.05). This mean that the weight of all groups at the time before treatment was homogeneous. While body weight at 42 days after treatment showed significant differences (p <0.05). It could be interpreted that feeding composition different with а of carbohydrate sources would affect body weight. According to Table 2, there was significant difference in body weight between the groups given control food, food containing rice flour as a source of carbohydrates, and food containing AOT flour as a source of carbohydrates. In the control and rice group, body weight tended to increase every week. Even so, the rice group experienced a significantly higher body weight elevation compared to the control group. While, the AOT flour group experienced weight loss each week compared to the control and rice group. AOT flour was obtained from Amorphophallusoncophyllus tuber that contains high level of glucomannan. Glucomannan is a water-soluble polysaccharide known as water soluble and low-calories fiber. The mechanism of action of glucomannan in losing weight was related to its ability to absorb a lot of water and form a thick mass (gel), so that it would extend the emptying time of the stomach and the transit time of food in the stomach. This condition would cause satiety longer. Glucomannan consumption would also automatically reduce the amount of energy produced per unit weight of food consumed, because glucomannan is a low glycemic index food (12). The ability of glucomannan to prolong satiety was shown in Figure 1. Based on Figure 1, the amount of food intake in the AOT group was the lowest compared to the control and rice groups. Meanwhile, the

highest amount of food intake was shown by the rice group. Another study had shown that consumption of low glycemic index food ccouldprolong satiety and delay hunger so that it would affect the food intake compared to the high glycemic index food (13).

Effect of different source of carbohydrate on HDL and triglyceride level

The triglyceride and HDL level at before and after treatment was shown in Table **3**.Based on the **Table 3**, triglyceride and HDL level at the beginning of the evaluation did not show any significant difference (p> 0.05), which means the lipid levels of all groups before evaluation were equivalent. After being treated for 42 days with different source of carbohydrate food. triglyceride and HDL level experienced significant changes. The triglyceride level of control group, rice group, and AOT group on day 42 experienced -39%, 60%. and -16% changes compared to the triglyceride level before experiment, respectively. From these results, it could be seen that rice as a carbohydrate source caused the highest and significant increase in triglyceride level compared to the control group and AOT group. Elevation in triglyceride level was directly proportional to the elevation of blood glucose level (hyperglycemia) carbohydrate high due to intake. Hyperglycemia would trigger an increase in insulin requirements resulting in hyperinsulinemia. This condition would eventually cause insulin resistance. Insulin resistance would cause a decrease in the activity of the lipoprotein lipase enzyme: the lower the activity of the lipoprotein lipase enzyme, the higher triglyceride level in blood. Then with elevation of triglyceride level, the HDL catabolism would also increase, thus causing a decrease in HDL level (14, 15). Although based on Table 3, HDL level experienced no decrease in HDL in the rice group.

Table 1. Food Composition					
Ingredients	Normal Group Food (kg)	Rice Group Food (kg)	AOT Group Food (kg)		
Rice flour	-	4,25	-		
AOT flour	-	-	4,25		
Flour	1,7	1,7	1,7		
Fish flour	0,8	0,8	0,8		
Green bean flour	0,7	0,7	0,7		
Fat	0,5	0,5	0,5		

Table 2. Body Weight during treatment Body weight (g) at days-Group 7 1 14 21 28 35 42 Control 209±22 235±18 215±15 218±17 223±17 244±19 250±19 Rice 208±22 224±16 242±16 258±12 275±12 293±16 316±14 AOT 207±23 187±31 184±30 168±30 153±30 136±24 115±20

Note: data was presented as mean±SD; n=7 mice/ group; * means significantly different compared to the control group; # means significantly different compared to the rice group

Table 3 Triglyceride and HDL level during treatment

Group	Triglyceride level at day- (m/dl)		Percentage of change (%)	HDL level at day- (mg/dl)		Percentage of change (%)
	0	42		0	42	
Control	51.6±1.99	31.6±2.2 [#]	-39	8.2±0.54	$11.2\pm0.9^{\#}$	36
Rice	52.5±2.49	84.1±3.0*	60	8.0±0.43	9.6±0.3*	20
AOT	53.7±3.21	$44.9 \pm 4.4^{*\#}$	-16	8.4 ± 0.60	16.5±1.4*#	96

Note: data was presented as mean±SD; n=7 mice/ group; * means significantly different compared to the control group; # means significantly different compared to the rice group.

Table 4 K _{ITT} value during treatment					
Crown	KITT va	lue at day-	Persentage of		
Group	0	42	change (%)		
Control	1.39±0.05	1.58±0.10#	14		
Rice	1.42 ± 0.05	$0.78 \pm 0.03*$	-45		
AOT	1.39±0.05	2.06±0.07*#	48		

Note: data was presented as mean±SD; n=7 mice/ group; * means significantly different compared to the control group; # means significantly different compared to the rice group.

Group	Systolic blood pressure at day- (mmHg)		Percentage of change (%)	Diastolic blood pressure at day- (mmHg)		Percentage of change (%)
_	0	42		0	42	
Control	112.4±1.82	112.6±4.9 [#]	00.02	73.9±2.79	$76.8 \pm 1.9^{\#}$	4
Rice	113.4±2.30	151.8±8.9*	34	76.6±2.70	96.2±1.9*	25
AOT	113.4±2.70	100.6±2.6*#	-11	74.0±2.34	75.2±1.6 [#]	2

Table 5 Blood Pressure during treatment

Note: data was presented as mean±SD; n=7 mice/ group; * means significantly different compared to the control group; # means significantly different compared to the rice group.




Figure 1 Food intake during treatment

But when compared with the control group and the AOT group, the increase in HDL level in the rice group was the lowest. And the group given AOT experienced the highest HDL increase of 96%. Another study also showed that high fiber diet could improve the lipid metabolism disorder (16).

Effect of different source of carbohydrate on insulin sensitivity

Insulin sensitivity determined the body's respond to the presence of insulin. Decreasing in insulin sensitivity resulted in a condition known as insulin resistance (17). The condition of insulin resistance was in line with the increasing prevalence of obesity (18). Evaluation of insulin sensitivity was carried out using an insulin tolerance test and expressed by the value of constant of insulin tolerance test (K_{ITT}).

Table 4 showed that the rice group experienced the highest decrease in insulin sensitivity compared to the control group and AOT. This proved that elevation in body weight would increase the insulin resistance risk. While the AOT group experienced the highest increase in insulin sensitivity by 48%. Studies showed that low-calories and high fiber food could insulin sensitivity (19, improve 20). Another study also showed that а reduction in carbohydrates and replacing

them with unsaturated fats could increase insulin sensitivity (21). This was thought to be one of the mechanism of action of AOT in improving insulin sensitivity and glucomannan content in AOT was responsible for this activity.

Effect of different source of carbohydrate on blood pressure

Replacement of rice with AOT showed changes in blood pressure as shown in
 Table 5. The rice group showed elevated
 systolic and diastolic blood glucose level, while the control and AOT group didn't. Food with a low glycemic index had the ability to lower blood pressure (22). Based on the results of the experiment, AOT as a source of carbohydrates could reduce body weight, reduce triglyceride level, increase HDL level, increase insulin sensitivity, and reduce blood pressure. These effects are very influential in AOT activities in preventing or reducing symptoms of metabolic syndrome. The antimetabolic ability of the AOT syndrome is thought to be caused by its high glucomannan content. These result was comparable with another study (23).. It could be concluded that the AOT as a source of carbohydrate could prevent the occurrence of metabolic syndrome.

REFERENCES

- Sardesai VM. Introduction to Clinical Nutrition 3rd ed.Florida:CRC Press, 2012. 205.
- 2. World Health Organization (WHO). Obesity and Overweight. 2017. [ONLINE] Available at: http://www.who.int/news-room/factsheets/detail/obesity-and-overweight [Accessed 12 November 2017]
- 3. International Diabetes Federation (IDF). Diabetes Atlas 8th ed. 2017. [ONLINE] Available at: file:///C:/Users/X441NA/Downloads/ english-6th%20(1).pdf [Accessed 14 November 2017].
- 4. NCEP ATP III. 2001. ATP III Guidelines At-A-Glance Quick Desk Reference. [ONLINE] Available at: https://www.nhlbi.nih.gov/files/docs/ guidelines/atglance.pdf [Accessed 12 November 2017).
- 5. Paley CA, Johnson MI. Abdominal Obesity and Metabolic Syndrome: Exercise as Medicine?. BMC Sports Sci Med Rehabil.2018; 10:7.
- 6. Fernandez ML. Soluble Fibre and Nondigestible Carbohydrate Effect on Plasma Lipid and Cardiovascular Risk. Current Opinion Lipidology.2001; 12(1): 35-40.
- Urli TIH, Hariyanto T, Dewi N. PengaruhPemberianTepungPorang (Amorphophallusoncophyllus Blume) terhadap Kadar HDL padaTikus (Rattus novergicus) Strain Wistar DM Tipe 2. Nursing News.2017; 2(2): 652-64.
- 8. Sutriningsih A, Ariani NL. Efektivitas Umbi Porang (Amorphophallusoncophillus) TerhadapPenurunan Kadar GlukosaDarahPenderita Diabetes Mellitus. Jurnal Care.2017; 5(1): 48-58.
- 9. Madjid IJ, Nissa C. PotensiGlukomananpadaTepungPora ngsebagaiAgen AntiobesitaspadaTikusdenganInduksi Diet Tinggi Lemak. JurnalGiziKlinik

Indonesia.2016; 13(1): 1-6.

- 10. Aligita W, Kurniati NF, danSukandar EY.Antidiabetic Study of Combination of Andrographispaniculata (burm. f.) wallich, ex nees, herbs extract and GuazumaulmifoliaLamk. Leaves Extract in Obese Diabetic Mice International Journal Model. of Pharmacy and Pharmaceutical Sciences.2016; 8(1): 316-20.
- 11. Ratwita W, Sukandar EY, Kurniati NF, Adnyana IK. Alpha Mangostin and Xanthone from Mangosteen (Garcinia mangostanaL.) Role on Insulin Tolerance and PPAR- γ in Preclinical Model Diabetes Mellitus. Journal of Pharmacy and Nutrition Sciences.2018; 8: 83-90.
- 12. Keithley JK, Swanson B, Mikolaitis SL, DeMeo M, Zeller JM, Fogg L, Adamji J.Safety and Efficacy of Glucomannan for Weightloss in Overweight and Moderately Obese Adults. Journal of Obesity.2013; 2013.
- 13. Ma Y, Olendzki B, Chiriboga D, Hebert DR, Li Y, Li W, Campbell MJ, Gendreau K, Ockene IS.Association of between Dietary Carbohydrate and Body Weight. Am J Epidemiol.2005; 161(4): 359-67.
- 14. Mohammed NH, Wolever TM. Effect of carbohydrate source on postprandial blood glucose in subjects with type 1 diabetes treated with insulin lispro. Diabetes Res ClinPract.2004; 65:29–35.
- **15.** Wolever TM, Mehling C. Long-term effect of varying the source or amount of dietary carbohydrate on postprandial plasma glucose, insulin, triacylglycerol, and free fatty acid concentrations in subjects with impaired glucose tolerance. Am J ClinNutr.2003; 77:612–21.
- **16.** Kubo K, Koido A, Kitano M, Yamahoto H, Saito M.Combined Effects on a Dietary Fibre Mixture and Wheat Albumin in a Rat Model

of Type 2 Diabetes Mellitus. Journal of Nutritional Science and Vitaminology.2016; 62: 416-24.

- **17.** Nolan CJ, Damm P, Prentki M. Type 2 diabetes across generations: from pathophysiology to prevention and management. Lancet.2011; 378:169– 81
- **18.** Mokdad AH, Ford ES, Bowman BA, et al. Prevalence of obesity, diabetes, and obesity-related health risk factors. JAMA.2001; 289:76–9
- **19.** Bessesen DH. The Role of Carbohydrates in Insulin Resistance.The Journal of Nutrition.2001; 131(10): 2782S-6S.
- 20. Barazzoni R, Deutz NEP, Biolo G, Bischoff S, Boirie Y, Cederholm T, Cuerda C, Delzenne N, Leon Sanz M, Liungyist O, Muscaritoli M, Pichard C, Preiser JC, Sbraccia P, Singer P, Tappy L, Thorens B, Van Gossum A, Vettor R, Calder PC. Carbohydrates and Insulin Resistance in Clinical Nutrion: Recommendation from the ESPEN Expert Group. Clinical Nutrition.2017; 36(2): 355-63.
- **21.** Gadgil MD, Appel LJ, Yeung E, Anderson CAM, Sacks FM, Miller ER. The Effects Carbohydrate, Unsaturated Fat, and Protein Intake on Measures of Insulin Sensitivity. Diabetes Care.2013; 36:1132–7.
- 22. Evans CEL, Greenwood DC, Threapleton DE, et al. Glycemic Index, Glycemic Load, and Blood Pressure: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. American Journal of Clinical Nutrition.2017; 105(5):1176-90.
- **23.** Santos FL, Esteves SS, da Costa Pereira A, Yancy WS Jr, Nunes JP. Systematic Review and Meta-Analysis of Clinical Trials of the Effects of Low Carbohydrates Diet on Cardiovascular Risk Factors. Obesity Reviews.2012; 13(11): 1048-66