

DAFTAR PUSTAKA

- Abdel-Monem, R., El-Leithy, E. S., Alaa-Eldin, A. A., & Abdel-Rashid, R. S. (2023). Curcumin/Fusidic Acid Bitherapy Loaded Mixed Micellar Nanogel for Acne Vulgaris Treatment: In Vitro and In Vivo Studies. *AAPS PharmSciTech*, 24(7), 182.
- Algahtani, M. S., Ahmad, M. Z., & Ahmad, J. (2020). Nanoemulsion loaded polymeric hydrogel for topical delivery of curcumin in psoriasis. *Journal of Drug Delivery Science and Technology*, 59, 101847.
- Amelia, R., Darsono, P. V., & Saputri, R. (2023). Aktivitas Antibakteri Nira Aren (*Arenga pinnata* Merr) Terhadap Bakteri *Staphylococcus epidermidis*. *Sains Medisina*, 1(4), 195–201.
- Balguri, S. P., Adelli, G. R., Janga, K. Y., Bhagav, P., & Majumdar, S. (2017). Ocular disposition of ciprofloxacin from topical, PEGylated nanostructured lipid carriers: Effect of molecular weight and density of poly (ethylene) glycol. *International Journal of Pharmaceutics*, 529(1–2), 32–43. <https://doi.org/10.1016/j.ijpharm.2017.06.042>
- Bleve, M., Pavanetto, F., & Perugini, P. (2011). Solid lipid nanoparticles: technological developments and in vivo techniques to evaluate their interaction with the skin. *Progress in Molecular and Environmental Bioengineering-From Analysis and Modeling to Technology Applications*.
- Brito Raj, S., Chandrasekhar, K. B., & Reddy, K. B. (2019). Formulation, in-vitro and in-vivo pharmacokinetic evaluation of simvastatin nanostructured lipid carrier loaded transdermal drug delivery system. *Future Journal of Pharmaceutical Sciences*, 5(1). <https://doi.org/10.1186/s43094-019-0008-7>
- Candani, D., Ulfah, M., Noviana, W., & Zainul, R. (2018). A Review Pemanfaatan Teknologi Sonikasi. *INA-Rxiv*, 26, 1–9.
- Cirri, M., Maestrini, L., Maestrelli, F., Mennini, N., Mura, P., Ghelardini, C., & Mannelli, L. D. C. (2018). Design, characterization and in vivo evaluation of nanostructured lipid carriers (NLC) as a new drug delivery system for hydrochlorothiazide oral administration in pediatric therapy. *Drug Delivery*, 25(1), 1910–1921. <https://doi.org/10.1080/10717544.2018.1529209>
- Czajkowska-Kośnik, A., Szekalska, M., & Winnicka, K. (2019). Nanostructured lipid carriers: A potential use for skin drug delivery systems. *Pharmacological Reports*, 71(1), 156–166.

- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- Evonik. (2015). *TEGO® Care 450*. May, 1–6.
- Fox, L., Csongradi, C., Aucamp, M., Du Plessis, J., & Gerber, M. (2016). Treatment modalities for acne. *Molecules*, 21(8), 1–20. <https://doi.org/10.3390/molecules21081063>
- H. Muller, R., Shegokar, R., & M. Keck, C. (2011). 20 Years of Lipid Nanoparticles (SLN & NLC): Present State of Development & Industrial Applications. *Current Drug Discovery Technologies*, 8(3), 207–227. <https://doi.org/10.2174/157016311796799062>
- Hafez Ghoran, S., Calcaterra, A., Abbasi, M., Taktaz, F., Nieselt, K., & Babaei, E. (2022). Curcumin-Based Nanoformulations: A Promising Adjuvant towards Cancer Treatment. *Molecules*, 27(16). <https://doi.org/10.3390/molecules27165236>
- Heng, A. H. S., Say, Y.-H., Sio, Y. Y., Ng, Y. T., & Chew, F. T. (2022). Epidemiological risk factors associated with acne vulgaris presentation, severity, and scarring in a Singapore Chinese population: a cross-sectional study. *Dermatology*, 238(2), 226–235.
- IMASARI, T., & Emasari, F. (2021). T DETEKSI BAKTERI *Staphylococcus* sp. PENYEBAB JERAWAT DENGAN TINGKAT PENGETAHUAN PERAWATAN WAJAH PADA SISWA KELAS XI DI SMK NEGERI 1 PAGERWOJO. *Jurnal Sintesis: Penelitian Sains, Terapan Dan Analisisnya*, 2(2), 58–65.
- Jafar, G., Agustin, E., & Puryani, D. (2019). Pengembangan Formula Solid Lipid Nanoparticles (SLN) Hidrokortison Asetat. *Jurnal Pharmascience*, 6(1), 83. <https://doi.org/10.20527/jps.v6i1.6080>
- Jafar, G., Darijanto, S. T., Mauludin, R., Tinggi, S., Bandung, F., Kunci, K., & Ceramide, : (2015). Formulasi Solid Lipid Nanoparticle Ceramide. *Jurnal Pharmascience*, 2(2), 80–87. <http://jps.ppjpu.unlam.ac.id/>
- Jafar, G., Salsabilla, S., & Santoso, R. (2022). Development and Characterization of Compritol Ato® Base in Nanostructured Lipid Carriers Formulation With the Probe Sonication Method. *International Journal of Applied Pharmaceutics*, 14(Special Issue 4), 64–66. <https://doi.org/10.22159/ijap.2022.v14s4.PP04>
- Kawish, S. M., Ahmed, S., Gull, A., Aslam, M., Pandit, J., Aqil, M., & Sultana, Y. (2017). Development of nabumetone loaded lipid nano-scaffold for the effective

- oral delivery; optimization, characterization, drug release and pharmacodynamic study. *Journal of Molecular Liquids*, 231, 514–522. <https://doi.org/10.1016/j.molliq.2017.01.107>
- Kharat, M., & McClements, D. J. (2019). Fabrication and characterization of nanostructured lipid carriers (NLC) using a plant-based emulsifier: Quillaja saponin. *Food Research International*, 126(May), 108601. <https://doi.org/10.1016/j.foodres.2019.108601>
- Kheradmandnia, S., Vasheghani-Farahani, E., Nosrati, M., & Atyabi, F. (2010). Preparation and characterization of ketoprofen-loaded solid lipid nanoparticles made from beeswax and carnauba wax. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 6(6), 753–759. <https://doi.org/10.1016/j.nano.2010.06.003>
- Khosa, A., Reddi, S., & Saha, R. N. (2018). Nanostructured lipid carriers for site-specific drug delivery. *Biomedicine and Pharmacotherapy*, 103(February), 598–613. <https://doi.org/10.1016/j.biopha.2018.04.055>
- Kovačević, A. B., Müller, R. H., & Keck, C. M. (2020). Formulation development of lipid nanoparticles: Improved lipid screening and development of tacrolimus loaded nanostructured lipid carriers (NLC). *International Journal of Pharmaceutics*, 576(May 2019), 118918. <https://doi.org/10.1016/j.ijpharm.2019.118918>
- Krambeck, K., Silva, V., Silva, R., Fernandes, C., Cagide, F., Borges, F., Santos, D., Otero-Espinar, F., Lobo, J. M. S., & Amaral, M. H. (2021). Design and characterization of Nanostructured lipid carriers (NLC) and Nanostructured lipid carrier-based hydrogels containing Passiflora edulis seeds oil. *International Journal of Pharmaceutics*, 600(December 2020). <https://doi.org/10.1016/j.ijpharm.2021.120444>
- Lavers, I. (2014). Diagnosis and management of acne vulgaris in aesthetic practice. *Journal of Aesthetic Nursing*, 3(10), 482–489. <https://doi.org/10.12968/joan.2014.3.10.482>
- Lestari, R. T., Gifanda, L. Z., Kurniasari, E. L., Harwiningrum, R. P., Kelana, A. P. I., Fauziyah, K., & Priyandani, Y. (2021). Perilaku mahasiswa terkait cara mengatasi jerawat. *Jurnal Farmasi Komunitas*, 8(1), 15.
- Liu, C. H., & Huang, H. Y. (2013). In vitro anti-propionibacterium activity by curcumin containing vesicle system. *Chemical and Pharmaceutical Bulletin*, 61(4), 419–425. <https://doi.org/10.1248/cpb.c12-01043>
- Lv, W., Zhao, S., Yu, H., Li, N., Garamus, V. M., Chen, Y., Yin, P., Zhang, R., Gong, Y., & Zou, A. (2016). Brucea javanica oil-loaded nanostructure lipid carriers (BJO NLCs): Preparation, characterization and in vitro evaluation. *Colloids and*

- Surfaces A: Physicochemical and Engineering Aspects*, 504, 312–319.
<https://doi.org/10.1016/j.colsurfa.2016.05.068>
- Mancuso, A., Cristiano, M. C., Fresta, M., & Paolino, D. (2020). The challenge of nanovesicles for selective topical delivery for acne treatment: enhancing absorption whilst avoiding toxicity. *International Journal of Nanomedicine*, 9197–9210.
- Ortiz, A. C., Yañez, O., Salas-Huenuleo, E., & Morales, J. O. (2021). Development of a nanostructured lipid carrier (NLC) by a low-energy method, comparison of release kinetics and molecular dynamics simulation. *Pharmaceutics*, 13(4).
<https://doi.org/10.3390/pharmaceutics13040531>
- Özdemir, S., Çelik, B., & Üner, M. (2019). Properties and therapeutic potential of solid lipid nanoparticles and nanostructured lipid carriers as promising colloidal drug delivery systems. In *Materials for Biomedical Engineering: Nanomaterials-based Drug Delivery*. <https://doi.org/10.1016/B978-0-12-816913-1.00015-5>
- Patel, R., & Prabhu, P. (2020). Nanocarriers as versatile delivery systems for effective management of acne. *International Journal of Pharmaceutics*, 579, 119140.
- Philips. (2013). *Myritol* 318. June, 9001. <https://docs.rs-online.com/0501/0900766b81290203.pdf>
- Qidwai, A., Pandey, M., Pathak, S., Kumar, R., & Dikshit, A. (2017). The emerging principles for acne biogenesis: a dermatological problem of puberty. *Human Microbiome Journal*, 4, 7–13.
- Rainey, N. E., Moustapha, A., & Petit, P. X. (2020). Curcumin, a Multifaceted Hormetic Agent, Mediates an Intricate Crosstalk between Mitochondrial Turnover, Autophagy, and Apoptosis. *Oxidative Medicine and Cellular Longevity*, 2020. <https://doi.org/10.1155/2020/3656419>
- Rao, H., Ahmad, S., Madni, A., Rao, I., Ghazwani, M., Hani, U., Umair, M., Ahmad, I., Rai, N., Ahmed, M., & Khan, K. ur R. (2022). Compritol-Based Alprazolam Solid Lipid Nanoparticles for Sustained Release of Alprazolam: Preparation by Hot Melt Encapsulation. *Molecules*, 27(24).
<https://doi.org/10.3390/molecules27248894>
- Rapalli, V. K., Kaul, V., Waghule, T., Gorantla, S., Sharma, S., Roy, A., Dubey, S. K., & Singhvi, G. (2020). Curcumin loaded nanostructured lipid carriers for enhanced skin retained topical delivery: optimization, scale-up, in-vitro characterization and assessment of ex-vivo skin deposition. *European Journal of Pharmaceutical Sciences*, 152, 105438.

- Rochman, M. F., Darmawan, A., & Wardhana, P. (2022). Sistem Nanostructured Lipid Carriers Lemak Padat Poloksamer dan Asam Stearat dengan Lemak Cair Minyak Kedelai. *Jurnal Ilmiah Medicamento*, 8(1), 1–7.
- Savitry, P. E., & Wathoni, N. (2018). Karakterisasi Efisiensi Penjerapan Pada Nanopartikel Natrium Diklofenak Dalam Sediaan Topikal. *Farmaka*, 16(2), 493–507.
- Shah, K. A., Date, A. A., Joshi, M. D., & Patravale, V. B. (2007). Solid lipid nanoparticles (SLN) of tretinoin: Potential in topical delivery. *International Journal of Pharmaceutics*, 345(1–2), 163–171. <https://doi.org/10.1016/j.ijpharm.2007.05.061>
- Shah, N. V., Seth, A. K., Balaraman, R., Aundhia, C. J., Maheshwari, R. A., & Parmar, G. R. (2016). Nanostructured lipid carriers for oral bioavailability enhancement of raloxifene: Design and in vivo study. *Journal of Advanced Research*, 7(3), 423–434. <https://doi.org/10.1016/j.jare.2016.03.002>
- Shrotriya, S., Ranpise, N., Satpute, P., & Vidhate, B. (2018). Skin targeting of curcumin solid lipid nanoparticles-engrossed topical gel for the treatment of pigmentation and irritant contact dermatitis. *Artificial Cells, Nanomedicine and Biotechnology*, 46(7), 1471–1482. <https://doi.org/10.1080/21691401.2017.1373659>
- Sibero, H. T., & Anggraini, D. I. (2019). Prevalensi dan gambaran epidemiologi akne vulgaris di Provinsi Lampung. *JK Unila JURNAL KEDOKTERAN UNIVERSITAS LAMPUNG*, 3(2), 308–312.
- Slika, L., & Patra, D. (2020). A short review on chemical properties, stability and nanotechnological advances for curcumin delivery. In *Expert Opinion on Drug Delivery* (Vol. 17, Issue 1). Taylor & Francis. <https://doi.org/10.1080/17425247.2020.1702644>
- Soleimani, Y., Goli, S. A. H., Varshosaz, J., & Sahafi, S. M. (2018). Formulation and characterization of novel nanostructured lipid carriers made from beeswax, propolis wax and pomegranate seed oil. In *Food Chemistry* (Vol. 244). <https://doi.org/10.1016/j.foodchem.2017.10.010>
- Tamjidi, F., Shahedi, M., & Nasirpur, A. (2013). *Ilmu Pangan Inovatif dan Teknologi Baru Pembawa lipid berstruktur nano (NLC): Sistem pengiriman Machine Translated by Google*. 19, 29–43.
- Tej, K., Mouin, A., Gowda, D. V., Anjali, Karunakar, G., Patel, N., & Kamal, S. (2016). Nano structured lipid carrier based drug delivery system Gastro RDDS-Review View project Pectin-HPMC mesalamine tablets View project. *Journal of*

Chemical Research, 8(2), 627–643.
<https://www.researchgate.net/publication/301520149>

- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016). Formulation, characterisation, and in vitro skin diffusion of nanostructured lipid carriers for deoxyarbutin compared to a nanoemulsion and conventional cream. *Scientia Pharmaceutica*, 84(4), 634–645. <https://doi.org/10.3390/scipharm84040634>
- Urošević, M., Nikolić, L., Gajić, I., Nikolić, V., Dinić, A., & Miljković, V. (2022). Curcumin : Biological Activities and Modern. *Antibiotics*, 11, 1–27.
- Walsh, T. R., Efthimiou, J., & Dréno, B. (2016). Systematic review of antibiotic resistance in acne: an increasing topical and oral threat. *The Lancet Infectious Diseases*, 16(3), e23–e33.
- Williams, H. C., Dellavalle, R. P., & Garner, S. (2012). Acne vulgaris. *The Lancet*, 379(9813), 361–372. [https://doi.org/10.1016/S0140-6736\(11\)60321-8](https://doi.org/10.1016/S0140-6736(11)60321-8)
- Witayaudom, P., & Klinkesorn, U. (2017). Effect of surfactant concentration and solidification temperature on the characteristics and stability of nanostructured lipid carrier (NLC) prepared from rambutan (*Nephelium lappaceum* L.) kernel fat. *Journal of Colloid and Interface Science*, 505, 1082–1092. <https://doi.org/10.1016/j.jcis.2017.07.008>
- Yoozbashi, M., Rashidzadeh, H., Kermanian, M., Sadighian, S., Hosseini, M.-J., Kaboli, Z., & Rostamizadeh, K. (2022). Magnetic nanostructured lipid carrier for dual triggered curcumin delivery: Preparation, characterization and toxicity evaluation on isolated rat liver mitochondria. *Journal of Biomaterials Applications*, 36(6), 1055–1063.
- Zaid Alkilani, A., McCrudden, M. T. C., & Donnelly, R. F. (2015). Transdermal drug delivery: Innovative pharmaceutical developments based on disruption of the barrier properties of the stratum corneum. *Pharmaceutics*, 7(4), 438–470.