

ABSTRAK

Pengaruh Anestesi Umum Terhadap Kejadian Mual Dan Muntah Pada Pasien Dengan Tindakan Kolonoskopi Di RSUD Cibabat

**Oleh :
Mutiarra Mumthaz
191FI03013**

Mual dan muntah pasca operasi adalah komplikasi umum yang banyak terjadi sekitar 30% atau lebih, terjadi setelah tindakan anestesi. Mual dan muntah yang berlangsung terus menerus dapat menyebabkan gangguan cairan, dan ketidak seimbangan elektrolit, terbukanya kembali luka operasi, perdarahan, dan terhambatnya penyembuhan luka. Pada pasien pasca operasi yang masih dalam pengaruh sedasi atau anestesi, mual dan muntah pasca operasi dapat meningkatkan risiko aspirasi isi lambung. Hal tersebut dapat memperpanjang masa perawatan serta peningkatan biaya perawatan. Tujuan penelitian ini adalah untuk mengetahui pengaruh anestesi umum terhadap kejadian mual dan muntah pada pasien dengan tindakan kolonoskopi. Metode penelitian ini adalah penelitian kuantitatif dengan jenis pendekatan observasional, dengan menggunakan instrumen penelitian berupa lembar observasi skor gordon. Sampel yang didapatkan yaitu 30 orang. Teknik pengambilan sampel menggunakan teknik *total sampling* dengan *accidental sampling*. Hasil penelitian didapatkan hasil yaitu tidak merasa mual dan muntah sebanyak 8 responden (26,7%), merasa mual saja sebanyak 6 responden (16,7%), dan sebagian besar mengalami retching/muntah sebanyak 16 responden (53,3%). Dapat disimpulkan terdapat adanya pengaruh antara anestesi umum terhadap mual dan muntah pada pasien kolonoskopi.

Kata Kunci : Anestesi Umum, Mual dan Muntah, Kolonoskopi.

ABSTRACT

The Effect of General Anesthesia on the Incidence of Nausea and Vomiting in Patients with Colonoscopies at Cibabat Hospital

**By :
Mumthaz Mumthaz
191FI03013**

Postoperative nausea and vomiting are common complications, which occur approximately 30% or more after anesthesia. Nausea and vomiting that lasts continuously can cause fluid disturbances and electrolyte imbalances, reopen surgical wounds, bleeding, and delay wound healing. In postoperative patients who are still under the influence of sedation or anesthesia, postoperative nausea and vomiting can increase the risk of aspiration of gastric contents. In postoperative patients who are still under sedation or anesthesia, postoperative nausea and vomiting can increase the risk of aspiration of gastric contents. This can prolong the period of care and increase the cost of treatment. The aim of this study was to determine the effect of general anesthesia on the incidence of nausea and vomiting in patients undergoing colonoscopy. The method is a quantitative research with an observational approach, using a research instrument in the form of an observation sheet of the Gordon score. The samples obtained were 30 people. The sampling technique uses a total sampling technique with accidental sampling. The results of the study showed that 8 respondents (26.7%) did not feel nauseous and vomited, 6 respondents (16.7%) only felt nauseous, and 16 respondents (53.3%) experienced retching/vomiting. It can be concluded that there is an effect of general anesthesia on nausea and vomiting in colonoscopy patients.

Keywords: *General Anesthesia, Nausea and Vomiting, Colonoscopy.*