

DAFTAR PUSTAKA

- Adrià, C. M., Garcia-Vallvé, S., & Pujadas, G. (2012). DecoyFinder, a tool for finding decoy molecules. *Journal of Cheminformatics*, 4(S1), P2, 1758-2946-4-S1-P2.
<https://doi.org/10.1186/1758-2946-4-S1-P2>
- Arba Muhammad, N. O. (2020). Identification of potential inhibitors for Bruton's Tyrosine Kinase (BTK) based on pharmacophore-based virtual screening. *Biointerface Research in Applied Chemistry*, 10(3), 5472–5477.
<https://doi.org/10.33263/BRIAC103.472477>
- Auzanneau, C., Montaudon, D., Jacquet, R., Puyo, S., Pouységu, L., Deffieux, D., ... Pourquier, P. (2012). The Polyphenolic Ellagitannin Vescalagin Acts As a Preferential Catalytic Inhibitor of the α Isoform of Human DNA Topoisomerase II. *Molecular Pharmacology*, 82(1), 134–141. <https://doi.org/10.1124/mol.111.077537>
- Batista, J., Godden, J. W., & Bajorath, J. (2006). Assessment of Molecular Similarity from the Analysis of Randomly Generated Structural Fragment Populations. *Journal of Chemical Information and Modeling*, 46(5), 1937–1944.
<https://doi.org/10.1021/ci0601261>
- Bento, A. P., Gaulton, A., Hersey, A., Bellis, L. J., Chambers, J., Davies, M., ... Overington, J. P. (2014). The ChEMBL bioactivity database: An update. *Nucleic Acids Research*, 42(Database issue), D1083-1090. <https://doi.org/10.1093/nar/gkt1031>
- Cereto-Massagué, A., Guasch, L., Valls, C., Mulero, M., Pujadas, G., & Garcia-Vallvé, S. (2012). DecoyFinder: An easy-to-use python GUI application for building target-specific decoy sets. *Bioinformatics*, 28(12), 1661–1662.
<https://doi.org/10.1093/bioinformatics/bts249>
- Dewi, M. (2017). Sebaran Kanker di Indonesia, Riset Kesehatan Dasar 2007. *Indonesian Journal of Cancer*, 11(1), 1. <https://doi.org/10.33371/ijoc.v11i1.494>

Directory of in silico Drug Design tools. (2018, Mei 4). Diambil 7 Januari 2023, dari

<https://www.click2drug.org/index.php#Databases>

Dirjen Pengendalian Penyakit dan Penyehatan Lingkungan, 2009. (t.t.).

Ekins, S., Mestres, J., & Testa, B. (2007). *In silico* pharmacology for drug discovery:

Methods for virtual ligand screening and profiling: *In silico* pharmacology for drug discovery. *British Journal of Pharmacology*, 152(1), 9–20.

<https://doi.org/10.1038/sj.bjp.0707305>

Ferguson, L. R., & Baguley, B. C. (1996). *Mutagenicity of anticancer drugs that inhibit topoisomerase enzymes.*

Fidinillah, M., & Karuniawati, H. (2021). *Evaluasi Penggunaan Obat Antiemetika Pada Pasien Kanker Serviks Di RSUD Dr. Moewardi Surakarta Tahun 2018.*

Fitriana, N. A., & Ambarini, T. K. (2012). *Kualitas Hidup Pada Penderita Kanker Serviks Yang Menjalani Pengobatan Radioterapi. 1(02).*

Hardjono, S. (2016). *(Molecular Modeling, Synthesis and Antineoplastic Activity.*

Jacobsson, M., Lidén, P., Stjernschantz, E., Boström, H., & Norinder, U. (2003). Improving Structure-Based Virtual Screening by Multivariate Analysis of Scoring Data. *Journal of Medicinal Chemistry*, 46(26), 5781–5789. <https://doi.org/10.1021/jm030896t>

Kemenkes RI, 2019. (t.t.).

Kim, M.-R., Hwang, B. Y., Jeong, E.-S., Lee, Y.-M., Yoo, H.-S., Chung, Y.-B., ... Moon, D.-C. (2007). Cytotoxic germacranolide sesquiterpene lactones from *Carpesium triste* var. *manshuricum*. *Archives of Pharmacal Research*, 30(5), 556–560.

<https://doi.org/10.1007/BF02977648>

Kolev, J. N., O'Dwyer, K. M., Jordan, C. T., & Fasan, R. (2014). Discovery of Potent Parthenolide-Based Antileukemic Agents Enabled by Late-Stage P450-Mediated C—H Functionalization. *ACS Chemical Biology*, 9(1), 164–173.

<https://doi.org/10.1021/cb400626w>

- Lu, S., Liu, H.-C., Chen, Y.-D., Yuan, H.-L., Sun, S.-L., Gao, Y.-P., ... Lu, T. (2011). Combined Pharmacophore Modeling, Docking, and 3D-QSAR Studies of PLK1 Inhibitors. *International Journal of Molecular Sciences*, 12(12), 8713–8739. <https://doi.org/10.3390/ijms12128713>
- Morita, S. E., Prabowo, W. C., & Rijai, L. (2016). KAJIAN PENGOBATAN PASIEN KANKER SERVIKS DI RSUD ABDUL WAHAB SJAHRANIE SAMARINDA. *Proceeding of the 4th Mulawarman Pharmaceuticals Conferences*. Dipresentasikan pada the 4th Mulawarman Pharmaceuticals Conferences. Fakultas Farmasi, Universitas Mulawarman, Samarinda. <https://doi.org/10.25026/mpc.v4i1.201>
- Novel, S. S., Nuswantara, S., & Safitri, R. (2010). *Kanker Serviks dan Infeksi Human Papillomavirus (HPV)*. Jakarta: Javamedia Network.
- Ocviyanti, D., & Handoko, Y. (2013). *Peran Dokter Umum dalam Pencegahan Kanker Serviks di Indonesia*.
- PDB101: Learn: Guide to Understanding PDB Data: Beginner's Guide to PDB Structures and the PDBx/mmCIF Format. (2023). Diambil 7 Januari 2023, dari RCSB: PDB-101 website: <https://pdb101.rcsb.org/learn/guide-to-understanding-pdb-data/beginner%E2%80%99s-guide-to-pdb-structures-and-the-pdbx-mmCIF-format>
- Pedoman Teknis Pengendalian Kanker Payudara Kanker Leher Rahim, 2010*. (t.t.).
- Perveen, S., Alqahtani, J., Orfali, R., Al-Taweel, A. M., Yusufoglu, H. S., Abdel-Kader, M. S., & Taghialatela-Scafati, O. (2019). Antimicrobial guaianolide sesquiterpenoids from leaves of the Saudi Arabian plant *Anvillea garcinii*. *Fitoterapia*, 134, 129–134. <https://doi.org/10.1016/j.fitote.2019.02.017>
- Perveen, S., Al-Taweel, A. M., Yusufoglu, H. S., Fawzy, G. A., Foudah, A., & Abdel-Kader, M. S. (2018a). Hepatoprotective and cytotoxic activities of *Anvillea garcinii* and isolation of four new secondary metabolites. *Journal of Natural Medicines*, 72(1), 106–117. <https://doi.org/10.1007/s11418-017-1118-1>

- Perveen, S., Al-Taweel, A. M., Yusufoglu, H. S., Fawzy, G. A., Foudah, A., & Abdel-Kader, M. S. (2018b). Hepatoprotective and cytotoxic activities of *Anvillea garcinii* and isolation of four new secondary metabolites. *Journal of Natural Medicines*, 72(1), 106–117. <https://doi.org/10.1007/s11418-017-1118-1>
- Pommier, Y., Leo, E., Zhang, H., & Marchand, C. (2010). DNA Topoisomerases and Their Poisoning by Anticancer and Antibacterial Drugs. *Chemistry & Biology*, 17(5), 421–433. <https://doi.org/10.1016/j.chembiol.2010.04.012>
- Ramakrishnan, S., Patricia, S., & Mathan, G. (2015). Overview of high-risk HPV's 16 and 18 infected cervical cancer: Pathogenesis to prevention. *Biomedicine & Pharmacotherapy*, 70, 103–110. <https://doi.org/10.1016/j.biopha.2014.12.041>
- Rio, S., & Sri Tyas Suci, E. (2017). *PERSEPSI TENTANG KANKER SERVIKS DAN UPAYA PREVENSI PADA PEREMPUAN YANG MEMILIKI KELUARGA DENGAN RIWAYAT KANKER*.
- Rose, P. W., Prlić, A., Bi, C., Bluhm, W. F., Christie, C. H., Dutta, S., ... Burley, S. K. (2015). The RCSB Protein Data Bank: Views of structural biology for basic and applied research and education. *Nucleic Acids Research*, 43(D1), D345–D356. <https://doi.org/10.1093/nar/gku1214>
- Schneidman-Duhovny, D., Dror, O., Inbar, Y., Nussinov, R., & Wolfson, H. J. (2008). PharmaGist: A webserver for ligand-based pharmacophore detection. *Nucleic Acids Research*, 36(Web Server), W223–W228. <https://doi.org/10.1093/nar/gkn187>
- Setiawan, T., Ambarsari, L., & Sumaryada, T. I. (2016). STUDI IN SILICO CONVERSE REGION ETOPOSITE BINDING DOMAIN Pada ISOZIM HUMAN DNA TOPOISOMERASE II. *Journal of Applied Chemistry*, 4.
- Sobek, S., & Boege, F. (2014). DNA topoisomerases in mtDNA maintenance and ageing. *Experimental Gerontology*, 56, 135–141. <https://doi.org/10.1016/j.exger.2014.01.009>

- Staker, B. L., Hjerrild, K., Feese, M. D., Behnke, C. A., Burgin, A. B., & Stewart, L. (2002). The mechanism of topoisomerase I poisoning by a camptothecin analog. *Proceedings of the National Academy of Sciences*, 99(24), 15387–15392.
<https://doi.org/10.1073/pnas.242259599>
- Suhud, F. (2015). *Uji Aktivitas In-silico Senyawa Baru 1-Benzil-3-benzoilurea Induk dan Tersubstitusi sebagai Agen Antiproliferaif*. 7(4).
- Syahdi, R. R., Mun'im, A., Suhartanto, H., & Yanuar, A. (2012). Virtual screening of Indonesian herbal database as HIV-1 reverse transcriptase inhibitor. *Bioinformation*, 8(24), 1206–1210. <https://doi.org/10.6026/97320630081206>
- Tran-Nguyen, V.-K., Jacquemard, C., & Rognan, D. (2020). LIT-PCBA: An Unbiased Data Set for Machine Learning and Virtual Screening. *Journal of Chemical Information and Modeling*, 60(9), 4263–4273. <https://doi.org/10.1021/acs.jcim.0c00155>
- Valls, J., Richard, T., Larronde, F., Leblais, V., Muller, B., Delaunay, J.-C., ... Mérillon, J.-M. (2006). Two new benzylbenzoate glucosides from *Curculigo orchioidea*. *Fitoterapia*, 77(6), 416–419. <https://doi.org/10.1016/j.fitote.2006.05.013>
- Vuorinen, A., & Schuster, D. (2015). Methods for generating and applying pharmacophore models as virtual screening filters and for bioactivity profiling. *Methods*, 71, 113–134. <https://doi.org/10.1016/j.ymeth.2014.10.013>
- Wang, L., Pang, X., Li, Y., Zhang, Z., & Tan, W. (2016). RADER: A RAPid DEcoy Retriever to facilitate decoy based assessment of virtual screening. *Bioinformatics*, btw783. <https://doi.org/10.1093/bioinformatics/btw783>
- Warganegara, E., & Nur, N. N. (2016). *Faktor Risiko Perilaku Penyakit Tidak Menular*.
- Wermuth, C. G. (2015). *The practice of medicinal chemistry (4. Ed)*. Elsevier Academic Press.
- Wijaya, D. (2010). *Pembunuh Ganas itu Bernama Kanker Serviks: Kenali dan Waspada Kanker Serviks Sejak Dini*. Yogyakarta: Sinar Kejora.

Yanuar, A., Mun'im, A., Lagho, A. B. A., Syahdi, R. R., Rahmat, M., & Suhartanto, H.

(2011). *Medicinal Plants Database and Three Dimensional Structure of the Chemical Compounds from Medicinal Plants in Indonesia*. 8(5), 4.

Zhao, W., Hevener, K. E., White, S. W., Lee, R. E., & Boyett, J. M. (2009). A statistical framework to evaluate virtual screening. *BMC Bioinformatics*, 10(1), 225.

<https://doi.org/10.1186/1471-2105-10-225>