

DAFTAR PUSTAKA

- Albrian Fiky Prakoso, Novi Trisnawati, Y. Soesatyo. W. T. Subroto. N. C. S. (2019). *Jurnal pemberdayaan masyarakat madani*. 3(1).
- Alkilani, A. Z., McCrudden, M. T. C., & Donnelly, R. F. (2015). Transdermal drug delivery: Innovative pharmaceutical developments based on disruption of the barrier properties of the stratum corneum. *Pharmaceutics*, 7(4), 438–470. <https://doi.org/10.3390/pharmaceutics7040438>
- Benner, N., & Sammons, D. (2013). Overview of the treatment of acne vulgaris. *Osteopathic Family Physician*, 5(5), 185–190. <https://doi.org/10.1016/j.osfp.2013.03.003>
- Brito Raj, S., Chandrasekhar, K. B., & Reddy, K. B. (2019). Formulation, in-vitro and in-vivo pharmacokinetic evaluation of simvastatin nanostructured lipid carrier loaded transdermal drug delivery system. *Future Journal of Pharmaceutical Sciences*, 5(1). <https://doi.org/10.1186/s43094-019-0008-7>
- Chauhan, I., Yasir, M., Verma, M., & Singh, A. P. (2020). Nanostructured lipid carriers: A groundbreaking approach for transdermal drug delivery. *Advanced Pharmaceutical Bulletin*, 10(2), 150–165. <https://doi.org/10.34172/apb.2020.021>
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. In *Pharmaceutics* (Vol. 10, Issue 2). MDPI AG. <https://doi.org/10.3390/pharmaceutics10020057>
- Fathi, H. A., Allam, A., Elsabahy, M., Fetih, G., & El-Badry, M. (2018). Nanostructured lipid carriers for improved oral delivery and prolonged antihyperlipidemic effect of simvastatin. *Colloids and Surfaces B: Biointerfaces*, 162, 236–245. <https://doi.org/10.1016/j.colsurfb.2017.11.064>
- Fiume, M. M., Heldreth, B., Bergfeld, W. F., Belsito, D. V., Hill, R. A., Klaassen, C. D., Liebler, D., Marks, J. G., Shank, R. C., Slaga, T. J., Snyder, P. W., & Andersen, F. A. (2013). Safety Assessment of Decyl Glucoside and Other Alkyl Glucosides as Used in Cosmetics. *International Journal of Toxicology*, 32(Supplement 3), 22S–48S. <https://doi.org/10.1177/1091581813497764>
- Fox, L., Csongradi, C., Aucamp, M., Plessis, J., & Gerber, M. (2016). *Treatment Modalities for Acne*. 1–20. <https://doi.org/10.3390/molecules21081063>
- Garg, J., Pathania, K., Sah, S. P., & Pawar, S. V. (2022). Nanostructured lipid carriers: a promising drug carrier for targeting brain tumours. *Future Journal*

- of Pharmaceutical Sciences*, 8(1). <https://doi.org/10.1186/s43094-022-00414-8>
- Ghasemiyeh, P., & Mohammadi-Samani, S. (2018). Solid lipid nanoparticles and nanostructured lipid carriers as novel drug delivery systems: Applications, advantages and disadvantages. *Research in Pharmaceutical Sciences*, 13(4), 288–303. <https://doi.org/10.4103/1735-5362.235156>
- Ghoran, S. H., Calcaterra, A., Abbasi, M., Taktaz, F., Nieselt, K., & Babaei, E. (2022). *Curcumin-Based Nanoformulations : A Promising Adjuvant towards Cancer Treatment*.
- Gilaberte, Y., Pastushenko, I., & Juarraz, Á. (2016). Chapter 1 - Anatomy and Function of the Skin. In *Nanoscience in Dermatology*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-802926-8.00001-X>
- Gu, Q., Guan, H., Shi, Q., Zhang, Y., & Yang, H. (2015). Curcumin attenuated acute *Propionibacterium acnes*-induced liver injury through inhibition of HMGB1 expression in mice. *International Immunopharmacology*, 24(2), 159–165. <https://doi.org/10.1016/j.intimp.2014.12.005>
- Hay, R. J., Johns, N. E., Williams, H. C., Bolliger, I. W., Dellavalle, R. P., Margolis, D. J., Marks, R., Naldi, L., Weinstock, M. A., Wulf, S. K., Michaud, C., J.I. Murray, C., & Naghavi, M. (2014). The global burden of skin disease in 2010: An analysis of the prevalence and impact of skin conditions. *Journal of Investigative Dermatology*, 134(6), 1527–1534. <https://doi.org/10.1038/jid.2013.446>
- Hebert, A., Thiboutot, D., Stein Gold, L., Cartwright, M., Gerloni, M., Fragasso, E., & Mazzetti, A. (2020). Efficacy and Safety of Topical Clascoterone Cream, 1%, for Treatment in Patients with Facial Acne: Two Phase 3 Randomized Clinical Trials. *JAMA Dermatology*, 156(6), 621–630. <https://doi.org/10.1001/jamadermatol.2020.0465>
- Hendradi, E., Suyuti, A., & Purwanti, T. (2023). *Physicochemical Characteristics, Entrapment Efficiency, and Stability of Nanostructured Lipid Carriers Loaded Coenzyme Q10 with Different Lipid Ratios*. <https://doi.org/10.12991/jrp.2019.00>
- Jafar, G., Abdassah, M., Rusdiana, T., & Khairunisa, R. (2021). Development and characterization of precinol ato 88 base in nanostructured lipid carriers (Nlc) formulation with the probe sonication method. *International Journal of Applied Pharmaceutics*, 13(special issue 3), 43–46. <https://doi.org/10.22159/IJAP.2021.V13S3.08>
- Jafar, G., Agustin, E., & Puryani, D. (2019). *Pengembangan Formula Solid Lipid Nanoparticles (SLN) Hidrokortison Asetat*. 06(01), 83–96.

- Jafar, G., Salsabilla, S., & Santoso, R. (2022). Development and Characterization of Compritol Ato® Base in Nanostructured Lipid Carriers Formulation With the Probe Sonication Method. *International Journal of Applied Pharmaceutics*, 14(Special Issue 4), 64–66. <https://doi.org/10.22159/ijap.2022.v14s4.PP04>
- Jain, S., Patel, N., Shah, M. K., Khatri, P., & Vora, N. (2018). Recent Advances in Lipid-Based Vesicles and Particulate Carriers for Topical and Transdermal Application. *Journal of Pharmaceutical Sciences*, 2016, 1–23. <https://doi.org/10.1016/j.xphs.2016.10.001>
- Kawisha, S. M., Ahmeda, S., Gullb, A., Aslama, M., Pandita, J., Aqila, Mohd., & Sultana, Y. (2017). Development of nabumetone loaded lipid nano-scaffold for the effective oral delivery; optimization, characterization, drug release and pharmacodynamic study. *Journal of Molecular Liquids*. <https://doi.org/10.1016/j.molliq.2017.01.107>
- Kharat, M., & Mcclements, D. J. (2019). Fabrication and characterization of nanostructured lipid carriers (NLC) using a plant-based emulsifier : Quillaja saponin. *Food Research International*, 126(May), 108601. <https://doi.org/10.1016/j.foodres.2019.108601>
- Khosa, A., Reddi, S., & Saha, R. N. (2018). Nanostructured lipid carriers for site-specific drug delivery. In *Biomedicine and Pharmacotherapy* (Vol. 103, pp. 598–613). Elsevier Masson SAS. <https://doi.org/10.1016/j.biopha.2018.04.055>
- Krambeck, K. S. V. S. R. F. C. C. F. B. F. S. D. O.-E. F. L. J. M. S. A. M. H. (2021). Design and characterization of Nanostructured lipid carriers (NLC) and Nanostructured lipid carrier-based hydrogels containing Passiflora edulis seeds oil. *International Journal of Pharmaceutics*, 600. <https://doi.org/10.1016/j.ijpharm.2021.120444>
- Krambeck, K., Silva, V., Silva, R., Fernandes, C., Cagide, F., Borges, F., Santos, D., Otero-espinar, F., Lobo, S., & Amaral, H. (2021). *Design and characterization of Nanostructured lipid carriers (NLC) and Nanostructured lipid carrier-based hydrogels containing Passiflora edulis seeds oil*. 600(March). <https://doi.org/10.1016/j.ijpharm.2021.120444>
- Latter, G., Grice, E., Mohammed, Y., Roberts, M. S., & Benson, H. A. E. (2019). *Targeted Topical Delivery of Retinoids in the Management of Acne Vulgaris : Current Formulations and Novel Delivery Systems*.
- Lavers, I. (2014). *Diagnosis and management of acne vulgaris*.
- Listiyana, A., Mutiah, R., Suyadinata, A., & Salsabilla, F. R. (2020). PENGAMBANGAN SISTEM NANOSTRUCTURED LIPID CARRIER

- (NLC) DAUN *Chrysanthemum cinerariifolium* (Trev.) Vis DENGAN VARIASI KONSENTRASI LIPID. *Journal of Islamic Medicine*, 4(2), 86–97. <https://doi.org/10.18860/jim.v4i2.9787>
- Liu, C. H., & Huang, H. Y. (2013). In vitro anti-propionibacterium activity by curcumin containing vesicle system. *Chemical and Pharmaceutical Bulletin*, 61(4), 419–425. <https://doi.org/10.1248/cpb.c12-01043>
- López-García, R., & Ganem-Rondero, A. (2015). Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC): Occlusive Effect and Penetration Enhancement Ability. *Journal of Cosmetics, Dermatological Sciences and Applications*, 05(02), 62–72. <https://doi.org/10.4236/jcdsa.2015.52008>
- Luo, J., He, W., Li, X., Ji, X., & Liu, J. (2021). *Anti-acne vulgaris effects of chlorogenic acid by anti-inflammatory activity and lipogenesis inhibition. September 2020*, 1–7. <https://doi.org/10.1111/exd.14277>
- Lv, W., Zhao, S., Yu, H., Li, N., Garamus, V. M., Chen, Y., Yin, P., Zhang, R., Gong, Y., & Zou, A. (2016). Brucea javanica oil-loaded nanostructure lipid carriers (BJO NLCs): Preparation, characterization and in vitro evaluation. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 504, 312–319. <https://doi.org/10.1016/j.colsurfa.2016.05.068>
- Ozdemir, S., Celik, B., & Uner, M. (2019). *Properties and therapeutic potential of solid lipid nanoparticles and nanostructured lipid carriers as promising colloidal drug delivery systems*. <https://doi.org/10.1016/B978-0-12-816913-1.00015-5>
- Paiva-Santos, A. C., Mascarenhas-Melo, F., Coimbra, S. C., Pawar, K. D., Peixoto, D., Chá-Chá, R., Araujo, A. R. T. S., Cabral, C., Pinto, S., & Veiga, F. (2021). Nanotechnology-based formulations toward the improved topical delivery of anti-acne active ingredients. *Expert Opinion on Drug Delivery*, 18(10), 1435–1454. <https://doi.org/10.1080/17425247.2021.1951218>
- Pal, K., Chowdhury, S., Dutta, S. K., Chakraborty, S., Chakraborty, M., Pandit, G. K., Dutta, S., Paul, P. K., Choudhury, A., Majumder, B., Sahana, N., & Mandal, S. (2020). Analysis of rhizome colour content, bioactive compound profiling and ex-situ conservation of turmeric genotypes (*Curcuma longa* L.) from sub-Himalayan terai region of India. *Industrial Crops and Products*, 150(March), 112401. <https://doi.org/10.1016/j.indcrop.2020.112401>
- Pandey, P. (2018). *DESIGNING AND CHARACTERIZATION OF ECONAZOLE NITRATE NANOSTRUCTURED LIPID CARRIERS GEL FOR TOPICAL DELIVERY DESIGNING AND CHARACTERIZATION OF ECONAZOLE NITRATE. July*. <https://doi.org/10.13140/RG.2.2.20751.07842>

- Patel, A., Patel, K., Patel, V., Rajput, M. S., Patel, R., & Rajput, A. (2024). Nanocrystals: an emerging paradigm for cancer therapeutics. *Future Journal of Pharmaceutical Sciences*, 10(1). <https://doi.org/10.1186/s43094-024-00579-4>
- Philips. (2013). *Myritol* 318. June, 9001.
- Prachetan Balguri, S., Adelli, G. R., Yadav, K., Bhagav, P., & Majumdar, S. (2017). Ocular disposition of ciprofl oxacin from topical , PEGylated nanostructured lipid carriers : Effect of molecular weight and density of poly (ethylene) glycol. *International Journal of Pharmaceutics*, 529(1–2), 32–43. <https://doi.org/10.1016/j.ijpharm.2017.06.042>
- Prakoeswa, F. R. S., & Sari, W. A. (2022). Penuaan Kulit dan Terapi yang Aman Bagi Geriatri: Artikel Review. *Jurnal Sains Dan Kesehatan*, 4(5), 557–568. <https://doi.org/10.25026/jsk.v4i5.1294>
- Prow, T. W., Grice, J. E., Lin, L. L., Faye, R., Butler, M., Becker, W., Wurm, E. M. T., Yoong, C., Robertson, T. A., Soyer, H. P., & Roberts, M. S. (2011). Nanoparticles and microparticles for skin drug delivery ☆. *Advanced Drug Delivery Reviews*, 63(6), 470–491. <https://doi.org/10.1016/j.addr.2011.01.012>
- Putri Eka Savitry, N. W. (2017). ARTIKEL TINJAUAN: KARAKTERISASI EFISIENSI PENJERAPAN PADA NANOPARTIKEL NATRIUM DIKLOFENAK DALAM SEDIAAN TOPIKAL. 16, 493–507.
- Rabima, R., & Sari, M. P. (2019). Entrapment efficiency and drug loading of curcumin nanostructured lipid carrier (NLC) formula. *Pharmaciana*, 9(2), 299. <https://doi.org/10.12928/pharmaciana.v9i2.13070>
- Rainey, N. E., Moustapha, A., & Petit, P. X. (2020). Review Article Curcumin , a Multifaceted Hormetic Agent , Mediates an Intricate Crosstalk between Mitochondrial Turnover , Autophagy , and Apoptosis. 2020.
- Rao, H., Ahmad, S., Madni, A., Rao, I., Ghazwani, M., Hani, U., Umair, M., Ahmad, I., Rai, N., Ahmed, M., & Khan, K. ur R. (2022). Compritol-Based Alprazolam Solid Lipid Nanoparticles for Sustained Release of Alprazolam: Preparation by Hot Melt Encapsulation. *Molecules*, 27(24). <https://doi.org/10.3390/molecules27248894>
- Sadati Behbahani, E., Ghaedi, M., Abbaspour, M., Rostamizadeh, K., & Dashtian, K. (2019). Curcumin loaded nanostructured lipid carriers: In vitro digestion and release studies. *Polyhedron*, 164, 113–122. <https://doi.org/10.1016/j.poly.2019.02.002>
- Salvi, V. R., & Pawar, P. (2019). Nanostructured lipid carriers (NLC) system: A novel drug targeting carrier. In *Journal of Drug Delivery Science and*

- Technology* (Vol. 51, pp. 255–267). Editions de Sante. <https://doi.org/10.1016/j.jddst.2019.02.017>
- Savić, V., Ilić, T., Nikolić, I., Marković, B., Čalija, B., Cekić, N., & Savić, S. (2019). Tacrolimus-loaded lecithin-based nanostructured lipid carrier and nanoemulsion with propylene glycol monocaprylate as a liquid lipid: Formulation characterization and assessment of dermal delivery compared to referent ointment. *International Journal of Pharmaceutics*, 569. <https://doi.org/10.1016/j.ijpharm.2019.118624>
- Sifatullah, N., & Zulkarnain. (2021). Jerawat (Acne vulgaris): Review Penyakit Infeksi Pada Kulit. *Prosiding Biologi Achieving the Sustainable Development Goals*, November, 19–23.
- Slika, L., & Patra, D. (2020). A short review on chemical properties, stability and nano-technological advances for curcumin delivery. In *Expert Opinion on Drug Delivery* (Vol. 17, Issue 1). Taylor & Francis. <https://doi.org/10.1080/17425247.2020.1702644>
- Taleb, M. H., Abdeltawab, N. F., & Shamma, R. N. (2018). *Origanum vulgare L. Essential Oil as a Potential Anti-Acne Topical Nanoemulsion—In Vitro and In Vivo Study*. <https://doi.org/10.3390/molecules23092164>
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2013). Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science and Emerging Technologies*, 19, 29–43. <https://doi.org/10.1016/j.ifset.2013.03.002>
- Tan, A. U., Schlosser, B. J., & Paller, A. S. (2018). A review of diagnosis and treatment of acne in adult female patients. *International Journal of Women's Dermatology*, 4(2), 56–71. <https://doi.org/10.1016/j.ijwd.2017.10.006>
- Tej, K. V. M. S., Moin, A., Gowda, D. V., Anjali, Karunakar, G., Patel, N. P., & Kamal, S. S. (2016). Nano structured lipid carrier based drug delivery system Nano structured lipid carrier based drug delivery system. January.
- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016a). *Formulation , Characterisation , and in Vitro Skin Diffusion of Nanostructured Lipid Carriers for Deoxyarbutin Compared to a Nanoemulsion and Conventional Cream*. 634–645. <https://doi.org/10.3390/scipharm84040634>
- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016b). *Formulation , Characterisation , and in Vitro Skin Diffusion of Nanostructured Lipid Carriers for Deoxyarbutin Compared to a Nanoemulsion and Conventional Cream*. 634–645. <https://doi.org/10.3390/scipharm84040634>

- Val, C., Malahayati, N., Widowati, T. W., & Febrianti, A. (2021). *Karakterisasi Ekstrak Kurkumin dari Kunyit Putih (Kaemferia rotunda L .) dan Kunyit Kuning (Curcuma domestica Val .)*. 41(2), 134–144.
- Vollono, L., Falconi, M., Gaziano, R., Lacovelli, F., Dika, E., Terraciano, C., Bianchi, L., & Campione, E. (2019). Potential of Curcumin in Skin Disorders. *Nutrients*, 11(9). <https://doi.org/10.3390/nu11092181>
- Waruwu, M. (2023). Pendekatan Penelitian Pendidikan: Metode Penelitian Kualitatif, Metode Penelitian Kuantitatif dan Metode Penelitian Kombinasi (Mixed Method). *Jurnal Pendidikan Tambusai* , 7(1), 2896–2910.