

**Analisis Asuhan Keperawatan Pada By.T Usia 5 Bulan Dengan Diagnosa
Diare Dan Intervensi Pijat Bayi Di Ruang Lukmanul Hakim
RSUD Al-Ihsan Provinsi Jawa Barat**

Allecia Putri Berliana¹, Denni Fansiska H.M²
Fakultas Keperawatan Universitas Bhakti Kencana Bandung

Abstrak

Diare adalah gangguan buang air besar dengan konsistensi feses lebih cair dan frekuensi lebih dari 3 kali sehari serta dapat disertai darah atau lendir. Diare masih merupakan masalah kesehatan utama pada anak di dunia. Data kemenkes RI prevalensi diare pada tahun 2018 sebanyak 37,88% atau sekitar 1.516.438 kasus pada balita. Metode : Studi kasus ini digunakan untuk mengeksplorasi suatu masalah asuhan keperawatan pada pasien An. S usia 5 bulan dengan masalah diare menggunakan intervensi pijat diare di RSUD Al-Ihsan Provinsi Jawa Barat. Pengumpulan data dilakukan dengan cara wawancara, observasi dan studi dokumentasi. Hasil : analisis asuhan keperawatan didapatkan masalah keperawatan utama pada pasien yaitu diare. Intervensi keperawatan yang dilakukan untuk mengatasi masalah diare yaitu pemberian pijat bayi. Setelah dilakukan intervensi masalah keperawatan diare dapat teratasi, ditandai dengan penurunan frekuensi BAB menjadi 1 x 24 jam pada pasien. Oleh karena itu, diharapkan intervensi ini bisa diterapkan oleh perawat sebagai salah satu tindakan dalam melakukan asuhan keperawatan secara komprehensif dengan menggunakan intervensi tambahan non farmakologi pijat bayi.

Kata kunci: Diare, Neonatus, Pijat bayi

Daftar Pustaka : 5 Buku (2017-2022)

18 Jurnal (2018-2023)

Analysis of Nursing Care in By.T Age 5 Months With a Diagnosis Diarrhea and Infant Massage Intervention in the Lukmanul Hakim Room Al-Ihsan Hospital, West Java Province

Allecia Putri Berliana¹, Denni Fansiska H.M²
Fakultas Keperawatan Universitas Bhakti Kencana Bandung

Abstract

Diarrhea is a disorder of defecation with a more liquid stool consistency and a frequency of more than 3 times a day and may be accompanied by blood or mucus. Diarrhea is still a major health problem in children in the world. Data from the Indonesian Ministry of Health on the prevalence of diarrhea in 2018 was 37.88% or around 1,516,438 cases in toddlers. Methods: This case study is used to explore a problem of nursing care in patient An. S aged 5 months with diarrhea problems using diarrhea massage intervention at Al-Ihsan Hospital, West Java Province. Data collection was carried out by means of interviews, observation and documentation studies. Results: analysis of nursing care found the main nursing problem in patients, namely diarrhea. Nursing interventions carried out to overcome the problem of diarrhea are giving baby massage. After intervention, the problem of nursing diarrhea can be resolved, marked by a decrease in the frequency of defecation to 1 x 24 hours in patients. Therefore, it is hoped that this intervention can be applied by nurses as one of the actions in carrying out comprehensive nursing care using additional non-pharmacological baby massage interventions.

Keywords : Diarrhea, Neonates, Baby massage

Bibliography : 5 books (2017-2022)

18 Journals (2018-2022)