

DAFTAR PUSTAKA

- A. P. Gadad. (2006). *Non-chewable antacid formulations: Effect of different disintegrating agents on their acid Neutralization properties.*
- Akbari, B., Pirhadi Tavandashti, M., & Zandrahimi, M. (2011). *PARTICLE SIZE CHARACTERIZATION OF NANOPARTICLES – A PRACTICAL APPROACH.*
- Apoteker, P., Mutu, M., Sebagai, K., Meningkatkan, U., Kesehatan, D., Indonesia, M., Azhary, D. P., Soewandhi, S. N., & Wikarsa, S. (n.d.). *Seminar Nasional Farmasi (SNIFA) UNJANI.*
- Bejoy. (2001). *Hydrotalcite The Clay that Cures.*
- Cavani. (1991). *Hydrotalcite-type anionic clays: Preparation, properties and applications.*
- Charurvedi, S. & Dave. P. (2012). *Microscopy in Nanotechnology.*
- Choy et al. (2007). *Clay minerals and layered double hydroxides for novel biological applications.*
- Desiati, R. D., Sugiarti, E., & Ramandhany, S. (2018). Analisa Ukuran Partikel Serbuk Komposit NiCrAl dengan Penambahan Reaktif Elemen untuk Aplikasi Lapisan Tahan Panas [Particle Size Analysis of NiCrAl Composite Powders with Reactive Elements Addition for Thermal Barrier Coating Applications]. *Metalurgi*, 33(1), 27. <https://doi.org/10.14203/metalurgi.v33i1.358>
- Farmasi, B. K. (n.d.). *Modul Kimia Medisinal Pengenalan Sintesis Obat dan Analognya.*
- Fengrong zhang. (2014). *Sorption of Cr(vi) on Mg–Al–Fe layered double hydroxides synthesized by a mechanochemical method.*
- Flanagan, J. & S. (2006). *Microemulsions: a potential delivery system for bioactives in food.*
- Handayani, S., & Sri Budiasih, K. (n.d.). *Sintesis dan Karakterisasi Hidrotalsit Mg/Al dengan Metode Kopresipitasi Hidrotermal untuk Reaksi Kondensasi Aldol.*

- Honary, S., & Zahir, F. (2013). Effect of Zeta Potential on the Properties of Nano-Drug Delivery Systems - A Review (Part 1). *Tropical Journal of Pharmaceutical Research*, 12(2). <https://doi.org/10.4314/tjpr.v12i2.19>
- Jores, K., Menhert, W., Drechsler, M., Bunjes, H., Johann, C., & Mader, K. (2004). *Investigations on the structure of solid lipid nanoparticles (SLN) and oil-loaded solid lipid nanoparticles by photon correlation spectroscopy, field-flow fractionation and transmission electron microscopy.*
- Kumari, R., & Rana, N. (2015). *Particle Size and Shape Analysis using Imagej with Customized Tools for Segmentation of Particles.*
- Lidia, I., & Mursal, P. (n.d.). *KARAKTERISASI XRD DAN SEM PADA MATERIAL NANOPARTIKEL SERTA PERAN MATERIAL NANOPARTIKEL DALAM DRUG DELIVERY SYSTEM.*
- Lomas, L., Negrón, G., Guerra, N., Gaviño, R., & Cárdenas, J. (2003). Organic Chemistry in Mexico. In *ARKIVOC* (Issue xi). <https://www.researchgate.net/publication/267962176>
- Mardiyanto. (2015). *Preparation and Characterization of Submicron Particles of PLGA Incorporating Rifampin Using Emulsion Solvent Diffusion Method.*
- Maria Ulfa, A. (2016). *ANALISA KADAR TABLET ANTASIDA DI BEBERAPA APOTEK KOTA BANDAR LAMPUNG SECARA ALKALIMETRI* (Vol. 2, Issue 1).
- Martien, R., K Irianto, I. D., Farida, V., & Purwita Sari, D. (2012). PERKEMBANGAN TEKNOLOGI NANOPARTIKEL SEBAGAI SISTEM PENGHANTARAN OBAT TECHNOLOGY DEVELOPMENTS NANOPARTICLES AS DRUG DELIVERY SYSTEMS. In *Dian Purwita Sari Majalah Farmaseutik* (Vol. 8, Issue 1).
- Murniati, U. (2017). *Preparasi dan Karakterisasi Nanopartikel PLGA Pembawa Ethyl Ascorbic Acid.*
- Oleh, D. (n.d.). *SINTESIS DAN KARAKTERISASI KIMIA FISIKA Mg/Al-HYDROTALCITE SEBAGAI BAHAN BAKU ANTASIDA.*
- Parashar, P., Sharma, V., Agarwal, D. D., & Richhariya, N. (2012). Rapid synthesis of hydrotalcite with high antacid activity. *Materials Letters*, 74, 93–95. <https://doi.org/10.1016/j.matlet.2011.12.115>

- Paulo, L., Benício, F., Menezes, R. M., Santos, D., Vergutz, L., & Marciano Costa, L. (2015). *Layered double hydroxides: Nanomaterials for applications in agriculture*. <https://doi.org/10.1590/01000683rbc20150817>
- Puriyani Azhary, D., & Nurono Soewandhi dan Saleh Wikarsa, S. (2010). Kalsinasi dan freeze drying hidrotalsit untuk meningkatkan kapasitas penetralan asam Freeze drying and calcining hydrotalcite for improving acid neutralizing capacity. In *Majalah Farmasi Indonesia* (Vol. 21, Issue 1).
- Rajamathi. (n.d.). *Synthesis and thermal decomposition of metal hydroxide intercalated saponite*.
- Roto, R., Tahir, I., & Sholikhah, U. N. (2010). SYNTHESIS OF HYDROTALCITE Zn-Al-SO₄ AS ANION EXCHANGER AND ITS APPLICATION TO TREAT OF POLLUTANT CONTAINED HEXACYANOFERRAT(II). *Indonesian Journal of Chemistry*, 8(3), 307–313. <https://doi.org/10.22146/ijc.21583>
- Wahyu Septyaningrum, C., Handayani, S., Kusumawardani, C., & Sri Budiasih, K. (n.d.-a). *Synthesis of Mg/Al Hydrotalcite by Using Low Supersaturated Precipitation Method with Variation of Mole Ratio*.
- Wahyu Septyaningrum, C., Handayani, S., Kusumawardani, C., & Sri Budiasih, K. (n.d.-b). *Synthesis of Mg/Al Hydrotalcite by Using Low Supersaturated Precipitation Method with Variation of Mole Ratio*.
- Wang. (1999). *Sol-Gel γ -Al₂O₃ Nanoparticles Assessment of the Removal of Eosin Yellow Using: Adsorption, Kinetic and Thermodynamic Parameters*.
- Wiyantoko, B., Kurniawati, P., Purbaningtias, T. E., & Fatimah, I. (2015). Synthesis and Characterization of Hydrotalcite at Different Mg/Al Molar Ratios. *Procedia Chemistry*, 17, 21–26. <https://doi.org/10.1016/j.proche.2015.12.115>
- Yang. (n.d.). *Adsorption of perchlorate from aqueous solution by the calcination product of Mg/(Al–Fe) hydrotalcite-like compounds*.
- Yang, L. S. Z. & P. (2005). *Removal of Trace Levels of Arsenic and Selenium from Aqueous Solutions by Calcined and Uncalcined Layered Double Hydroxides (LDH)*.