

Daftar Pustaka

- Adie, Soebagijo. (2005). The Importance of Tight Blood Glucose Control in Cardiovascular Complications. Prosiding dari Forum Diabetes Nasional III: 2005 20-47
- Asdie, A.H. (2000). Patogenesis dan Terapi Diabetes Mellitus Tipe 2. Medika Fakultas Kedokteran UGM, Yogyakarta
- Barros, S. B. de M. (2004). Robbins basic pathology. *Revista Brasileira de Ciências Farmacêuticas*.
- Barasi, M.E. (2007). At a Glance Ilmu Gizi. Jakarta: Erlangga
- Bay, H.E., Toth, P. P., Kris-Etherton, P. M., Abate, N., et al. 2013. Obesity, adiposity and dyslipidemia: a consensus statement from the National Lipid Association. *Journal of clinical lipidology*, 7(4): 83-304
- Brufani, C., Crinò, A., Fintini, D., Patera, P. I., Cappa, M., & Manco, M. (2013). Systematic review of metformin use in obese nondiabetic children and adolescents. *Hormone Research in Paediatrics*, 80(2), 78–85.
- Charan, J., dan Biswas, T. (2013). How to calculate sample size for different study designs in medical research. *Indian Journal of Psychological Medicine*, 35(2), 121.
- Colpo A. (2005). LDL cholesterol “Bad” cholesterol, or Bad Science. *Journal of American Physician an Surgeons*, 10(3), 83-89.
- Corwin, E. J. (2008). Handbook of Pathophysiology, 3rd Edition. *Handbook of Pathophysiology, 3rd Edition*.
- Cruz, L.L., Cardoso, L.D., Pala, D., Paula, H., Lamounier, J.A., Silva, C.A.M., et al. (2013). Metabolic Syndrome Components Can Predict C-Reactive Protein Concentration in Adolescents. *Nutr Hosp*, 28, 1580-1586

- Daniil, G., Phedonos, A. A. P., Holleboom, A. G., Motazacker, M. M., Argyri, L., Kuivenhoven, J. A., & Chroni, A. (2011). Characterization of antioxidant/anti-inflammatory properties and apoA-I-containing subpopulations of HDL from family subjects with monogenic low HDL disorders. *Clinica Chimica Acta*, 412(13–14), 1213–1220.
- Departemen Kesehatan RI. 2003. Petunjuk Pemantauan Status Gizi Orang Dewasa dengan Indeks Massa Tubuh (IMT). Jakarta
- DiPiro, J., Talbert, R. L., Yee, G., Matzke, G., Wells, B., & Posey, M. (2011). *Pharmacotherapy*. New York: McGraw-Hill Publishing.
- Dumith SC, Gigante DP, Domingues MR, Kohl HW. (2011) Physical activity change during adolescence: a systematic review and a pooled analysis. *International Journal Epidemiol*, 40: 685–98
- Ekmen, N., Helvacı, A., Gunaldi, M., Sasani, H., Yildirmak, S. T. (2016). Leptin as an important link between obesity and cardiovascular risk factor in men with acute myocardial infarction. *Indian Heart Journal*, 68 (2), 7-132
- Gardjito, F.B. 2009. KORELASI KOLESTEROL-HDL DENGAN IMT PADA PENDERITA PENYAKIT JANTUNG KORONER DI RSUD MOEWARDI SURAKARTA. Skripsi Universitas Sebelas Maret
- Farida Soetiarto, Roselinda, S. (2010). HUBUNGAN DIABETES MELLITUS DENGAN OBESITAS BERDASARKAN INDEKS MASSA TUBUH DAN LINGKAR PINGGANG DATA RISKESDAS 2007. *Buletin Penelitian Kesehatan*, 38(1), 36–42.
- Fernández-Sánchez, A., Madrigal-Santillán, E., Bautista, M., Esquivel-Soto, J., Morales-González, Á., Esquivel-Chirino, C., Morales-González, J. A. (2011). Inflammation, oxidative stress, and obesity. *International Journal of Molecular Sciences*, 12(5), 3117–3132.

- Guntur, H. (2008). SIRS, Sepsis dan Syok Septik (Imunologi, Diagnosis, Penatalaksanaan). Surakarta. *UNS Press*, 4.
- Guyton Arthur, C., dan Hall, J. E. (2007). Buku Ajar Fisiologi Kedokteran, edisi 11. *Jakarta: EGC*.
- Heart UK. (2013). *High Density Lipoprotein*. www.heartuk.org.uk diakses Juni 2019.
- Hendrika, N.C. Dewi, Michaela E. Paruntu, Murniati Tiho. 2016. Gambaran kadar C-reactive protein (CRP) serum pada perokok aktif usia >40 tahun: Jurnal e-Biomedik (eBm), 4(2).
- Huffman, G. F., Whisner, S., Zarini, G. G., Nath, S. 2010. Waist Circumference and BMI in Relation to Serum High Sensitivity C-Reactive Protein (hs-CRP) in Cuban Americans With and Without Type 2 Diabetes. *Int. J. Environ. Res. Public Health*, 7(3), 842-852
- Humaera, Z., Sukandar, H., dan Rachmayanti, S. (2014). Korelasi Indeks Massa Tubuh dengan Profil Lipid pada Masyarakat di Jatinangor Tahun 2014. *JSK*, 3(1), 12-17
- Ikhran, F. Z. (2018). Profil Status Inflamasi & Risiko Penyakit Kardiovaskular Pada Pria Usia Dewasa Muda yang Obes & Non Obes Ditinjau Dari Pemeriksaan *High Sensitivity C-Reactive Protein* (hsCRP). Bandung: Skripsi Sekolah Tinggi Farmasi Bandung.
- Immanuel, S., Giantini, A., Dharma, R.S., Samino. (2006). The Role of Lipid Profile as a Risk Factor Indicator for Ischemic Stroke at Cipto Mangunkusumo Hospital. *Acta Med-Indones-Indones J. Intern. Med*, 2006; 38 (1), 6-11.
- Junita, E. (2016). Strategi pencegahan obesitas pada anak SDN 02 wilayah puskesmas rambah Kabupaten Rokan Hulu. *Jurnal Marteniti and Neonatal*, 2(2), 129–138.
- Kurdanti, W. (2015). Faktor-faktor yang mempengaruhi kejadian obesitas pada remaja *Risk factors for obesity in adolescent*. *Jurnal Gizi Klinik Indonesia*, 11(4), 179–190.

- Lemieux, I., Pascot, A., Couillard, C., Lamarche, B., Tchernof, A., *et al.* 2000. Hypertriglyceridemic Waist: A Marker of The Atherogenic Metabolic Triad (Hyperinsulinemia, Hyperapolipoprotein B; Small, Dense LDL) in Men. *Circulation*, 102, 179-184
- Mexitalia M, dkk. (2009) Sindroma Matabolik Pada Remaja. *Media Medika Indonesiana*, 43(6).
- Mieno, C., Deguchi, H., Griffin, J. H., dan Shaul, P. W. (2006). Endothelial and Antithrombotic Actions of HDL. *Circulation*, 98, 1352-1364
- Nishimura, S., Manabe, I., Nagasaki, M., Eto, K., Yamashita, H., Ohsugi, M., Nagai, R. (2009). *CD8+effector T cells contribute to macrophage recruitment and adipose tissue inflammation in obesity*. *Nature Medicine* 15(8), 914–920.
- Park, M. H., Kinra, S., Ward, K. J., White, B., & Viner, R. M. (2009). *Metformin for obesity in children and adolescent: A systematic review*, 2(1), 1–8.
- Pusparini. (2007). Obesitas sentral, sindroma metabolik dan diabetes mellitus tipe dua. *Universa Medicina*, 26, 195-204
- Rattu, C., Bolang, A.S.L., & Kawengian, S.E.S. (2013). Hubungan Indeks Massa Tubuh Dengan Kadar High Sensitivity C-Reactive Protein Serum Pada Mahasiswa Obes dan Tidak Obes di Fakultas Kedokteran Universitas Sam Ratulangi Manado. *Jurnal e-Biomedik* , 1(1), 161-167.
- RISKESDAS. (2013). *RISKESDAS. Jakarta: Badan Penelitian Dan Pengembangan Kesehatan Departemen Kesehatan Republik Indonesia*, (PenyakitMenular), 103.
- Romdoni, R. 2003. Risk Factor Management : Focus On Low HDL-Cholesterol : How to Manage. Medical Faculty of Airlangga University, 2003;3

- Sani Rachmawati & Sulchan, M. 2014. ASUPAN LEMAK DAN KADAR *HIGH DENSITY LIPOPROTEIN* (HDL) SEBAGAI FAKTOR RISIKO PENINGKATAN KADAR *C-REACTIVE PROTEIN* (CRP) PADA REMAJA OBESITAS DENGAN SINDROM METABOLIK. *Journal of Nutrition College*, 3(3), 337-345.
- Silalahi, T. (2013). PENILAIAN KADAR hs-CRP PADA SUBJEK SINDROM METABOLIK DAN OBESITAS. Fakultas Kedokteran Universitas Sumatera Utara, Sumatera Utara.
- Sjarif, D. R., Gultom, L. C., Hendarto, A., Lestari, E. D., Sidiartha, I. G. L., & Mexitalia, M. (2014). *Diagnosis , Tata Laksana dan Pencegahan Obesitas*, 2014.
- Susantiningih, T. (2015). Obesitas dan Stres Oksidatif Obesity and Oxidative Stress. *Jurnal Kesehatan Unila*, 5(9), 89–93.