

ABSTRAK

Kecemasan keluarga merupakan respon emosional yang dialami keluarga berupa rasa takut yang diikuti rasa tegang, cemas dan waspada yang dirasakan karena khawatir dengan apa yang terjadi dengan pasien di IGD karena beberapa faktor, salah satunya yaitu *response time* yang diberikan oleh perawat. Kondisi *response time* di IGD RSUD Al-Ihsan sudah ≤ 5 menit, namun anggota keluarga pasien kategori penyakit akut masih mengalami kecemasan. Tujuannya untuk mengetahui *response time* perawat, tingkat kecemasan keluarga pasien kategori penyakit akut dan hubungan *response time* dengan tingkat kecemasan keluarga pasien di ruang IGD RSUD Al-Ihsan. Metode penelitian adalah kuantitatif pendekatan *cross sectional* dengan teknik pengambilan sampel menggunakan *consecutive sampling* dan mendapatkan jumlah sampel sebanyak 60 responden. Instrumen yang digunakan untuk mengukur tingkat kecemasan menggunakan *State Trait Anxiety Inventory (STAI)* dan lembar *response time* untuk mengetahui waktu tanggap perawat. Hasil uji analisis statistik menggunakan *chi square* dengan tingkat kemaknaan 100%, didapatkan nilai $p=0,000$ atau ($p<0,05$), sehingga dapat disimpulkan bahwa terdapat hubungan antara *response time* perawat terhadap tingkat kecemasan keluarga pasien kategori penyakit akut. *Response time* perawat di IGD RSUD Al-Ihsan 0-5 menit dan kecemasan yang dialami oleh keluarga pasien kategori penyakit akut adalah kecemasan sedang. Saran bagi peneliti selanjutnya agar dapat mengembangkan penelitian ini dengan cara mengkaji lebih dalam faktor-faktor yang mempengaruhi kecemasan keluarga pasien kategori penyakit akut di IGD.

Kata kunci : Penyakit Akut, Kecemasan Keluarga, *Response Time*,
Daftar Pustaka : 10 buku (2017-2020)
25 Jurnal (2018-2021)

ABSTRACT

Family anxiety is an emotional response experienced by families in the form of fear followed by feelings of tension, anxiety and alertness that are felt because they are worried about what is happening to patients in the ER due to several factors, one of which is the response time given by the nurse. The response time in the emergency room at the Al-Ihsan Hospital was 5 minutes, but family members of patients in the acute disease category still experienced anxiety. Objective to determine the nurse's response time, the level of family anxiety of patients in the acute disease category and the relationship between response time and the level of anxiety of the patient's family in the emergency room of Al-Ihsan Hospital. Methods the research method is a quantitative cross sectional approach with a sampling technique using consecutive sampling and getting a total sample of 60 respondents. The instrument used to measure the level of anxiety using the State Trait Anxiety Inventory (STAI) and response time sheets to determine the nurse's response time. Results statistical analysis test using chi square with a significance level of 100%, obtained p value = 0.000 or ($p < 0.05$), so it can be concluded that there is a relationship between response time to the level of family anxiety of patients with acute illness category. Conclusion the nurse's response time in the emergency room at Al-Ihsan Hospital is <5 minutes and the anxiety experienced by the family of the patient in the acute disease category is moderate anxiety. Suggestion for further researchers to be able to develop this research by examining more deeply the factors that influence the family anxiety of patients with acute illness categories in the ER.

Keywords : Acute Illness, Family Anxiety, Response Time.
Bibliography :10 books (2017-2020)
25 Journal (2018-2021)