

ABSTRAK

ANALISIS POTENSI KEJADIAN *MEDICATION ERROR* PADA TAHAP PERESEPAN (*PRESCRIBING*) PADA PASIEN HIPERTENSI TERHADAP OBAT ANTIHIPERTENSI DI SALAH SATU PUSKESMAS DI KOTA SUBANG

Oleh :

Eli Suhartini

11161017

Medication error merupakan kejadian yang dapat menyebabkan atau berakibat pada pelayanan obat yang tidak tepat atau membahayakan pasien ketika obat berada dalam pengawasan tenaga kesehatan atau pasien (*NCC MERP*). Tujuan penelitian ini adalah untuk mengetahui angka presentasi kejadian *medication error* yang terjadi pada *fase prescribing* terhadap resep pasien hipertensi di salah satu puskesmas di kota Subang. Penelitian ini dilakukan dengan menggunakan metode observasional non eksperimental. Pengumpulan data secara restropektif dari bulan Januari – April 2019. Hasil penelitian ini menunjukkan pada kelengkapan administrasi potensi kejadian *medication error* terjadi pada berat badan 87%, paraf dokter 71%, nama dokter 58%, jenis kelamin 4%, usia 3%. Pada kelengkapan farmasetik potensi kejadian *medication error* terjadi pada cara penggunaan yaitu 17%, bentuk sediaan 14 %, jumlah obat 12 %, aturan pakai 7%. Pada kelengkapan klinis potensi kejadian *medication error* dosis 17%.

Kata Kunci : *medication error, fase prescribing, resep hipertensi*

ABSTRACT

MEDICATION ERROR ANALYSIS OF OCCURRENCE POTENCY IN PRESCRIBING PHASE IN HYPERTENSION PATIENTS TOWARDS HYPERTENSIVE AGENTS IN A FIRST LINE HEALTH CARE IN SUBANG CITY

By :

Eli Suhartini

11161017

Medication error is an occurrence which causes the incorrect or dangerous medicinal service underneath the supervise of medical personnels or patients themselves (NCC MERP). The purpose of this research is to know the medication error frequency in prescribing phase towards hypertension patients in a first line health care in Subang city. This was observational and non experimental research with retrospective data collection from january - april 2019. The result show of this study indicate the attributes of administration to the medication errors happened 87% to body weight, 71% to the physician signature, 58% of physician name, 4% of patients name, and 3% of ages. In pharmaceutical attributes there are medication errors happened by the usage of 17%, dosage form of 14%, the amount of medicine of 12%, direction of 7%. in clinical attributes there is also 17% a potency of medical error towards the dosage.

Keywords: medication error, prescribing phase, hypertension prescribing.