

DAFTAR PUSTAKA

- Adaramola, B., Onigbinde, A., & Shokunbi, O. (2016). Physiochemical properties and antioxidant potential of Persea Americana seed oil. *Bosai Journals*, 2(3), 168–175.
- Ahmed, N., Smith, R. W., Henao, J. J. A., Stark, K. D., & Spagnuolo, P. A. (2018). Analytical Method to Detect and Quantify Avocatin B in Hass Avocado Seed and Pulp Matter. *Journal of Natural Products*, 81(4), 818–824.
- Apak, Resat, Güçlü, K., Demirata, B., Özyürek, M., Çelik, S. E., Bektaşoğlu, B., ... Özyurt, D. (2007). Comparative Evaluation of Various Total Antioxidant Capacity Assays Applied to Phenolic Compounds with the CUPRAC Assay. *Molecules*, (Ii), 1496–1547.
- Apak, Reşat, Güçlü, K., Özyürek, M., & Karademir, S. E. (2004). Novel total antioxidant capacity index for dietary polyphenols and vitamins C and E, using their cupric ion reducing capability in the presence of neocuproine: CUPRAC method. *Journal of Agricultural and Food Chemistry*, 52(26), 7970–7981.
- Arukwe, U., Amadi, B. ., Duru, M. K. C., Agomo, E. N., Adinu, E. A., Odika, P. C., ... Anudike, J. (2012). Chemical composition of Perea americana leaf, fruit and seed. *IJRAS*, 11, 346–349.
- Au, R. Y., Al-Talib, T. K., Au, A. Y., Phan, P. V., & Frondoza, C. G. (2007). Avocado soybean unsaponifiables (ASU) suppress TNF- α , IL-1 β , COX-2, iNOS gene expression, and prostaglandin E2 and nitric oxide production in articular chondrocytes and monocyte/macrophages. *Osteoarthritis and Cartilage*, 15(11), 1249–1255.
- Babu, P. V. A., & Liu, D. (2009). Flavonoids and Cardiovascular Health. *Complementary and Alternative Therapies and the Aging Population*, 371–392.
- Benzie, I. F. F., & Strain, J. J. (1996). The Ferric Reducing Ability of Plasma (FRAP) as a Measure of Antioxidant Power : The FRAP Assay. *Analytical Biochemistry*, 76, 70–76.
- Britton, G. (University of L. of B. S., Liaaen-Jensen, S. (Organic C. L. of C., Hanspeter, P. (Chief O. O., Mercadante, A. ., & Egeland, E. . (2004). *Carotenoids* (First). Liverpool: Springer.

- Calderón-Oliver, M., Escalona-Buendía, H. B., Medina-Campos, O. N., Pedraza-Chaverri, J., Pedroza-Islas, R., & Ponce-Alquicira, E. (2016). Optimization of the antioxidant and antimicrobial response of the combined effect of nisin and avocado byproducts. *LWT - Food Science and Technology*, 65, 46–52.
- Cao, G., Alessio, H. M., & Cutler, R. G. (1993). Oxygen-radical absorbance capacity assay for antioxidants. *Free Radical Biology and Medicine*, 14(3), 303–311.
- Cardoso, P. F., Scarpassa, J. A., Pretto, L. G., Otaguiri, E. S., Yamada-Ogatta, S. F., Nakazato, G., ... Vilas-Bôas, G. T. (2016). Antibacterial activity of avocado extracts (*Persea americana* Mill.) against *Streptococcus agalactiae* TT - Actividad antibacteriana de extractos de aguacate (*Persea americana* Mill.) sobre *Streptococcus agalactiae*. *Phyton (Buenos Aires)*, 85(2), 218–224.
- Chinyelu Nkiru, U. (2018). Proximate, Phytochemical and Antibacterial Analysis of *Persea americana* Obtained from Nigeria. *Journal of Diseases and Medicinal Plants*, 4(3), 89.
- Cody, V. (1988). *Plants flavonoids in biology and medicine II: biochemical, cellular and medical properties*. Michigan University: Liss.
- Cody, V., Middleton, E., & Harborne, J. B. (1986). *Plants flavonoids in biology and medicine: biochemical, pharmacological and structure-activity relationships*. Michigan University: Liss.
- Corrales-García, J. E., del Rosario García-Mateos, M., Martínez-López, E., Barrientos-Priego, A. F., Ybarra-Moncada, M. C., Ibarra-Estrada, E., ... Becerra-Morales, D. (2019). Anthocyanin and Oil Contents, Fatty Acids Profiles and Antioxidant Activity of Mexican Landrace Avocado Fruits. *Plant Foods for Human Nutrition*, 74(2), 210–215.
- De Almeida, A. P., Miranda, M. M. F. S., Simoni, I. C., Wigg, M. D., Lagrota, M. H. C., & Costa, S. S. (1998). Flavonol monoglycosides isolated from the antiviral fractions of *Persea americana* (Lauraceae) leaf infusion. *Phytotherapy Research*, 12(8), 562–567.
- Desmiaty, Y., Alatas, F., & Devyana, D. (2007). *Determination of Total Tannin in Jati Belanda (Guazuma ulmifolia Lamk) Leaves by Colorimetric Method using 1,10*

Phenanthroline Reagent.

- Di Stefano, V., Avellone, G., Bongiorno, D., Indelicato, S., Massenti, R., & Lo Bianco, R. (2017). Quantitative evaluation of the phenolic profile in fruits of six avocado (*Persea americana*) cultivars by ultra-high-performance liquid chromatography-heated electrospray-mass spectrometry. *International Journal of Food Properties*, 20(6), 1302–1312.
- Dubey, N. K. (2015). *Plants as a Source of Natural Antioxidants* (A. Lainsbury, Ed.). Banaras Hindu University, India: CPI group UK Ltd.
- Ejiofor, N. C., Ezeagu, I. E., Babatunde, A. M., & Umera, E. A. (2018). Advances in food technology and nutritional sciences Determination of the Chemical Composition of Avocado (*Persea Americana*) Seed. *Adv Food Technol Nutr Sci*, 51–55.
- Figueroa, J. G., Borrás-Linares, I., Lozano-Sánchez, J., & Segura-Carretero, A. (2018a). Comprehensive characterization of phenolic and other polar compounds in the seed and seed coat of avocado by HPLC-DAD-ESI-QTOF-MS. *Food Research International*, 105, 752–763.
- Figueroa, J. G., Borrás-Linares, I., Lozano-Sánchez, J., & Segura-Carretero, A. (2018b). Comprehensive identification of bioactive compounds of avocado peel by liquid chromatography coupled to ultra-high-definition accurate-mass Q-TOF. *Food Chemistry*, 245, 707–716.
- Frankel, E. N., & Meyer, A. S. (2000). The problems of using one-dimensional methods to evaluate multifunctional food and biological antioxidants. *Journal of the Science of Food and Agriculture*, 80(13), 1925–1941.
- Galati, G., Sabzevari, O., Wilson, J. X., & O'Brien, P. J. (2002). Prooxidant activity and cellular effects of the phenoxyl radicals of dietary flavonoids and other polyphenolics. *Toxicology*, 177(1), 91–104.
- Hagerman, A. E., Riedl, K. M., & Rice, R. E. (1999). Tannins as biological antioxidants. *Basic Life Sciences*, 66, 495–505.
- Hagerman, Ann E., Dean, R. T., & Davies, M. J. (2003). Radical chemistry of epigallocatechin gallate and its relevance to protein damage. *Archives of*

- Biochemistry and Biophysics*, 414(1), 115–120.
- Hagerman, Ann E., Riedl, K. M., Jones, G. A., Sovik, K. N., Ritchard, N. T., Hartzfeld, P. W., & Riechel, T. L. (1998). High Molecular Weight Plant Polyphenolics (Tannins) as Biological Antioxidants. *Journal of Agricultural and Food Chemistry*, 46(5), 1887–1892.
- Hagerman, Ann E. (1934). Tannin Chemistry. *Nature*, 134(3390), 611–611.
- Halliwell, B. (Departement of B. U. of S. (1999). *Antioxidant Defence Mechanisms : From the Beginning to the End (of the Beginning)*. 31, 261–272.
- Harborne, J. . (1996). *Metode Fitokimia : Penuntun Cara Modern Menganalisis Tumbuhan* (K. Padmawinata, I. Soediro, & S. Niksolihin, Eds.). Bandung: ITB.
- He, F., Pan, Q. H., Shi, Y., & Duan, C. Q. (2008). Biosynthesis and genetic regulation of proanthocyanidins in plants. *Molecules*, 13(10), 2674–2703.
- Heitzer, T., Schlinzig, T., Krohn, K., Meinertz, T., & Münzel, T. (2001). Endothelial dysfunction, oxidative stress, and risk of cardiovascular events in patients with coronary artery disease. *Circulation*, 104(22), 2673–2678.
- Indriani, Y., & Suminarsih, E. (1997). *Alpukat*. Jakarta: Penebar Swadaya.
- Jerez, M., Touriño, S., Sineiro, J., Torres, J. L., & Núñez, M. J. (2007). Procyanidins from pine bark: Relationships between structure, composition and antiradical activity. *Food Chemistry*, 104(2), 518–527.
- Julkunen-tiitto, R., & Ha, H. (2000). Tannins and Tannin Agents. In *Handbook of Natural Colorants* (pp. 202–219).
- Koleckar, V., Kubikova, K., Rehakova, Z., Kuca, K., Jun, D., Jahodar, L., & Opletal, L. (2008). Condensed and Hydrolysable Tannins as Antioxidants Influencing the Health. *Mini-Reviews in Medicinal Chemistry*, 8(5), 436–447.
- Kosińska, A., Karamać, M., Estrella, I., Hernández, T., Bartolomé, B., & Dykes, G. A. (2012). Phenolic compound profiles and antioxidant capacity of persea americana mill. peels and seeds of two varieties. *Journal of Agricultural and Food Chemistry*, 60(18), 4613–4619.
- Laks, P. E. (2008). Chemistry of the Condensed Tannin B-Ring. *Journal of Chemical*

Information and Modeling, 53(9), 287.

- Lima, C. R., Vasconcelos, C. F. B., Costa-Silva, J. H., Maranhão, C. A., Costa, J., Batista, T. M., ... Wanderley, A. G. (2012). Anti-diabetic activity of extract from *Persea americana* Mill. leaf via the activation of protein kinase B (PKB/Akt) in streptozotocin-induced diabetic rats. *Journal of Ethnopharmacology*, 141(1), 517–525.
- Lopes, G. K. B., Schulman, H. M., & Hermes-Lima, M. (1999). Polyphenol tannic acid inhibits hydroxyl radical formation from Fenton reaction by complexing ferrous ions. *Biochimica et Biophysica Acta - General Subjects*, 1472(1–2), 142–152.
- Maffei-Faciano. (2012). Grape Seed Extract. *SpringerReference*, 44(5), 4–6.
- Malangngi, L., Sangi, M., & Paendong, J. (2012). Penentuan Kandungan Tanin dan Uji Aktivitas Antioksidan Ekstrak Biji Buah Alpukat (*Persea americana* Mill.). *Jurnal MIPA*, 1(1), 5.
- Margowati, S., Priyanto, S., & Wiharyani, M. (2016). *Efektivitas Penggunaan Rebusan Daun Alpukat Dengan Rebusan Daun Salam Dalam Penurunan Tekanan Darah Pada Lansia*.
- Miller, N. J., Rice-Evans, C., Davies, M. J., Gopinathan, V., & Milner, A. (1993). A novel method for measuring antioxidant capacity and its application to monitoring the antioxidant status in premature neonates. *Clinical Science*, 84(4), 407–412.
- Monica, F. (2006). *Pengaruh Pemberian Air Seduhan Serbuk Biji Alpukat (Persea Americana Mill .) Terhadap Kadar Glukosa Darah Tikus Wistar*.
- Nakahara, K., Trakoontivakorn, G., Alzoreky, N. S., Ono, H., Onishi-Kameyama, M., & Yoshida, M. (2002). Antimutagenicity of some edible Thai plants, and a bioactive carbazole alkaloid, mahanine, isolated from *Micromelum minutum*. *Journal of Agricultural and Food Chemistry*, 50(17), 4796–4802.
- Nathaniel, O. B., Selina, A. S., John, K. M., Mercy, B., Sylvester, A. A., & Michael, B. M. (2015). Phytoconstituents, antimicrobial and antioxidant properties of the leaves of *Persea americana* Mill cultivated in Ghana. *Journal of Medicinal Plants Research*, 9(36), 933–939.
- Niki, E., & Noguchi, N. (2000). Evaluation of antioxidant capacity. *IUBMB Life*, 50(4–

5), 323–329.

- Nurraşid, E. . (1998). *Aktivitas Antioksidan Ekstrak Etanol Biji Alpukat, Daun Murbei dan Buah Terong Ungu pada Tikus Putih*. Universitas Padjajaran.
- Okuda, T. (2005). Systematics and health effects of chemically distinct tannins in medicinal plants. *Phytochemistry*, 66(17 SPEC. ISS.), 2012–2031.
- Osakabe, N., Yasuda, A., Natsume, M., Takizawa, T., Terao, J., & Kondo, K. (2016). Catechins and Their Oligomers Linked by C4. *Society for Experimental Biology and Medicine*, 1–6.
- Piterková, J., Tománková, K., Luhová, L., Petřivalský, M., & Peč, P. (2005). Oxidative stress: Localisation of reactive oxygen species formation and degradation in plant tissue. *Chemicke Listy*, 99(7), 455–466.
- Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements. *Journal of Agricultural and Food Chemistry*, 53(10), 4290–4302.
- Rahman, N., Dewi, N. U., & Bohari. (2018). Phytochemical and antioxidant activity of avocado leaf extract (*Persea americana* Mill.). *Asian Journal of Scientific Research*, 11(3), 357–363.
- Rodríguez-Carpena, J. G., Morcuende, D., Andrade, M. J., Kylli, P., & Estevez, M. (2011). Avocado (*Persea americana* Mill.) phenolics, in vitro antioxidant and antimicrobial activities, and inhibition of lipid and protein oxidation in porcine patties. *Journal of Agricultural and Food Chemistry*, 59(10), 5625–5635.
- Savage, G. P. (2015). Saponins. *Encyclopedia of Food and Health*, 8, 714–716.
- Scheibmeir, H. D., Christensen, K., Whitaker, S. H., Jegaethesan, J., Clancy, R., & Pierce, J. D. (2005). A review of free radicals and antioxidants for critical care nurses. *Intensive and Critical Care Nursing*, 21(1), 24–28.
- Schuler, P. (1990). Natural Antioxidants Not Exploited Commercially. *Food Antioxidants*, 171–191.
- Segovia, F. J., Hidalgo, I., Villasante, J., & Ramis, X. (2018). Avocado Seed : A Comparative Study of Antioxidant Content and Capacity in Protecting Oil Models

from Oxidation. *Molecules*.

- Selawa, W., Revolta, M., Runtuwene, J., Citraningtyas, G., Studi, P., Fmipa, F., & Manado, U. (2013). Kandungan Flavonoid dan Kapasitas Antioksidan Total Ekstrak Etanol Daun Binahong (*Anredera cordifolia* (Ten.) Steenis.). *Pharmacon*, 2(1), 18–23.
- Serrano, J., Puupponen-Pimiä, R., Dauer, A., Aura, A. M., & Saura-Calixto, F. (2009). Tannins: Current knowledge of food sources, intake, bioavailability and biological effects. *Molecular Nutrition and Food Research*, 53(SUPPL. 2), S310–S329.
- Shibata, S. (1976). Saponins with biological and pharmacological activity (German). *Deutsche Apotheker Zeitung*, 116(39), 1435–1439.
- Singh, N. V., Azmi, S., Maurya, S., Singh, U. P., Jha, R. N., & Pandey, V. B. (2003). Two Plant Alkaloids Isolated from *Corydalis longipes* as Potential Antifungal Agents. *Folia Microbiologica*, 48(5), 605–609.
- Stevens, J. F., Miranda, C. . L., Wolthers, K. R., Schimerlik, M., Deinzer, M. L., & Buhler, D. R. (2002). Identification and in vitro biological activities of hop proanthocyanidins: inhibition of nNOS activity and scavenging of reactive nitrogen species. *Journal of Agricultural and Food Chemistry*, 3435–3443.
- Subeki. (1998). Pengaruh Cara Pemasakan Terhadap Kandungan Antioksidan Beberapa Macam Sayuran serta Daya Serap dan Retensinya Pada Tikus Percobaan. *Tesis Program Pascasarjana*.
- Sugihara, N., Arakawa, T., Ohnishi, M., & Furuno, K. (1999). Anti- and pro-oxidative effects of flavonoids on metal-induced lipid hydroperoxide-dependent lipid peroxidation in cultured hepatocytes loaded with α -linolenic acid. *Free Radical Biology and Medicine*, 27(11–12), 1313–1323.
- Talabi, J. Y., Osukoya, O. A., Ajayi, O. O., & Adegoke, G. O. (2016). Nutritional and antinutritional compositions of processed Avocado (*Persea americana* Mill) seeds. *Pelagia Research Library Asian Journal of Plant Science and Research*, 6(2), 6–12.
- Teissedre, P.-L., & Jourdes, M. (2013). Natural products: Phytochemistry, botany and metabolism of alkaloids, phenolics and terpenes. *Natural Products*, 1–4242.

- Tremocoldi, M. A., Rosalen, P. L., Franchin, M., Massarioli, A. P., Denny, C., Daiuto, É. R., ... De Alencar, S. M. (2018). Exploration of avocado by-products as natural sources of bioactive compounds. *PLoS ONE*, 13(2), 1–12.
- USDA (U.S Department of Agriculture). Avocado composition. Nutrient Data Laboratory. Washington DC. 2015. <https://fdc.nal.usda.gov/fdc-app.html#/food-details/786651/nutrients>. (diakses pada 12 juli 2020 19:30)
- Valko, M., Rhodes, C. J., Moncol, J., Izakovic, M., & Mazur, M. (2006). Free radicals, metals and antioxidants in oxidative stress-induced cancer. *Chemico-Biological Interactions*, 160(1), 1–40.
- Vaya, J., & Aviram, M. (2005). Nutritional Antioxidants Mechanisms of Action, Analyses of Activities and Medical Applications. *Current Medicinal Chemistry-Immunology, Endocrine & Metabolic Agents*, 1(1), 99–117.
- Wahono, R. S. (2015). A Systematic Literature Review of Software Defect Prediction: Research Trends, Datasets, Methods and Frameworks. *Journal of Software Engineering*, 1(1), 1–16.
- Wang, W., Bostic, T. R., & Gu, L. (2010). Antioxidant capacities, procyanidins and pigments in avocados of different strains and cultivars. *Food Chemistry*, 122(4), 1193–1198.
- Westhuyzen, J. (1997). The oxidation hypothesis of atherosclerosis: An update. *Annals of Clinical and Laboratory Science*, 27(1), 1–10.
- Wettasinghe, M., Shahidi, F., Amarowicz, R., & Abou-Zaid, M. M. (2001). Phenolic acids in defatted seeds of borage (*Borago officinalis* L.). *Food Chemistry*, 75(1), 49–56.
- Winarsi, H. (2007). *Antioksidan alami dan radikal bebas* (1st ed.). Yogyakarta: Kanisius.
- Yahia, E. M., & Woolf, A. B. (2011). Avocado (*Persea americana* Mill.). In *Postharvest Biology and Technology of Tropical and Subtropical Fruits*. New Zeland: Woodhead Publishing Limited.
- Yamasaki, F. T., Campestrini, L. H., Faria, S., Bello, J., & Maurer, B. (2017). Avocado leaves : Influence of drying process , thermal incubation , and storage

- conditions on preservation of polyphenolic compounds and antioxidant activity. *International Journal of Food Properties*, 20(2), 2280–2293.
- Yoneda, S., & Nakatsubo, F. (1998). Effects of the hydroxylation patterns and degrees of polymerization of condensed tannins on their metal-chelating capacity. *Journal of Wood Chemistry and Technology*, 18(2), 193–205.
- Young, A. J., & Lowe, G. L. (2018). Carotenoids - antioxidant properties. *Antioxidants*, 7(2), 10–13.
- Yuslianti, E. R. (2018). *Pengantar Radikal Bebas dan Antioksidan*. Yogyakarta: Deepublish.
- Zafrilla, P., Morillas, J., Mulero, J., Cayuela, J. M., Martínez-Cachá, A., Pardo, F., & López Nicolás, J. M. (2003). Changes during storage in conventional and ecological wine: Phenolic content and antioxidant activity. *Journal of Agricultural and Food Chemistry*, 51(16), 4694–4700.