

DAFTAR PUSTAKA

- Angus DC, van der Poll T. (2013). *Severe sepsis and septic shock*. *N Engl J Med*.; 369(9):840–851.[PubMed: 23984731] diakses melalui website: <https://pubmed.ncbi.nlm.nih.gov/23984731/> pada tanggal 3 Maret 2020 pukul 19.00 WIB.
- Arifin. (2017). *Penatalaksanaan sepsis dan syok septik optimalisasi FASTHUGSBID*. Jakarta: PERDICI; 2017 .p. 1-3 diakses melalui website: https://www.academia.edu/35973619/PENATALAKSANAAN_SEPSIS_DAN_SYOK_SEPTIK_OPTIMALISASI_FASTHUGSBID_EDITOR_PE_RHIMPUNAN_DOKTER_INTENSIVE_CARE_INDONESIA_PERDICI pada tanggal 4 Maret 2020 pukul 12.00 WIB.
- Asmoro, Aswoco. (2017). *Problematika penanganan sepsis : Ketamin. Awal Sebuah Pemikiran* . Tim UB Press: Malang. Dapat diakses melalui website <http://bookstore.ub.ac.id/shop/kedokteran/problematika-penganganan-sepsis-ketamin-awal-sebuah-pemikiran/> pada tanggal 16 April 2020 pukul 09.30 WIB.
- Backer, De, Daniel. (2017). *Surviving Sepsis Guidelines: a Continuous Move Towards Better Care of Patients With Sepsis*. *Journal of the American Medical Association*: Feb 29; 317 (8): 807-808. Diakses melalui website: <https://pubmed.ncbi.nlm.nih.gov/28114630/> pada tanggal 4 Maret 2020
- Bernard.R.Gordon. (2011). *Prehospital Statin and Aspirin Use and The Prevalence of Severe Sepsis and Acute Lung Injury/Acute Respiratory Distress Syndrome*. *Critical Care Medicine*. Juni 39 (6). Diakses melalui website:<https://insights.ovid.com/critical-caremedicine/ccme/2011/06/000/prehospital-statin-aspirin-use-prevalence-severe/16/00003246> pada tanggal 6 Juni 2020 pukul 03.20 WIB.
- Bhattacharjee, Poushali. (2017). *Identifying Patients With Sepsis in Hospital Wards*. *Recent Advances in Chest Medicine*; page 20-25. Diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/27374948/> pada tanggal 6 Maret 2020 pada pukul 15.00 WIB.
- Bostwick, L. (2013.). *Evidence-Based Practice Clinical Evaluation Criteria for Bachelor of Science in Nursing Curricula A Dissertation submitted*. PhD Thesis. College of Saint Mary.
- Boulain T, Achard JM, Teboul JL, Richard C, Perrotin D, Ginies G. (2002). *Changes in BP induced by passive leg raising predict response to fluid loading in critically ill patients*. *Chest*; 121: 1245–1252.12. DOI: 10.1378/chest.121.4.1245 Diakses melalui website: <https://pubmed.ncbi.nlm.nih.gov/11948060/> pada tanggal 7 Maret 2020 pukul 08.00 WIB.

- B u h r e W, W e y l a n d A , B u h r e K , K a z m a i e r S , M u r s c h K, Schmidt M, et al. (2000) *Effects of the sitting position on the distribution of blood volume in patients undergoing neurosurgical procedures*. Br J Anaesth; 84: 354–357. doi: 10.1093/oxfordjournals.bja.a013439. Diakses melalui website: <https://pubmed.ncbi.nlm.nih.gov/10793596/> pada tanggal 20 Maret 2020 pukul 19.30 WIB.
- Cavallaro, F., Sandroni, C., Marano, C., La Torre, G., Mannocci, A., De Waure, C., Bello, G., Maviglia, R., & Antonelli, M. (2010). *Diagnostic accuracy of passive leg raising for prediction of fluid responsiveness in adults: systematic review and meta-analysis of clinical studies*. Intensive care medicine, 36(9), 1475–1483. Diakses melalui: <https://doi.org/10.1007/s00134-010-1929-y> pada tanggal 29 Juli 2020 pada pukul 21.00 WIB.
- Cherpanath, G.V. Thomas. (2016). *Predicting Fluid Responsiveness by Passive Legs Raising: a Systematic Review and Metaanalysis of 23 Clinical Trials*. Society of Critical Care Medicine. Diakses melalui: [https://www.researchgate.net/publication/289534755 Predicting Fluid Responsiveness by Passive Leg Raising A Systematic Review and Meta-Analysis of 23 Clinical Trials](https://www.researchgate.net/publication/289534755_Predicting_Fluid_Responsiveness_by_Passive_Leg_Raising_A_Systematic_Review_and_Meta-Analysis_of_23_Clinical_Trials) pada tanggal 20 Maret 2020.
- Chopra, Sahil. (2019). *Precision and consistency of the passive leg raising maneuver for determining fluid responsiveness with bioreactance non-invasive cardiac output monitoring in critically ill patients and healthy volunteers*. Research Article; Plos-One. Diakses melalui : <https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0222956> pada tanggal 20 Maret 2020 pukul 00.10
- Cooke, K., Sharvill, R., Sondergaard, S., & Aneman, A. (2018). *Volume responsiveness assessed by passive leg raising and a fluid challenge: a critical review focused on mean systemic filling pressure*. Anaesthesia, 73(3), 313–322. Diakses melalui: <https://doi.org/10.1111/anae.14162> pada tanggal 2 Agustus 2020 pada pukul 18.15 WIB.
- Cronhjort, Maria & Bergman, Magnus & Joelsson-Alm, Eva & Divander, Mona-Britt & Jerkegren, Emma & Balintescu, Anca & Mårtensson, Johan & Svensen, Christer. (2017). *Fluid Responsiveness Assessment Using Passive Leg Raising Test to Reduce Fluid Administration and Weight Gain in Patients with Septic Shock*. Journal of Anesthesia and Perioperative Medicine. Diakses melalui: <http://dx.doi.org/10.24015/JAPM.2017.0049> Pada tanggal 02 Agustus 2020 pada pukul 22.00 WIB.
- Davey, P. (2011). *At a Glance Medicine*. Jakarta: Erlangga.
- Dong, Fang, Zheng, Shi. (2012). *Passive legs Raising as an Indicator of Fluid Responsiveness in Patient With Severe Sepsis*. World Journal of emergency Medicine, Vol 3 No, 3; 191-196. Diakses melalui:

<https://pubmed.ncbi.nlm.nih.gov/25215062/> pada tanggal 20 Maret 2020 pukul 00.15

Douglas, Ivor, MD., *et al.* (2020). *Fluid Response Evaluation in Sepsis Hypotension and Shock : A randomized Clinical Trial*; *CHEST journal*. Diakses melalui: [https://journal.chestnet.org/article/S0012-3692\(20\)30768-6/fulltext](https://journal.chestnet.org/article/S0012-3692(20)30768-6/fulltext) pada tanggal 15 Juli 2020 pukul 13.00

Duus, Nicolaaj, Shogilev, Daniel MD, Skibsted Simon, MD (2015). *The reliability and validity of passive legs raise and fluid bolus to assess fluid responsiveness in spontaneously breathing emergency department patients*. *Journal of Critical Care Medicine*. Diakses melalui <https://www.sciencedirect.com/science/article/abs/pii/S0883944114003207?via%3Dihub> pada tanggal 7 Juli 2020 pukul 15.20 WIB.

Febriani, Hana. (2015). Analisis Faktor-faktor yang Mempengaruhi Pengungkapan Modal Intelektual. Skripsi. Fakultas Ekonomi dan Bisnis Universitas Jenderal Soedirman. Purwokerto.

Guérin, L., Teboul, J., Persichini, R. *et al.* (2015). *Effects of passive leg raising and volume expansion on mean systemic pressure and venous return in shock in humans*. *Crit Care* 19, 411. Diakses melalui: <https://doi.org/10.1186/s13054-015-1115-> pada tanggal 30 Juli 2020 pada pukul 20.00 WIB.

Guidelines for Management of Sepsis and Septic Shock: 2016.(2017). *Intensive Care Med* 43, 304–377. Diakses melalui: <https://doi.org/10.1007/s00134-017-4683-6> Pada tanggal 16 Maret 2020 pada pukul 19.45 WIB.

Gyawali, Ramakrishna, Dhamoon. (2019). *Sepsis: The evolution in definition, pathophysiology, and management*. *SAGE open Medicine: Volume 7: 1-13*. Diakses melalui: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6429642/> pada tanggal 11 Mei 2020 pukul 19.00

Howel, D. Michael. (2017). *Management of Sepsis and Septic Shock*. *Journal of American Medicine Anesthesia*. Diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/28114603/> pada tanggal 20 Maret 2020 pukul 15.00

Hu, Caibao., *et al.* (2017). *Bioreactance-based passive legs raising test can predict fluid responsiveness in elderly patients with septic shock*. *Journal of Emergency and Critical Care Medicine*. Diakses melalui: <http://jeccm.amegroups.com/article/view/3684/4350> pada tanggal 2 Juli 2020 pukul 17.00

Irvan, Febyan, Suparto. (2018). Sepsis dan tatalaksana berdasarkan guideline terbaru. *Jurnal Anestesiologi Indonesia*. 2018;X(1):62-72. Diakses melalui

: <https://ejournal.undip.ac.id/index.php/janesti/article/view/20715> pada tanggal 20 Maret 2020 pukul 19.30

Jabot, J., Teboul, J., Richard, C. *et al.* (2009). *Passive leg raising for predicting fluid responsiveness: importance of the postural change. Intensive Care Med* 35, 85. Diakses melalui: <https://doi.org/10.1007/s00134-008-1293-3> pada tanggal 23 Maret 2020 pada pukul 21.11 WIB.

Karyono. (2013). *Forensic Fraud*. Yogyakarta: CV. Andi.

Kementerian Kesehatan RI. (2017). *Pedoman Nasional Pelayanan Kedokteran Tata Laksana Sepsis*. Jakarta: Kementerian Kesehatan Dirjen Pelayanan Kesehatan, Ditjen Keperawatan, dan Keteknisian Medis. Diakses melalui: http://hukor.kemkes.go.id/uploads/produk_hukum/KMK_No._HK_.01_.07-MENKES-342 [2017 ttg Pedoman Pelayanan Kedokteran Tata Laksana Sepsis .pdf](#) pada tanggal 3 Maret 2020 pukul 20.30

_____. (2018). *Riset Kesehatan Dasar; RISKESDAS*. Jakarta: Balitbang Kemenkes RI. Diakses melalui: <https://www.litbang.kemkes.go.id/laporan-riset-kesehatan-dasar-riskesdas/> pada tanggal 3 Maret 2020 pukul 21.00

Komariah. (2015). *Pengaruh Hemodinamik dari Uji Angkat Kaki Pada Klien Stenosis Mitral : Analisis Ekokardiografi. Publikasi Tesis*. Universitas Sumatera Utara. Diakses melalui : <http://repositori.usu.ac.id/bitstream/handle/123456789/17404/117041194.pdf?sequence=1&isAllowed=y> pada tanggal 15 Juni 2020 pukul 22.00

Kuan., Win Sen., *et al.* (2015). *Emergency Department Management of Sepsis Patients: A Randomized, Goal Oriented, Noninvasive Sepsis Trial. Annals of Emergency Medicine; American College of Emergency Physicians*. Diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/26475246/> pada tanggal 2 Juli 2020 pukul 10.00

Lakhal, K., Ehrmann, S., Runge, I. *et al.* (2010). *Central venous pressure measurements improve the accuracy of leg raising-induced change in pulse pressure to predict fluid responsiveness. Intensive Care Med* 36, 940–948 .diakses melalui: <https://doi.org/10.1007/s00134-010-1755-2> pada tanggal 7 Juli 2020 pada pukul 18.30

Levy MM , Fink MP , Marshall JC , *et al.* (2014) *International Sepsis Definitions Conference . Critical Care Medicine*. 2003 ; 31 (4) : 1250 – 1256. Diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/12682500/> pada tanggal 6 Maret 2020 pada pukul 19.30

Levy M, Evans L, Rhodes A. (2018). *The surviving sepsis campaign bundle: 2018 update. Intensive Care Medicine*. 2018;44:925–8 diakses melalui:

<https://pubmed.ncbi.nlm.nih.gov/29675566/> pada tanggal 6 Maret 2020 pukul 20.00

Marik, P. E., & Cavallazzi, R. (2013). Does the central venous pressure predict fluid responsiveness? An updated meta-analysis and a plea for some common sense. *Critical care medicine*, 41(7), 1774–1781. <https://doi.org/10.1097/CCM.0b013e31828a25fd> pada tanggal 14 Mei 2020 pukul 13.45

Marik PE , Desai H . (2012). *Goal directed fluid therapy* . Curr Pharm Des. 2012 ; 18 (38): 6215 – 6224. <https://core.ac.uk/download/pdf/141657966.pdf> pada tanggal 6 Maret 2020 pukul 20.50.

_____. (2014). *Early Management of Severe Sepsis: concepts and controversies*. American College of Chest Physician/145/ 2014, June, 6. Diakses melalui: https://www.evms.edu/media/evms_public/departments/internal_medicine/pulmonary_critical_care/Marik2014_Early_Mgmt_Severe_Sepsis_Chest.pdf pada tanggal 6 Maret 2020 pukul 21.00

_____. (2014). *Fluid responsiveness: an evolution of our understanding*. Br Journal Anaesthesia.; 112 (4): 617 - 620 . diakses melalui : <https://pubmed.ncbi.nlm.nih.gov/24535603/> pada tanggal 17 April 2020 pukul 08.20

Martin GS , Mannino DM , Moss M . (2019). *The effect of age on the development and outcome of adult sepsis*. Crit Care Medicine.; 34 (1): 15 – 21. Diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/16374151/> pada tanggal 20 Juli 2020 pukul 20.24

Mehta, Yatin. (2017). *Sepsis and Septic Shock*. Journal of Cardiac Critical Care. Open access. Diakses melalui: https://www.researchgate.net/publication/320114184_Sepsis_and_Septic_Shock/fulltext/59cefe03a6fdcc181abb6aa5/Sepsis-and-Septic-Shock.pdf pada tanggal 18 Juli 2020 pukul 17.00

Melnyk, B. M., & Fineout-Overholt, E. (2011). *Evidence-based practice in nursing & healthcare: a guide to best practice (2nd ed)*. Philadelphia: Wolters Kluwer/Lippincott Williams & Wilkins. Diakses melalui: <http://googlebooks.com/> pada tanggal 3 Mei 2020 pukul 04.15 WIB

Menerez, Heitor, Nogueira. (2012). *Malnutrition as An Independent Predictor Of Clinical Outcome In Critically Ill Children*. Journal of Nutrition 28 (2012) 267–270. Diakses tanggal 4 Juli 2020 pukul 12.24 WIB. <http://search.proquest.com>.

Miller J, Ho CX, Tang J. (2016). *Assessing Fluid Responsiveness in Spontaneously Breathing Patients*. Academia Emergensi Medicine. 23 (2):

186-190. diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/26764894/> pada tanggal 5 Agustus 2020 pukul 14.30 WIB

Mira, C. Juan (2017). Sepsis, Pathophysiology, Chronic Critical Illness and PICS. *Crit Care Med.* 2017 Feb; 45(2): 253–262. diakses melalui : <https://pubmed.ncbi.nlm.nih.gov/27632674/> pada tanggal 6 Juni 2020 pukul 18.50 WIB.

Monnet, X., Bataille, A., Magalhaes, E. et al. (2013). *End-tidal carbon dioxide is better than arterial pressure for predicting volume responsiveness by the passive leg raising test.* *Intensive Care Med* 39, 93–100. Diakses melalui: <https://doi.org/10.1007/s00134-012-2693-y> pada tanggal 22 Maret 2020 pada pukul 14.00 WIB

Monnet X , Chemla D , Osman D , et al . (2014). *Measuring aortic diameter improves accuracy of esophageal Doppler in assessing fluid responsiveness . Crit Care Med.* ; 35 (2): 477 – 482. Diakses melalui: <https://insights.ovid.com/critical-care-medicine/ccme/2007/02/000/measuring-aortic-diameter-improves-accuracy/20/00003246> pada tanggal 15 Maret 2020 pukul 23.10 WIB.

Monnet X , Jabot J , Maizel J , Richard C , Teboul JL . (2011). *Norepinephrine increases cardiac preload and reduces preload dependency assessed by passive leg raising in septic shock patients . Crit Care Med.* 2011 ; 39 (4): 689 – 694. Diakses melalui : <https://pubmed.ncbi.nlm.nih.gov/21263328/> pada tanggal 6 Maret 2020 pukul 00.15 WIB.

_____ (2015). *Passive leg raising: five rules, not a drop of fluid!*. *Crit Care Medicine* 19, 18. Diakses melalui: <https://doi.org/10.1186/s13054-014-0708-5> pada tanggal 6 Maret 2020 pada pukul 00.30 WIB

Monnet, X., Marik, P., & Teboul, J. L. (2016). *Passive leg raising for predicting fluid responsiveness: a systematic review and meta-analysis.* *Intensive care medicine*, 42(12), 1935–1947. Diakses melalui <https://doi.org/10.1007/s00134-015-4134-1> pada tanggal 8 Maret 2020 pada pukul 12.00 WIB

Murti, B. (2011). *Uji Validitas Dan Reliabilitas Pengukuran*. Surakarta: *Institute Of Health Economic And Policy Studies (IHEPS)* Fakultas Kedokteran Universitas Sebelas Maret

Myburgh, John. Finfer, Simon. (2012). Hydroxyethyl starch or saline for fluid resuscitation in intensive care. *National England Journal Medicine*. diakses melalui <https://pubmed.ncbi.nlm.nih.gov/23075127/#:~:text=Conclusions%3A%20In%20patients%20in%20the,treated%20with%20renal%2Dreplacement%20therapy> pada 06 September 2020 22.00 WIB.

- Nguyen, Bryant. H. (2016). *Early Goal-Directed Therapy in Severe Sepsis and Septic Shock: Insight and Comparisons to ProCESS, ProMISe, and ARISE*. Pubmed. Critical Care. Diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/27364620/> pada tanggal 5 Juli 2020 pada pukul 16.40 WIB.
- Nursalam. (2017). *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis*. (P. P. Lestari, Ed.) (4th ed.). Jakarta: Salemba Medika
- Pickett, D. Joya. (2017). *Passive Leg Raising and Prediction of Fluid Responsiveness : Systemic Review*. Critical Care Nurse. 2017 Apr; 37 (2): 32-47. Doi: 10.4037/ccn2017205. Diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/28365648/> pada tanggal 10 Juli 2020 pukul 19.30 WIB.
- Pottecher, Julien, Deruddre S, Teboul JL. (2010). *Both Passive Legs Raising and intravascular volume expansion improve sublingual microcirculatory perfusion in severe sepsis and septic shock patient*. Intensive Care Medicine. Diakses melalui <https://link.springer.com/content/pdf/10.1007/s00134-010-1966-6.pdf> pada tanggal 7 Juli 2020 pukul 15.00 WIB
- Préau S, Saulnier F, Dewavrin F, Durocher A, Chagnon JL.(2010). *Passive leg raising is predictive of fluid responsiveness in spontaneously breathing patients with severe sepsis or acute pancreatitis*. Crit Care Med 2010; 38: 819–825. Diakses melalui : <https://pubmed.ncbi.nlm.nih.gov/20016380/> pada tanggal 10 Juni 2020 pukul 17.45 WIB.
- Prof. Dr. Sugiyono. (2018). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta.
- Putra., (2019). *Update tatalaksana sepsis*. CDK-280/Volume.46 no.11
- Ratzinger, F. et al. (2015). *Sepsis in Standar Care: Patients Characteristics, Effectiveness of Antimicrobial Therapy and Patient Outcome*. Springer-Verlag Berlin Heidelberg, 43: 345-352. Diakses melalui: <https://link.springer.com/article/10.1007/s15010-015-0818-2> pada tanggal 12 Juli 2020 pukul 15.00 WIB.
- Ring, Jepson, Ritchie. (2011). *Methods Of Synthesizing Qualitative Research Stusies For Health Technology Assessment*. Int J Technol Assess Health Care. 2011 Oct;27(4):384-90. doi: 10.1017/S0266462311000389. Diakses melalui: <https://pubmed.ncbi.nlm.nih.gov/22004781/> pada tanggal 10 Mei 2020, pukul 08.56 WIB.
- Semler, Matthew., Fellow., (2017). *Sepsis Resuscitation: Fluid Choice and Dose*. Clinical Chest Medicine. diakses melalui

<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4884304/> pada 06 September 2020 pukul 00.24 WIB.

Shujaat, Adil (2012). *Review Article; Optimization of Preload in Severe Septic Shock. Critical Care Research and Practice Volume 2012*. Diakses melalui: <http://downloads.hindawi.com/journals/ccrp/2012/761051.pdf> pada tanggal 16 April 2020 pukul 10.30 WIB.

Si, Xi., Cao DY, Chen J, Wu JF, Liu ZM. (2018). *Effect of Systolic Cardiac Function on Passive Legs Raising for Predicting Fluid Responsiveness: a Prospective Observational Study. Chinese Medical Journal 2018; 131:253-61*. Diakses melalui <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5798044/pdf/CMJ-131-253.pdf> pada tanggal 7 Juli 2020 pukul 14.24 WIB.

Singer, Deutschman, Warren. (2016). *The Third Consensus Definition for Sepsis and Septic Shock (Sepsis-3). Journal of American Medicine Anesthesia : 2016 Februari 23 ; 315 (8): 801-810. doi:10.1001/jama.2016.0287*. diakses melalui: <https://jamanetwork.com/journals/jama/fullarticle/2492881> pada tanggal 30 Maret 2020 pukul 19.00 WIB.

Soegijanto., Soegeng. (2016). *Kumpulan Makalah penyakit Tropis dan Infeksi di Indonesia Jilid 3*. Surabaya : Airlangga University press. Diakses melalui: <http://garuda.ristekbrin.go.id/journal/view/7657> pada tanggal 10 Maret 2020 pukul 09.00 WIB.

Soelistyo, Hendry (2011). *PLAGIARISME : pelanggaran hak cipta dan etika*, yogyakarta : KANISIUS

Sri, Ike. (2017). *Modul Continuing Professional Development (CPD) FLUID, ELECROLYTE AND ACID BASE*. Bandung : Perhimpunan Dokter Spesialis Anestesiologi dan Terapi Intensif Indonesia (PP Perdatin)

Susanto, Bahtiar (2016). Pengaruh tes Elevasi Tungkai Secara Pasif terhadap Variasi Plestimograf untuk Penilaian Responsivitas Cairan Pada Klien yang dilakukan Pembedahan dengan Anastesi Umum. *Jurnal Anastesi Perioperatif*. Diakses melalui: <http://journal.fk.unpad.ac.id/index.php/jap/article/view/821> pada tanggal 3 Mei 2020 pukul 08.20 WIB.

The Joanna Briggs Institute. 2017. *Checklist for Quasi-Experimental Studies*. Diakses melalui: <http://joannabriggs-webdev.org/research/critical-appraisal-tools.html> pada tanggal 05 April 2020 pukul 09.00 WIB.

Ueyama, H., & Kiyonaka, S. (2017). Predicting the Need for Fluid Therapy-Does Fluid Responsiveness Work?. *Journal of intensive care*, 5, 34. Diakses melalui: <https://doi.org/10.1186/s40560-017-0210-7> pada tanggal 30 Maret 2020 pada pukul 16.00 WIB.

- Vincent J-L, Opal SM, Marshall JC, Tracey KJ. (2016) *Sepsis definitions: time for change*. *Lancet*. 2013; 381(9868):774–775. [PubMed: 23472921]. Diakses melalui : <https://pubmed.ncbi.nlm.nih.gov/23472921/> pada tanggal 12 April 2020 pukul 19.00 WIB.
- World Health Organization. (2020). *Laboratory biosafety guidance related to coronavirus disease 2019 (COVID-19): interim guidance*, 12 February 2020. World Health Organization. <https://apps.who.int/iris/handle/10665/331138>. License: CC BY-NC-SA 3.0 IGO diakses pada tanggal 5 Maret 2020 pukul 16.50 WIB.
- Wong HR, Cvijanovich NZ, Anas N, et al. (2015). *Developing a clinically feasible personalized medicine approach to pediatric septic shock*. *American Journal Respiratory Critical Care Medicine*. 2015; 191(3):309–315. [PubMed: 25489881]. Diakses melalui : <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4351584/> pada tanggal 10 Maret 2020 pukul 08.30 WIB.