

Lusi Susanti
(AK.1.16.079)

ABSTRAK

Demam Berdarah Dengue (DBD) adalah penyakit yang ditularkan oleh nyamuk *Aedes aegypti* ditandai dengan panas tinggi yang berlangsung selama 2-7 hari. Di sertai dengan tanda gejala seperti perdarahan berupa bintik merah dikulit (*petekia*), perdarahan mukosa, mimisan, perdarahan gusi, melena dan hati membengkak. Untuk mengetahui tanda perdarahan yaitu dapat diperiksa dengan melakukan tes Torniquet. Tujuan dari penelitian ini yaitu untuk mengetahui hubungan antara petugas kesehatan dengan sikap masyarakat dalam upaya pencegahan demam berdarah. Metode yang digunakan pada penelitian ini ini adalah *literature review* dengan pendekatan *cross secrctional*. Pada penelitian ini 5 jurnal yang dijadikan sampel yang memang dipilih sesuai dengan kriteria inklusi : jurnal full text, terindeks issn, jangka waktu penelitian dengan rentang waktu 10 tahun, jurnal yang membahas tentang hubungan antara petugas kesehatan dengan sikap masyarakat dalam upaya pencegahan demam berdarah. Tiga jurnal dari *Google Scholar*, satu jurnal dari *Pubmed* dan *Science Direct*. Evaluasi kelayakan data dilakukan dengan mengisi form ceklis dengan instrument (JBI) *Critical Appraisal Checklist For Analytical Cross Sectional Studies*. Hasil penelitian dari semua jurnal didapatkan bahwa adanya hubungan antara petugas kesehatan dengan sikap masyarakat dalam upaya pencegahan demam berdarah. Berdasarkan hasil penelitian disarankan bagi peneliti selanjutnya penelitian ini dapat digunakan sebagai bahan dan juga manfaat untuk melanjutkan penelitian terkait upaya pencegahan demam berdarah.

Kata Kunci : Demam Berdarah, Faktor – Faktor yang Mempengaruhi Demam Berdarah, Masyarakat

Sumber : 5 buku (2010-2017)
2 Website (2016-2018)
20 Jurnal (2010-2019)

ABSTRACT

Dengue Fever (DBD) is a disease transmitted by the Aedes aegypti mosquito characterized by high heat that lasts for 2-7 days. It is associated with symptoms such as bleeding in the form of red spots on the skin (petekia), mucosal bleeding, nosebleeds, bleeding gums, melena and swollen liver. To find the signs of bleeding can be checked by doing a tourniquet test. The aim of this research is to find out the relation between health workers and public attitudes in efforts to prevent dengue fever. The method used in this research is literature review with a cross sectional approach. In this research, 5 journals that sampled have been selected according to inclusion criteria: full text journal, indexed issn, research period with a period of 10 years, journal that discusses the relation between health workers and public attitudes in prevention efforts for dengue fever. Three journals from Google Scholar, one journal from Pubmed and Science Direct. Evaluation of data feasibility is done by filling the checklist form with instrument (JBI) Critical Appraisal Checklist For Analytical Cross Sectional Studies. The research results from all journals found that there is a relation between health workers and public attitudes in prevention efforts for dengue fever. Based on the results of the research it is suggested for further researchers this research can be used as a material and also benefits to continue research related to prevention efforts of dengue fever.

Keywords : Dengue Fever, Factors That Affect Dengue Fever, Society

Source : 5 book (2010-2017)

2 Website (2016-2018)

20 Journals (2010-2019)

KATA PENGANTAR