

DAFTAR PUSTAKA

- Akbari, J., Saeedi, M., Morteza-Semnani, K., Rostamkalaei, S. S., Asadi, M., Asare-Addo, K., & Nokhodchi, A. (2016). The design of naproxen solid lipid nanoparticles to target skin layers. *Colloids and Surfaces B: Biointerfaces*, 145, 626–633. <https://doi.org/10.1016/j.colsurfb.2016.05.064>
- Aljeid; Hosny. (2016). Miconazole-loaded solid lipid nanoparticles: Formulation and evaluation of a novel formula with high bioavailability and antifungal activity. *International Journal of Nanomedicine*, 11, 441–447. <https://doi.org/10.2147/IJN.S100625>
- Arifin, N. L. (2015). *Pengaruh Sonikasi Bertahap dalam Proses Degradasi Kitosan terhadap Komposisi Dan Properti Produk*. 110. Retrieved from <http://repository.its.ac.id/59940/>
- Badilli, U., Gumustas, M., Uslu, B., & Ozkan, S. A. (2018). Lipid-based nanoparticles for dermal drug delivery. In *Organic Materials as Smart Nanocarriers for Drug Delivery*. <https://doi.org/10.1016/B978-0-12-813663-8.00009-9>
- Bhalekar, M., Upadhaya, P., & Madgulkar, A. (2015). *Formulation and evaluation of Adapalene-loaded nanoparticulates for epidermal localization*. <https://doi.org/10.1007/s13346-015-0261-z>
- Calpena, A. C., & Garduño-ram, L. (2018). *Development of Pranoprofen Loaded Nanostructured Lipid Carriers to Improve Its Release and Therapeutic Efficacy in Skin Inflammatory Disorders*. <https://doi.org/10.3390/nano8121022>
- Cha, H. J., He, C., Zhao, H., Dong, Y., An, I. S., & An, S. (2016). Intercellular and intracellular functions of ceramides and their metabolites in skin (Review). *International Journal of Molecular Medicine*, 38(1), 16–22. <https://doi.org/10.3892/ijmm.2016.2600>
- Choi, K. O., Aditya, N. P., & Ko, S. (2014). Effect of aqueous pH and electrolyte concentration on structure, stability and flow behavior of non-ionic surfactant based solid lipid nanoparticles. *Food Chemistry*, 147, 239–244. <https://doi.org/10.1016/j.foodchem.2013.09.095>

- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., ... Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- El-Housiny, S., Eldeen, M. A. S., El-Attar, Y. A., Salem, H. A., Attia, D., Bendas, E. R., & El-Nabarawi, M. A. (2018). Fluconazole-loaded solid lipid nanoparticles topical gel for treatment of pityriasis versicolor: Formulation and clinical study. *Drug Delivery*, 25(1), 78–90. <https://doi.org/10.1080/10717544.2017.1413444>
- Estanqueiro, M., Conceição, J., Amaral, M. H., & Sousa Lobo, J. M. (2016). The role of liposomes and lipid nanoparticles in the skin hydration. *Nanobiomaterials in Galenic Formulations and Cosmetics: Applications of Nanobiomaterials*, 297–326. <https://doi.org/10.1016/B978-0-323-42868-2.00012-7>
- Hanna, P. A., Ghorab, M. M., & Gad, S. (2018). Development of Betamethasone Dipropionate-Loaded Nanostructured Lipid Carriers for Topical and Transdermal Delivery. *Anti-Inflammatory & Anti-Allergy Agents in Medicinal Chemistry*, 18(1), 26–44. <https://doi.org/10.2174/1871523017666181115104159>
- Jafar, G., Darijanto, S. T., & Mauludin, R. (2015). Formulasi Solid Lipid Nanoparticle Ceramide. *Jurnal Pharmascience*, 2(2), 80–87.
- Jain, A., Garg, N. K., Jain, A., Kesharwani, P., Jain, A. K., Nirbhavane, P., & Tyagi, R. K. (2016). A synergistic approach of adapalene-loaded nanostructured lipid carriers, and vitamin C co-administration for treating acne. *Drug Development and Industrial Pharmacy*, 42(6), 897–905. <https://doi.org/10.3109/03639045.2015.1104343>
- Joseph, S., & Bunjes, H. (2013). *solid lipid nanoparticles for Drug Delivery*.
- Kathe, N., Henriksen, B., & Chauhan, H. (2014). Physicochemical characterization techniques for solid lipid nanoparticles: Principles and limitations. *Drug Development and Industrial Pharmacy*, 40(12), 1565–1575. <https://doi.org/10.3109/03639045.2014.909840>
- Kumar, V., & Banga, A. K. (2016). Intradermal and follicular delivery of adapalene liposomes. *Drug Development and Industrial Pharmacy*, 42(6), 871–879.

<https://doi.org/10.3109/03639045.2015.1082580>

- Latter, G., Grice, J. E., Mohammed, Y., Roberts, M. S., & Benson, H. A. E. (2019). Targeted topical delivery of retinoids in the management of acne vulgaris: Current formulations and novel delivery systems. *Pharmaceutics*, 11(10). <https://doi.org/10.3390/pharmaceutics11100490>
- Malik, D. S., & Kaur, G. (2018). Nanostructured gel for topical delivery of azelaic acid: Designing, characterization, and in-vitro evaluation. *Journal of Drug Delivery Science and Technology*, 47, 123–136. <https://doi.org/10.1016/j.jddst.2018.07.008>
- Morales, J. O., Valdés, K., Morales, J., & Oyarzun-Ampuero, F. (2015). Lipid nanoparticles for the topical delivery of retinoids and derivatives. *Nanomedicine*, 10(2), 253–269. <https://doi.org/10.2217/nnm.14.159>
- Nadal, J. M., dos Anjos Camargo, G., Novatski, A., Macenhan, W. R., Dias, D. T., Barboza, F. M., ... Farago, P. V. (2019). Adapalene-loaded poly(ϵ -caprolactone) microparticles: Physicochemical characterization and in vitro penetration by photoacoustic spectroscopy. *PLoS ONE*, 14(3), 1–20. <https://doi.org/10.1371/journal.pone.0213625>
- Naseri, N., Valizadeh, H., & Zakeri-Milani, P. (2015). Solid lipid nanoparticles and nanostructured lipid carriers: Structure preparation and application. *Advanced Pharmaceutical Bulletin*, 5(3), 305–313. <https://doi.org/10.15171/apb.2015.043>
- Nazemiyeh, E., Eskandani, M., Sheikhloie, H., & Nazemiyeh, H. (2016). Formulation and physicochemical characterization of lycopene-loaded solid lipid nanoparticles. *Advanced Pharmaceutical Bulletin*, 6(2), 235–241. <https://doi.org/10.15171/apb.2016.032>
- Pardeike, J., Hommoss, A., & Müller, R. H. (2009). Lipid nanoparticles (SLN, NLC) in cosmetic and pharmaceutical dermal products. *International Journal of Pharmaceutics*, 366(1–2), 170–184. <https://doi.org/10.1016/j.ijpharm.2008.10.003>
- Proksch, E. (2018). pH in nature, humans and skin. *Journal of Dermatology*, 45(9), 1044–1052. <https://doi.org/10.1111/1346-8138.14489>
- Rajinikanth, P. S., & Chellian, J. (2016). Development and evaluation of

- nanostructured lipid carrier-based hydrogel for topical delivery of 5-fluorouracil. *International Journal of Nanomedicine*, 11, 5067–5077. <https://doi.org/10.2147/IJN.S117511>
- Ramezanli, T., Zhang, Z., & Michniak-Kohn, B. B. (2017). Development and characterization of polymeric nanoparticle-based formulation of adapalene for topical acne therapy. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 13(1), 143–152. <https://doi.org/10.1016/j.nano.2016.08.008>
- ROHINI S KHARWADE, & NILESH M MAHAJAN. (2019). Formulation and Evaluation of Nanostructured Lipid Carriers Based Anti-Inflammatory Gel for Topical Drug Delivery System. *Asian Journal of Pharmaceutical and Clinical Research*, (March), 286–291. <https://doi.org/10.22159/ajpcr.2019.v12i4.32000>
- Rosita noorma, Qurrotu A'yunin, E. H. (2019). *Karakter Solid Lipid Nano Particle (SLN) – Ubiquinon (Q10) dengan Beda Jenis Kosurfaktan: Poloxamer 188, Lesitin, Propilen Glikol*. 6, 17–24.
- Rostamkalaei, S. S., Akbari, J., Saeedi, M., Morteza-Semnani, K., & Nokhodchi, A. (2019). Topical gel of Metformin solid lipid nanoparticles: A hopeful promise as a dermal delivery system. *Colloids and Surfaces B: Biointerfaces*, 175(October 2018), 150–157. <https://doi.org/10.1016/j.colsurfb.2018.11.072>
- Samimi, S., Maghsoudnia, N., Eftekhari, R. B., & Dorkoosh, F. (2019). Lipid-Based Nanoparticles for Drug Delivery Systems. In *Characterization and Biology of Nanomaterials for Drug Delivery*. <https://doi.org/10.1016/b978-0-12-814031-4.00003-9>
- Shah, M. R., Imran, M., & Ullah, S. (2017). Chapter 11 - Niosomal drug delivery BT - Lipid-Based Nanocarriers for Drug Delivery and Diagnosis. In *Micro and Nano Technologies*. [https://doi.org/https://doi.org/10.1016/B978-0-323-52729-3.00005-6](https://doi.org/10.1016/B978-0-323-52729-3.00005-6)
- Shrotriya, S. N., Ranpise, N. S., & Vidhate, B. V. (2017). Skin targeting of resveratrol utilizing solid lipid nanoparticle-engrossed gel for chemically induced irritant contact dermatitis. *Drug Delivery and Translational Research*, 7(1), 37–52. <https://doi.org/10.1007/s13346-016-0350-7>

- Shrotriya, S., Ranpise, N., Satpute, P., & Vidhate, B. (2018). Skin targeting of curcumin solid lipid nanoparticles-engrossed topical gel for the treatment of pigmentation and irritant contact dermatitis. *Artificial Cells, Nanomedicine and Biotechnology*, 46(7), 1471–1482. <https://doi.org/10.1080/21691401.2017.1373659>
- Stein Gold, L., Weiss, J., Rueda, M. J., Liu, H., & Tanghetti, E. (2016). Moderate and Severe Inflammatory Acne Vulgaris Effectively Treated with Single-Agent Therapy by a New Fixed-Dose Combination Adapalene 0.3 %/Benzoyl Peroxide 2.5 % Gel: A Randomized, Double-Blind, Parallel-Group, Controlled Study. *American Journal of Clinical Dermatology*, 17(3), 293–303. <https://doi.org/10.1007/s40257-016-0178-4>
- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016). *Formulation , Characterisation , and in Vitro Skin Diffusion of Nanostructured Lipid Carriers for Deoxyarbutin Compared to a Nanoemulsion and Conventional Cream*. 634–645. <https://doi.org/10.3390/scipharm84040634>