

LAMPIRAN

Data penggunaan obat sulfonilurea bulan Januari 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	2.078	DM Tipe 2 dengan atau tanpa komplikasi	18	55	24	34	59	1	45,74%
2	Glickazid	60 mg	883		6	14	11	17	16	3	19,43%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	1.028		1	19	6	11	15	2	22,62%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	172		2	4	0	3	3	5	3,78%
5	Gliquidone	30 mg	227		0	5	0	1	4	4	4,99%
6	Glibenclamide	5 mg	155		0	4	0	4	0	6	3,41%
	Jumlah		4.543		27	101	41	70	97		100%

5.2 Data penggunaan obat sulfonilurea bulan Februari 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.857	DM Tipe 2 dengan atau tanpa komplikasi	14	67	16	31	58	1	44,84%
2	Glickazid	60 mg	1.026		8	32	15	19	34	2	24,78%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	757		1	22	2	10	15	3	18,28%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	302		2	6	4	6	6	4	7,29%
5	Gliquidone	30 mg	99		0	2	1	1	2	6	2,39%
6	Glibenclamide	5 mg	100		0	6	0	5	1	5	2,41%
	Jumlah		4.141		25	135	38	72	116		100%

5.3. Data penggunaan obat sulfonilurea bulan Maret 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.513	DM Tipe 2 dengan atau tanpa komplikasi	8	42	24	23	49	1	39,74%
2	Glickazid	60 mg	941		5	19	11	20	15	2	24,72%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	714		2	11	2	5	10	3	18,75%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	360		2	10	3	4	11	4	9,46%
5	Gliquidone	30 mg	206		0	5	0	2	3	5	5,41%
6	Glibenclamide	5 mg	73		0	5	0	3	2	6	1,92%
	Jumlah		3.807		17	92	40	57	90		100%

5.4. Data penggunaan obat sulfonilurea bulan April 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.904	DM Tipe 2 dengan atau tanpa komplikasi	18	55	24	34	59	1	44,39%
2	Glickazid	60 mg	855		6	16	11	17	16	3	19,93%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	994		1	19	6	11	15	2	23,18%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	166		2	4	0	3	3	5	3,87%
5	Gliquidone	30 mg	220		0	5	0	1	4	4	5,13%
6	Glibenclamide	5 mg	150		0	4	0	4	0	6	3,50%
	Jumlah		4.289		27	103	41	70	97		100%

5.5. Data penggunaan obat sulfonilurea bulan Mei 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.603	DM Tipe 2 dengan atau tanpa komplikasi	13	59	18	31	55	1	39,48%
2	Glickazid	60 mg	790		5	24	13	23	19	3	19,46%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	933		0	23	4	7	20	2	22,98%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	452		3	14	1	6	12	4	11,13%
5	Gliquidone	30 mg	200		0	5	1	3	3	5	4,93%
6	Glibenclamide	5 mg	82		0	2	1	2	1	6	2,02%
	Jumlah		4.060		21	127	38	72	110		100%

5.6. Data penggunaan obat sulfonilurea bulan Juni 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.683	DM Tipe 2 dengan atau tanpa komplikasi	24	45	24	38	47	1	42,99%
2	Glickazid	60 mg	879		8	24	5	15	19	2	22,45%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	755		3	15	1	5	14	3	19,28%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	300		4	5	3	7	5	4	7,66%
5	Gliquidone	30 mg	201		0	4	0	1	3	5	5,13%
6	Glibenclamide	5 mg	97		0	3	0	2	1	6	2,48%
	Jumlah		3.915		39	96	33	68	89		100%

5.7. Data penggunaan obat sulfonilurea bulan Juli 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	2.055	DM Tipe 2 dengan atau tanpa komplikasi	14	67	16	31	58	1	44,83%
2	Glickazid	60 mg	1.136		8	32	15	19	34	2	24,78%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	837		1	22	2	10	15	3	18,26%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	335		2	6	4	6	6	4	7,31%
5	Gliquidone	30 mg	110		0	2	1	1	2	6	2,40%
6	Glibenclamide	5 mg	111		0	6	0	5	1	5	2,42%
	Jumlah		4.584		25	135	38	72	116		100%

5.8. Data penggunaan obat sulfonilurea bulan Agustus 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.772	DM Tipe 2 dengan atau tanpa komplikasi	12	60	18	34	54	1	43,81%
2	Glickazid	60 mg	971		10	33	14	23	34	2	24,00%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	1.035		1	30	3	20	14	3	25,59%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	260		0	10	2	1	11	4	6,43%
5	Gliquidone	30 mg	0		0	1	0	0	1	6	0,00%
6	Glibenclamide	5 mg	7		0	3	0	3	0	5	0,17%
	Jumlah		4.045		23	137	37	81	114		100%

5.9. Data penggunaan obat sulfonilurea bulan September 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.550	DM Tipe 2 dengan atau tanpa komplikasi	10	52	30	31	60	1	35,83%
2	Glickazid	60 mg	961		11	26	11	17	27	3	22,21%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	1.054		4	29	6	19	17	2	24,36%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	460		3	16	2	8	13	4	10,63%
5	Gliquidone	30 mg	190		0	1	1	1	1	5	4,39%
6	Glibenclamide	5 mg	111		0	6	0	3	3	6	2,57%
	Jumlah		4.326		28	130	50	79	121		100%

5.7. Data penggunaan obat sulfonilurea bulan Oktober 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.783	DM Tipe 2 dengan atau tanpa komplikasi	12	62	36	46	60	1	38,81%
2	Glickazid	60 mg	883		2	33	11	18	25	3	19,22%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	1.182		5	33	2	12	27	2	25,73%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	435		5	11	2	5	11	4	9,47%
5	Gliquidone	30 mg	158		0	2	2	1	3	5	3,44%
6	Glibenclamide	5 mg	153		1	7	0	5	3	6	3,33%
	Jumlah		4.594		25	148	53	87	129		100%

5.8. Data penggunaan obat sulfonilurea bulan November 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.683	DM Tipe 2 dengan atau tanpa komplikasi	9	57	26	41	50	1	40,22%
2	Glickazid	60 mg	729		8	24	9	19	20	3	17,42%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	850		2	20	3	12	13	2	20,31%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	620		8	18	5	9	20	4	14,81%
5	Gliquidone	30 mg	259		0	4	3	3	4	5	6,19%
6	Glibenclamide	5 mg	44		0	3	0	1	2	6	1,05%
	Jumlah		4.185		27	126	46	85	109		100%

5.9. Data penggunaan obat sulfonilurea bulan Desember 2019

No	Nama obat	Kekuatan	Jumlah Pengeluaran	Diagnosa	Umur			Jenis Kelamin		Rangking	Prosentase
					<45 Th	45-65Th	>65 Th	L	P		
1	Glimipirid	1,2,3,4 mg	1.971	DM Tipe 2 dengan atau tanpa komplikasi	13	55	29	38	54	1	43,32%
2	Glickazid	60 mg	1.104		7	27	14	24	21	2	24,26%
3	Metformin + Glibenclamide	250 mg / 1,25 mg, 500 mg / 2,5 mg, 500 mg / 5 mg	845		4	19	6	19	10	3	18,57%
4	Glimipirid + Metformin	1 mg / 250 mg, 2 mg / 500 mg	480		3	11	3	7	10	4	10,55%
5	Gliquidone	30 mg	90		0	0	1	0	1	5	1,98%
6	Glibenclamide	5 mg	60		0	2	0	1	1	6	1,32%
	Jumlah		4.550		27	114	53	89	97		100%