

LAMPIRAN

Lampiran 1

Perhitungan Pengambilan Sampel Bulan Desember 2019 – Februari 2020

1.1. Bulan Desember : jumlah populasi sebanyak 6853 resep

Pengambilan sampel :

$$n = \frac{N}{1 + N(d)2}$$

$$n = \frac{6853}{1 + 6853(0,1)2}$$

$$n = \frac{6853}{1 + 6853(0,01)}$$

$$n = \frac{6853}{69,53}$$

$$n = 98 \text{ sampel}$$

1.2. Bulan Januari 2020 : jumlah populasi sebanyak 7043 resep

Pengambilan sampel :

$$n = \frac{N}{1 + N(d)2}$$

$$n = \frac{7043}{1 + 7043(0,1)2}$$

$$n = \frac{7043}{1 + 7043(0,01)}$$

$$n = \frac{7043}{71,43}$$

$$n = 98,6 \text{ sampel} : 99 \text{ sampel}$$

1.3. Bulan februari 2020 : jumlah populasi sebanyak 7106 resep

Pengambilan sampel :

$$n = \frac{N}{1 + N(d)2}$$

$$n = \frac{7106}{1 + 7106(0,1)^2}$$

$$n = \frac{7106}{1 + 7106(0,01)}$$

$$n = \frac{7106}{72,06}$$

n = 98,6 sampel : 99 sampel

Lampiran 2

Lembar Observasi Kesesuaian Resep Dengan formularium RS X Bulan Desember 2019

NO	NAMA	UMUR	JENIS KELAMIN	OBAT YANG DIGUNAKAN		
				NAMA OBAT	FORMULARIUM	NON FORMULARIUM
1	Ny. A	28	P	R/ sumagesic	☐	
				R/ dolof	☐	☐
				R/ ranitidin	☐	
2	Tn. S	45	L	R/ lodia	☐	
				R/ lacidofil	☐	
				R/ protop		☐
				R/ buscopan	☐	
3	An. M	3	P	R/ zibramax	☐	
				R/kenacort, tremenza, inolin	☐	
				R/ erdobat		☐
4	Ny.Ma	69	P	R/curcuma	☐	
				R/ Clogin	☐	
				R/xilocam		☐
				R/ micardis	☐	
5	Ny. Rs	37	P	R/ seloxy aa	☐	
				R/asam traneksamat, glycerine,ceradan	☐	
				R/ rdc		☐
6	An. Ke	3	L	R/ Imboost syrup	☐	
				R/ Actifed syrup	☐	
7	Ny. Da	54	P	R/ Mefinter	☐	
8	Ny. Kr	51	P	R/ Diflucan	☐	
				R/ Lodia	☐	
				R/ Lacidofil	☐	
				R/ Pumpitor	☐	

9	Tn. Sh	46	L	R/ Canderin	☐	
				R/ Suvesco	☐	
10	Ny. Se	42	P	R/ Thyrax	☐	
				R/ Curcuma	☐	
11	Tn. Na	59	L	R/ Cpg	☐	
				R/ Invomit		☐
				R/ micardis	☐	
12	Ny. Ne	36	P	R/ Kamillosan		☐
				R/ Cal-95	☐	
13	An. Mi	4	L	R/ Zinpro		☐
				R/ L-bio	☐	☐
				R/ Oralit	☐	
14	Tn. Mi	16	L	R/ Levofloxacin	☐	
				R/ Buscopan	☐	
15	Ny. Ay	62	P	R/ Kalnex	☐	
				R/ Harnal	☐	
				R/ NA dikloFenak	☐	
16	Tn. Do	41	L	R/ Imboost	☐	
17	Ny.Su	26	P	R/ Renax	☐	
18	Tn. Wi	50	L	R/ Mecobalamin	☐	
19	Tn. Mj	51	L	R/ Myonal	☐	
				R/ Voltaren	☐	
20	Tn. Ma	54	L	R/ Mecobalamin	☐	
				R/ Pgb	☐	
21	Tn. Ji	29	L	R/ Minosep	☐	
22	An. Ha	4	P	R/ Cefat syrup	☐	
				R/ Bactoderm	☐	
23	Ny. An	34	P	R/ Trombopop	☐	
24	Ny. Gi	26	P	R/ Folavit	☐	
25	Tn. Im	57	P	R/ Lyrica	☐	
				R/ Anlasik	☐	
26	Ny. Fo	36	P	R/ Fladystin	☐	

				R/ Ceptik	☐	
				R/ Mefinter	☐	
27	Ny. Kh	29	P	R/ Rifamtibi	☐	
				R/ Pehadoxin	☐	
28	An. Le	1	L	R/ Ryvel drop	☐	
29	Tn. Ko	30	L	R/ Lyrica	☐	
				R/ Interco	☐	
30	Tn. Ti	30	L	R/ fenofibrat	☐	
				R/ Cormega	☐	
31	Ny. Ma	43	P	R/ Phenytoin	☐	
				R/ Panadol	☐	
				R/ Dexamethasone	☐	
32	Ny. Wa	34	P	R/ Episan		☐
				R/ Pariet	☐	
33	Tn. Ur	60	L	R/ Levofloxacin	☐	
				R/ Ethambutol	☐	
34	An. Re	13	P	R/ Depakene syrup	☐	
35	Ny. An	36	P	R/ Otopain	☐	
				R/Asam mefenamat	☐	
36	An. Za	4	P	R/ Citicolin	☐	
37	An. Au	8	P	R/ Cefspan	☐	
				R/ Trifed	☐	
38	An. El	7	L	R/ Zithromax	☐	
39	Ny. Fe	56	P	R/ Nometec	☐	
40	N. Pu	74	P	R/ Sanmol	☐	
41	Ny. Ar	25	P	R/ vometa	☐	
				R/ Diagit	☐	
				R/ Vomizole	☐	
42	Tn. Sw	71	L	R/ Aspilet	☐	
				R/ Canderin	☐	
				R/ Ubi q	☐	
43	An. Ar	3	L	R/ Mucos	☐	

				R/ Imunos	☐	
				R/ Aloclair	☐	
44	Ny. En	47	P	R/ Cefspan	☐	
				R/ Fluimucil	☐	
45	Tn. Nu	33	L	R/ Amoxsan	☐	
				R/ Betadine gargle	☐	
46	Ny. So	31	P	R/ Stobled	☐	
				R/ Primolut	☐	
47	An. Ka	4	P	R/ Proris supp	☐	
48	Tn. Ar	19	L	R/ Clinium	☐	
49	Ny. Su	48	P	R/ Isoptin	☐	
50	Ny. Ok	38	P	R/ Analsix	☐	
				R/ Ceptik	☐	
51	Ny. Ri	32	P	R/ meiact	☐	
				R/ sumagesic	☐	
				R/ Hexilon	☐	
52	Tn. Ok	58	L	R/ Becom Zet	☐	☐
				R/ Levofloxacin	☐	
				R/ Candesartan	☐	
53	Ny. Pu	38	P	R/ Vipalbumin	☐	
54	Tn. Wi	47	L	R/ Tarivid	☐	
				R/ Medrol	☐	
55	Ny. Hu	33	P	R/ Piracetam	☐	
				R/ Norvask	☐	
56	Ny. Ha	41	P	R/ Xitrol	☐	
				R/ Optimax	☐	
57	Ny. Ji	39	P	R/ Cipralex	☐	
58	Tn. El	30	L	R/ Starcef	☐	
				R/ Vomizole	☐	
59	Tn. Aj	19	L	R/ Pronicy	☐	
				R/ Elkana	☐	
59	Ny. Er	24	P	R/ Afucid	☐	

				R/ seloxy aa	☐	
				R/ Medrol	☐	
60	Ny. Al	23	P	R/ Ceptik	☐	
				R/ Urispas	☐	
61	Ny. Ye	26	P	R/ Abilify	☐	
62	An. Ke	6	P	R/ Toplexil	☐	
				R/ Apialys	☐	
63	Tn. Ge	45	L	R/ Platogrix		☐
				R/ Tensivask	☐	
64	Ny. Se	32	P	R/ Meloxin	☐	
65	Ny. Wa	33	P	R/ Batugin		☐
66	Tn. De	27	L	R/ Astria	☐	
				R/ Mycoral	☐	☐
67	Tn. An	33	L	R/Kettese	☐	
68	By. St	1	L	R/ Sangobion drop	☐	☐
69	Tn. Li	6	L	R/ Inpepsa	☐	
				R/ Lancid		☐
70	Ny. Se	23	P	R/ Ikaderm	☐	
				R/ Flucoral		☐
71	Ny. In	42	P	R/ Mucosta	☐	
				R/ Prazotec		☐
72	Ny. Ev	27	P	R/ Mefinal		☐
73	Tn. Ma	26	L	R/ Cefixim	☐	
				R/ Otolin		☐
74	Ny. Ri	37	P	R/ Rupafin	☐	
				R/Methylprednisolone	☐	
75	An. Wi	7	L	R/ rhinos junior	☐	
				R/ Curvit	☐	
76	Tn. Ga	33	L	R/ Acran		☐
				R/ Euthyrox	☐ ☐	
77	Ny. An	28	P	R/ Emineton	☐	
				R/ Folavit	☐	

78	Tn.Am	33	L	R/ Listerine		☐
				R/ Amoxsan	☐	
79	An. II	3	P	R/ Lacto-B		☐
				R/ Apialys	☐	
80	Ny. Ch	43	P	R/ Vomizole		☐
				R/ Amoxsan	☐	
				R/ Provital	☐	
81	Nn. Qu	15	P	R/ Mycorine		☐
				R/ Ceteme	☐	
				R/ Lotasbat	☐	
				R/ Cetirizin	☐	
82	Ny. He	32	P	R/ Utrogestan	☐	
				R/ Folamil genio	☐	
83	Tn. Hi	45	P	R/ Novomix	☐	
84	Ny. Pr	43	P	R/ Divalpi	☐	
				R/ Folavit	☐	
85	Tn. Sl	47	L	R/ Sukralfat	☐	
				R/ Omeprazole	☐	
86	An. Ze	4	P	R/ Ryvel	☐	
				R/ Imunos	☐	
87	Ny. Ul	37	P	R/ Cefspan	☐	
				R/ Nutriflam	☐	
88	Tn. Mo	44	L	R/ Ceptik	☐	
89	Ny. Ma	34	P	R/ Coditam	☐	
90	Ny. Ch	47	P	R/ Xepazym	☐	
				R/ Nexium	☐	
91	Tn. Ru	56	L	R/ Ramipril	☐	
				R/ Concor	☐	
92	Tn. Ig	63	L	R/ symbicort	☐	
				R/ Codein	☐	
				R/ Medrol	☐	
				R/ Intrizin	☐	

93	Ny. Ma	45	P	R/ Candoten	☐	
				R/ Sukralfat	☐	
				R/ Clopidogrel	☐	
94	Ny. In	23	P	R/ Duphaston	☐	
				R/ Folavit	☐	
95	Tn. He	33	L	R/ Ceptik	☐	
96	Tn. Re	27	L	R/ New diatab	☐	
				R/ Flagyl	☐	
				R/ Rillus	☐	
97	Ny. Vi	36	P	R/ Amoxsan	☐	
98	Tn. Ag	38	L	R/ Anadex	☐	
				R/ Ciprofloxacin	☐	
99	An. Qi	3	P	R/ Sebamed	☐	

Lampiran 3

Lembar Observasi Kesesuain Resep Dengan formularium RS X Bulan Januari 2020

NO	NAMA	UMUR	JENIS KELAMIN	OBAT YANG DIGUNAKAN		
				NAMA OBAT	FORMULARIUM	NON FORMULARIUM
1	Ny. Li	30	P	R/ Sanmol	☐	
				R/ Sanadryl	☐	
				R/ Imboost	☐	
2	Ny. Ab	34	P	R/ Glumin xr	☐	
3	Tn. Jo	36	L	R/ Biosan	☐	
4	An. Je	4	L	R/ Zibramax	☐	
				R/ Tempra	☐	
				R/ Intrizin	☐	
5	Ny. At	23	P	R/ Rupafin	☐	
				R/ Apolar	☐	
6	Ny.Re	35	P	R/ Mefinal		
				R/ Amoxsan	☐	
7	An. Az	10	L	R/ Bufect	☐	
				R/ Elkana cl	☐	
8	An.Al	1	L	R/ Elidel	☐	
9	Ny.In	39	P	R/ Glisodin	☐	
				R/ Feldene	☐	
				R/ Pro Tb4	☐	
10	Ny.Na	25	P	R/ Cipralext	☐	
11	An.Ke	7	L	R/ Lacto-b		
12	Tn. Su	57	L	R/ Lapisiv		
				R/ Alprazolam	☐	
				R/ Concor	☐	
				R/ Ramipril	☐	
13	Tn.To	40	L	R/ Sharox	☐	
14	Ny.Om	67	P	R/ Urdafalk	☐	
				R/ Pariet	☐	

				R/ Mucosta	☐	
15	Tn. Nu	42	L	R/ Levofloxacin	☐	
16	Tn.Mu	49	L	R/ Renalof	☐	
17	Tn.Fi	32	L	R/ Pumpitor	☐	
				R/ Sanmol	☐	
				R/ Lodia	☐	
18	Ny. Ta	44	P	R/ Janumet	☐	
				R/ Sucralfate	☐	
				R/ Atorvastatin	☐	
19	Ny.Ar	48	P	R/ Harnal ocas	☐	
20	An.Ah	5	L	R/ Rhinathiol	☐	
				R/ Meptin	☐	
21	Ny.Si	38	P	R/ Flagystatin	☐	
				R/ Cetirizin	☐	
22	Ny.Am	62	P	R/ Tofedex	☐	
				R/ Curcuma	☐	
23	Ny.Ag	27	P	R/ Celebrex	☐	
				R/ Myobat	☐	
24	Tn.Is	25	L	R/ Ceptik	☐	
				R/ Arcoxia	☐	
25	Ny.Ir	25	P	R/ Fladystin		
				R/ Koni e	☐	
26	Tn.Li	81	L	R/ Arcoxia	☐	
				R/ Cavit d3	☐	
27	Ny.Li	31	P	R/ Ceradan	☐	
				R/ Sanmol	☐	
28	Ny.Sa	38	P	R/ Microgynon		
30	Ny. Am	35	P	R/ Cavit d3	☐	
				R/ Emineton	☐	
				R/ Vometraz		
31	Tn. Ha	38	L	R/ Curcuma	☐	
32	Tn. Ti	56	L	R/ Urief	☐	

				R/ Avodart	☐	
33	Ny.Le	27	P	R/ Sanmol	☐	
				R/ Promedex	☐	
				R/ FG troches	☐	
34	Tn.Er	35	L	R/ Acran		
				R/ Prorenal	☐	
				R/ intervask	☐	
				R/ infeld	☐	
35	Tn. R	24	L	R/ Cefixim	☐	
				R/ Hexilon	☐	
				R/ cetirizin	☐	
36	Tn. Ah	26	L	R/ Waxsol		
				R/ Buscopan	☐	
37	Ny. Ra	40	P	R/ Sharox	☐	
38	Tn.YI	43	L	R/ Indexon		
				R/ Vectrin	☐	
				R/ Zibramax	☐	
39	Tn.De	40	L	R/ Letonal		
				R/ Xarelto	☐	
				R/ Furosemid	☐	
40	Tn.Mu	24	L	R/ Ceptik	☐	
				R/ Mefinter	☐	
41	Ny. Fa	25	P	R/ Curcuma	☐	
				R/ Narfoz	☐	
				R/ Episan		
42	Tn. Pa	51	L	R/ Sanexon		
				R/ Caladine	☐	
				R/ Rupafin	☐	
43	Ny. Ve	26	P	R/ Provera	☐	
44	An. Al	7	P	R/ Tempra forte	☐	
				R/ Rhinathiol	☐	
				R/ Meptin	☐	

45	Tn. Ba	25	L	Rr/ Zycin		
				R/ Methylprednisolone	☐	
				R/ Afucid		
46	Ny. Us	35	P	R/ Ceptik	☐	
				R/ Mefinter	☐	
47	Tn. De	21	L	R/ Hepabalance	☐	
48	Tn. Re	20	L	R/ Pariet	☐	
				R/ Clobazam	☐	
				R/ Forbetes		
49	Ny. Su	52	P	R/ Harnal ocas	☐	
				R/ NA. Diclofenac	☐	
50	Ny. Ma	33	P	R/ Irvcl	☐	
				R/ Zyloric	☐	
51	Ny. As	34	P	R/ infeld	☐	
				R/ Mecobalamin	☐	
				R/ Meloxicam	☐	
52	Ny. Po	40	P	R/ Protop		
				R/ Ulsafate	☐	
53	Tn. Fa	27	P	R/ Ciprofloxacin	☐	
				R/ Cataflam	☐	
54	Tn. Ab	48	L	R/ Urinter		
				R/ Ciprofloxacin	☐	
				R/ Buscopan	☐	
55	Tn. No	52	L	R/ Prosogan	☐	
				R/ Mucosta	☐	
56	Ny. Ra	56	P	R/ Omeprazole	☐	
				R/ Ondansetron	☐	
57	An. Mi	2	P	R/ Fusycom	☐	
58	An. Th	3	L	R/ Kenacort	☐	
				R/ Tremenza	☐	
				R/ Ventolin	☐	
59	Tn. Wa	24	L	R/ Elox	☐	

				R/ Ceradan	☐	
60	Ny.Di	26	P	R/ Clinium	☐	
				R/ Arcoxia	☐	
61	Ny. Yo	29	P	R/ Promavit	☐	
62	Tn. Ke	45	L	R/ Benoson	☐	
63	Tn. Ir	39	L	R/ Fartolin	☐	
				R/ Cravox	☐	
64	Tn. Ap	32	L	R/ Rifampicin	☐	
				R/ Inh	☐	
				R/ Vitamin B6	☐	
65	Tn.Ha	58	L	R/ Aloclair	☐	
				R/ Ceptik	☐	
66	Tn. Ke	48	L	R/ Riklona	☐	
				R/ Keppra	☐	
				R/ Ultracet	☐	
67	An. Az	5	L	R/ Zamel	☐	
68	Ny. Fr	27	P	R/ Cal-95	☐	
				R/ Premaston	☐	
				R/ Promavit	☐	
69	Nn. Yo	20	P	R/ Arcoxia	☐	
				R/ Myobat	☐	
70	An. Ib	2	L	R/ Cefspan	☐	
				R/ Tempra	☐	
80	NY.Ku	56	P	R/ Clabat	☐	
				R/ Mefinter	☐	
81	Ny. Ay	38	P	R/ Harnal ocas	☐	
82	Tn.Sy	38	L	R/ Prorenal	☐	
83	Tn. Az	23	L	R/ Counterpain	☐	
				R/ Myonal	☐	
84	An. Qu	4	P	R/ Ceptik syrup	☐	
85	Tn. Sa	71	L	R/ Galvus	☐	
				R/ Fenofibrat	☐	

86	Ny.Ae	39	P	R/ Phenytoin	☐	
				R/ Luminal	☐	
89	Ny. As	35	P	R/ Medixon	☐	
				R/ Cerini		
				R/ Salicyl	☐	
90	Nn. Fe	19	P	R/ Amoxsan	☐	
91	Tn. Sa	42	L	R/ Rifamtibi	☐	
				R/ Pehadoxin	☐	
92	Ny. An	36	P	R/ Duphaston	☐	
				R/ Folamil Genio	☐	
93	Tn. Ma	42	L	R/ Glumin Xr	☐	
94	TN. AB	39	L	R/ Kolkatriol	☐	
94	Ny.Ri	33	P	R/ Pk	☐	
				R/Cefixim	☐	
95	An. Vi	8	P	R/ Zibramax	☐	
				R/ Comtusi	☐	
96	Ny.GR	45	P	R/ Myobat	☐	
				R/ infeld	☐	
97	Tn.WI	41	L	R/ Tuzalos	☐	
				R/ Rhinofed	☐	
98	Tn. Ga	33	L	R/ Astria	☐	
				R/ Clindamycin	☐	
99	Ny.Pu	21	P	R/ Aviter	☐	

Lampiran 4

Lembar Observasi Kesesuaian Resep Dengan formularium RS X Bulan Februari 2020

NO	NAMA	UMUR	JENIS KELAMIN	OBAT YANG DIGU		
				NAMA OBAT	FORMULARIUM	NON
1	Ny. Su	76	P	R/ Nebilet	☐	
				R/ Loratadin	☐	
				R/ CPg	☐	
				R/ Novosta		
2	Tn. R	35	P	R/ Orixal		
				R/ Sumagesic	☐	
3	Ny. An	43	P	R/ Farsix		
				R/ Mecola	☐	
				R/ Nepatic	☐	
				R/Metformin	☐	
4	Ny. Sh	29	P	R/ Nexium	☐	
				R/ Inpepsa	☐	
				R/ Ericaf	☐	
				R/ xepazym	☐	
5	Ny. Wi	37	P	R/ ovidrel	☐	
				R/ femara		
				R/ Medrol	☐	
6	Tn. Mi	67	L	R/ Elox	☐	
				R/ Intrizin	☐	
				R/ Medixon	☐	
				R/ Protop	☐	
7	Ny.L	43	P	R/ Meloxin tab		
				R/ Myonal	☐	
				R/ Lansoprazole	☐	
8	Ny Cl	15	P	R/ Celebrex 200	☐	
				R/ cefspan	☐	

9	Ny. Nu	28	P	R/ Trental		
				R/Medrol	☐	
				R/ lyclavit	☐	
10	An.Ai	3	P	R/ Apolar	☐	
11	Tn. Wa	50	L	R/ Urispas	☐	
12	Tn. Ma	38	L	R/ Phenytoin	☐	
				R/ Keppra	☐	
				R/ Citicolin	☐	
13	Tn. Fa	31	L	R/ Pantoprazole	☐	
14	Ny. Is	46	P	R/ Omz		
				R/ Hexilon	☐	
				R/ Mecobalamin	☐	
15	Tn. Sa	54	L	R/ Mertigo	☐	
				R/ Invomit		
				R/ Analsix		
16	An. Qi	4	P	R/ Tempra syr	☐	
				R/ Cefspan syr	☐	
17	An. Sh	4	P	R/ Locoid cream		
18	An. Ah	28	L	R/ Harnal	☐	
19	Ny. Dw	34	P	R/ Clabat	☐	
				R/ Mefinter	☐	
20	Tn. Ja	69	L	R/ Codein	☐	
				R/ levofloxacin	☐	
				R/ Furosemid	☐	
				R/ Concor	☐	
				R/ Ramipril	☐	
21	Tn. Ar	49	L	R/ Asthin,	☐	
				R/ Nomika	☐	
				R/ Mefinter	☐	
				R/ Cataflam	☐	
22	Ny. Cl	15	P	R/ Celebrex 100	☐	
				R/ Cefspan 100	☐	

23	Tn. Lu	23	L	R/ Afucid cream		
				R/ Zycin	☐	
				R/ ceteme	☐	
24	Tn. Mi	36	L	R/ Seloxy AA	☐	
25	Tn. Ad	28	L	R/ Keppra	☐	
				R/ Phenytoin	☐	
26	Tn. Ma	52	L	R/ Infeld gel	☐	
27	Tn. Be	65	L	R/ Pioglitazon		
				R/ glimepiride	☐	
				R/ ketosteril	☐	
28	Tn. An	39	L	R/ Concor	☐	
				R/ Ramipril	☐	
29	Ny. Sa	19	P	R/ Flagyl	☐	
				R/ Narfoz Tab	☐	
30	Tn. Om	61	L	R/ Digoxin	☐	
				R/ Ramipril	☐	
				R/Furosemid	☐	
31	Tn. Bi	56	L	R/ Vectrin	☐	
				R/ Rhinos sr	☐	
				R/ FG. Troches	☐	
32	An. Ar	2	L	R/ Rhinofed	☐	
				R/ Isoprinosin	☐	
33	Tn. Su	25	L	R/ Nomika	☐	
				R/ Asthin force	☐	
34	Ny. Tu	46	P	R/ Rhinos Sr	☐	
				R/ Sumagesic	☐	
35	Ny. Ha	14	P	R/ Flamar gel		
				R/ Arcoxia	☐	
36	Tn.Ed	51	L	R/ Fenofibrat	☐	
				R/ Insaar	☐	
37	Ny. Ne	29	P	R/ Primolut N	☐	

38	An. Ms	8	L	R/ Amoxsan f syr	☐	
39	Tn. He	48	L	R/ Intrepril	☐	
				R/ Glavusmet	☐	
40	An. Ed	2	L	R/ Apialys drop	☐	
41	An. Kh	1	p	R/ Ferlin drop	☐	
42	Ny. Ch	26	P	R/ Indexon tab		
				R/ Sanadryl dmp	☐	
				R/ Rhinos sr	☐	
43	Ny. Na	20	P	R/ Doxycycline	☐	
				R/ Seloxy AA	☐	
				R/ Elox	☐	
44	Tn. So	55	L	R/ Mefinter	☐	
				R/ Insaar	☐	
				R/ Intervask 5 mg	☐	
45	Ny. Yu	23	P	R/ cetirizin tab	☐	
				R/ Rhinos sr	☐	
				R/ Imunos	☐	
46	Ny. Al	24	P	R/ Intrizin tab	☐	
				R/ Benoson	☐	
				R/ Hexilon	☐	
47	Ny. Di	24	P	R/ Cravit tab	☐	
				R/ Tofedex tab	☐	
				R/ Omz cap	☐	
48	An. Gw	5	P	R/ Sedrofen F syrup	☐	
				R/ Rhinos Syr	☐	
49	An. Kh	4	P	R/ Intrizin syr	☐	
				R/ Interpec syr	☐	
				R/ Imunos syr	☐	
50	An. Sy	8	P	R/ Protagenta	☐	
				R/ Tobroson salep mata	☐	
51	Ny. Kh	44	P	R/ Arcoxia tab	☐	
52	Ny. Ev	43	P	R/ Analsix	☐	

				R/ Aviter sachet	☐	
53	An. Sh	4	L	R/ Noroid cream	☐	
				R/ Sebamed	☐	
54	Ny. Di	37	P	R/ Promavit	☐	
				R/ Cal 95	☐	
				R/ Promedex syr	☐	
55	Tn. MU	22	L	R/ Amoxsan kapsul	☐	
				R/ Minoseo	☐	
56	Tn. De	38	L	R/ Inpepsa syr	☐	
57	An. Le	9	L	R/ Isoprinosin syr	☐	
				R/ Cefat forte syr	☐	
58	Tn. Mu	45	L	R/ Pgb kapsul	☐	
				R/ Myobat tab	☐	
59	Tn. Ac	20	L	R/ Pro Tb4	☐	
				R/ Vitamin b6	☐	
60	Ny. Re	38	P	R/ Fartolin		
				R/ Canderin	☐	
				R/ Sanmol tablet	☐	
61	Ny. Hi	34	P	R/ Frego	☐	
				R/ Mertigo	☐	
				R/ Imunos tablet	☐	
62	Tn. Ri	34	L	R/ Cefixime kapsul	☐	
63	Ny.Iy	38	P	R/ Lapisiv tablet	☐	
				R/ Amlodipin	☐	
				R/ Bisoprolol	☐	
64	Ny. Pu	26	P	R/ Ceptik	☐	
				R/ Narfoz Tab	☐	
				R/ Vectrin	☐	
65	Ny. In	26	P	R/ Folamil genio	☐	
				R/ Cal-95	☐	
				R/ Koni e	☐	
66	Ny. Si	20	P	R/ Seretide diskus	☐	

67	An. Ti	1	P	R/ Amoxsan drop	☐	
68	Ny. Se	61	P	R/ Mecobalamin	☐	
69	Tn. Aj	59	L	R/ Clopidogrel	☐	
				R/ Amlodipin	☐	
				R/ Bisoprolol	☐	
70	Tn. Ru	26	L	R/ urief	☐	
				R/ Urispas	☐	
71	Tn. Ro	38	L	R/ Intrizin tablet	☐	
				R/ Loratadin	☐	
72	Ny. Su	57	P	R/ Ascardia	☐	
				R/ Bisoprolol	☐	
				R/ Atorvastatin	☐	
73	Tn. Gu	21	L	R/ Rifamtimi tablet	☐	
				R/ Pehadoxin	☐	
74	Tn.Mo	20	L	R/ Cefixime kapsul	☐	
75	Ny. Li	18	P	R/ Citicolin	☐	
				R/ Eperison	☐	
76	Ny. Wu	40	P	R/ Celebrex 200mg	☐	
				R/ Artrodar	☐	
77	Ny. Si	80	P	R/ Bisoprolol	☐	
				R/ Amlodipin	☐	
				R/ Ascardia	☐	
78	Ny. An	36	P	R/ Anadex tablet	☐	
79	An. Me	4	P	R/ Interzinc	☐	
				R/ Cetirizine syrup	☐	
				R/ Liprolac	☐	
80	Tn. Ju	28	L	R/ Pariet	☐	
				R/ Acitral	☐	
81	Ny.Se	24	P	R/ Hexilon	☐	
				R/ levofloxacin	☐	
82	An. Ah	2	L	R/ Isoprinosin	☐	
				R/ Pamol drop	☐	

83	Ny.Sr	47	P	R/ Symbicort	☐	
				R/ Salbutamol	☐	
84	Ny. Dh	29	P	R/ Promavit	☐	
				R/ Cal-95	☐	
85	An.Rf	5	L	R/ Norages	☐	
				R/ Tempra syrup	☐	
86	Tn. En	66	L	R/ Vesicare	☐	
87	Tn. Mu	70	L	R/ Lansoprazole	☐	
				R/ Domperidon	☐	
88	Tn. Yo	47	L	R/ Sucralfate	☐	
89	Ny. Ha	46	P	R/ Eperison	☐	
				R/ Mecobalamin	☐	
90	Ny. Ta	45	P	R/Coditam	☐	
91	Ny. Ad	23	P	R/Clinium	☐	
				R/ Analsix	☐	
92	Tn.Da	31	P	R/ Antihemoroid	☐	
93	Ny.Ra	20	P	R/ Emineton	☐	
				R/ Cal-95	☐	
94	Ny. Yu	20	P	R/ Zycin	☐	
				R/ Dolo Neurobion	☐	
95	Ny.Ye	27	P	R/ Abilify	☐	
96	Ny. Ri	25	P	R/ Ceptik	☐	
				R/ Sanmol tablet	☐	
97	Ny. W	45	P	R/ Lansoprazole	☐	
				R/ Cetirizin	☐	
98	Ny.Ma	39	P	R/ Pgb	☐	
				R/ Omz cap	☐	
99	An. Jo	5	L	R/ Isoprinosin	☐	
				R/ Intrizin	☐	
100	Tn.To	37	L	R/ Diagit	☐	
				R/ Rillus	☐	

