

DAFTAR PUSTAKA

- Alhabsyi, D. F., & Suryanto, E. (2014). Aktivitas Antioksidan dan Tabir Surya pada Ekstrak Kulit Buah Pisang Goroho (*Musa Acuminate L.*). *Pharmacon*, 3(2), 107–114. <https://doi.org/10.35799/pha.3.2014.4782>
- Alipio, M. M. (2021). Okra (*Abelmoschus esculentus* l. moench) Pod Gel as a Low-cost Alternative to Commercial Acoustic Gel. *Philippine Journal of Science*, 150(2), 391–396.
- Anonim. (2020). *Farmakope Indonesia edisi VI*. Departemen Kesehatan Republik Indonesia.
- Ariede, M. B., Morocho-Jácome, A. L., Candido, T. M., Lourenço, F. R., Kato, E. T. M., Lima, F. V., Rosado, C., Velasco, M. V. R., de Carvalho, J. C. M., & Baby, A. R. (2020). Is the *Botryococcus braunii* Dry Biomass an Adjuvant for Anti-UVB Topical Formulations? *Scientia Pharmaceutica*, 88(2). <https://doi.org/10.3390/scipharm88020022>
- Arumugam, T., Ayyanar, M., Pillai, Y. J. K., & Sekar, T. (2011). Phytochemical Screening and Antibacterial Activity of Leaf and Callus Extracts of *Centella asiatica*. *Bangladesh J Pharmacol*, 6, 55–60. <https://doi.org/10.3329/bjp.v6i1.8555>
- Bajpai, M., Pande, A., Tewari, S. K., & Prakash, D. (2005). Phenolic contents and antioxidant activity of some food and medicinal plants. *International Journal of Food Sciences and Nutrition*, 56(4), 287–291. <https://doi.org/10.1080/09637480500146606>
- Baki, G., & Alexander, K. S. (2015). *Introduction to Cosmetics Formulation and Technology*. John Wiley & Sons, Inc.
- Baranova, I. I., Kovalenko, S. M., Khokhlenkova, N. V., Martyniuk, T. V., & Kutsenko, S. A. (2017). Prospects of Using Synthetic and Semi-synthetic Gelling Substances in development of Medicinal and Cosmetic Gels. *Asian Journal of Pharmaceutics*, 11(2), S302–S307.
- Bartholomew, E. F., Martini, F. H., & Nath, J. L. (2018). *Fundamentals of Anatomy* (11th ed.). Pearson Education Limited. <https://doi.org/10.1136/pgmj.14.147.26>
- Benson, H. A. E., Roberts, M. S., Leite-Silva, V. R., & Walters, K. (2019). *Cosmetic Formulation Principles and Practice*. CRC Press, Taylor & Francis Group.
- Bhattacharya, S., & Sherje, A. P. (2020). Development of Resveratrol and Green Tea Sunscreen Formulation for Combined Photoprotective and Antioxidant Properties. *Journal of Drug Delivery Science and Technology*, 60(1), 102000. <https://doi.org/10.1016/j.jddst.2020.102000>
- BPOM. (2016). *Serial the Power of Obat Asli Indonesia <i>Centella asiatica</i> (L.) Urb.* Badan Pengawasan Obat dan Makanan.
- Badan Standarisasi Nasional. SNI 16-4399-1996. Sediaan Tabir Surya. Jakarta. Hal 21.
- Budi, S., & Rahmawati, M. (2020). Pengembangan Formula Gel Ekstrak Pegagan (*Centella asiatica* (L.) Urb) sebagai Antijerawat. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 6(1), 51–55.
- Cefali, L. C., Ataide, J. A., Moriel, P., Foglio, M. A., & Mazzola, P. G. (2016). Plant-based Active Photoprotectants for Sunscreens. *International Journal of Cosmetic Science*, 38(4), 346–353. <https://doi.org/10.1111/ics.12316>
- Chandrika, U. G., & Kumarab, P. A. A. S. P. (2015). Gotu Kola (*Centella asiatica*): Nutritional Properties and Plausible Health Benefits. In *Advances in Food and Nutrition Research* (1st

- ed., Vol. 76). Elsevier Inc. <https://doi.org/10.1016/bs.afnr.2015.08.001>
- Choquenot, B., Couteau, C., Paparis, E., & Coiffard, L. J. M. (2008). Quercetin and rutin as potential sunscreen agents: Determination of efficacy by an in vitro method. *Journal of Natural Products*, 71(6), 1117–1118. <https://doi.org/10.1021/np7007297>
- Cronquist, A. (1981). *An Integrated System of Classification of Flowering Plants*. Columbia University Press.
- Daneluz, J., da Silva Favero, J., dos Santos, V., Weiss-Angeli, V., Gomes, L. B., Mexias, A. S., & Bergmann, C. P. (2020). The Influence of Different Concentrations of a Natural Clay Material as Active Principle in Cosmetic Formulations. *Materials Research*, 23(2). <https://doi.org/10.1590/1980-5373-MR-2019-0572>
- Dewi, R. T., & Maryani, F. (2015). Antioxidant and α -Glucosidase Inhibitory Compounds of *Centella asiatica*. *Procedia Chemistry*, 17, 147–152. <https://doi.org/10.1016/j.proche.2015.12.130>
- Dianursanti, Prakasa, M. B., & Nugroho, P. (2020). The Effect of Adding Microalgae Extract *Spirulina platensis* containing Flavonoid in the Formation of Sunscreen towards Cream Stability and SPF Values. *AIP Conference Proceedings*, 2255. <https://doi.org/10.1063/5.0015249>
- Dinulos, J. G. H. (2021). *Habif's Clinical Dermatology: A Color Guide to Diagnosis and Therapy* (7th ed.). Elsevier.
- Draelos, Z. D. (2018). The Science Behind Skin Care: Moisturizers. *Journal of Cosmetic Dermatology*, 17(2), 138–144. <https://doi.org/10.1111/jocd.12490>
- Dutra, E. A., Da Costa E Oliveira, D. A. G., Kedor-Hackmann, E. R. M., & Miritello Santoro, M. I. R. (2004). Determination of Sun Protection Factor (SPF) of sunscreens by Ultraviolet Spectrophotometry. *Revista Brasileira de Ciencias Farmaceuticas/Brazilian Journal of Pharmaceutical Sciences*, 40(3), 381–385. <https://doi.org/10.1590/S1516-93322004000300014>
- Fahrezi, M. A., Nopiyanti, V., & Priyanto, W. (2021). Formulasi dan Uji Aktivitas Tabir Surya Gel Kitosan Menggunakan Karbopol 940 dan HPMC K100 Sebagai Gelling Agent. *Jurnal Farmasi (Journal of Pharmacy)*, 10(1), 17–23. <https://doi.org/10.37013/jf.v10i1.116>
- Falahi, A., Azizah, S. N., Indriani, E., & Indah, C. (2020). Pengaruh Propilen Glikol Dan Menthol Sebagai Enhancer Terhadap Sifat dan stabilitas Fisik Serta Efektifitas anti Inflamasi Emulgel Meloksikam. *Journal Of Current Pharmaceutical Sciences*, 3(2), 219–223.
- Febriani, A., Maruya, I., & Sulistyaningsih, F. (2020). Formulasi dan Uji Iritasi Sediaan Gel Kombinasi Ekstrak Etanol Rimpang Kencur (*Kaempferia galanga* L.) dan Ekstrak Etanol Herba Pegagan (*Centella asiatica* (L.) Urban). *Sainstech Farma Jurnal Ilmu Kefarmasian*, 13(1), 45–54. <https://ejournal.istn.ac.id/index.php/sainstechfarma/article/view/524>
- Garima Negi, G. B. (2021). In vitro evaluation of sun protection factor of plant extracts by ultraviolet spectroscopy method. *Universities' Journal of Phytochemistry and Ayurvedic Heights*, 1(30), 58–62. [https://doi.org/10.51129/ujpah-june2021-30-1\(8\)](https://doi.org/10.51129/ujpah-june2021-30-1(8))
- Gibson, M. (2001). *Pharmaceutical Preformulation and Formulation* (2nd ed.). CRC Press. <https://doi.org/10.1201/b14413-17>
- Gunarti, N. S., & Fikayuniar, L. (2019). Formulasi dan Uji Aktivitas Gel Tabir Surya dari

- Ekstrak Buah Blackberry (*Rubus Fruticosus*) Secara In Vitro dengan Spektrofotometri UV-Visibel. *Jurnal Ilmiah Farmasi*, 7(2), 66–72. <https://doi.org/10.26874/kjif.v7i2>.
- Hamsinah, H., Darijanto, S. D., & Mauluddin, R. (2016). Uji Stabilitas Formulasi Krim Tabir Surya Serbuk Rumput Laut (*Eucheuma cottonii*. Doty). *Jurnal Fitofarmaka Indonesia*, 3(2), 155–158. <https://doi.org/10.33096/jffi.v3i2.215>
- Hanip, A. I., Mayasari, D., & Indrayani, N. (2021). Formulasi dan Uji Aktivitas Gel Anti Jerawat Ekstrak Etanol Daun Belimbing Wuluh (*Averrhoa bilimbi* Linn). *Proceeding of Mulawarman Pharmaceuticals Conferences*, April 2021, 1–7. <http://prosiding.farmasi.unmul.ac.id/index.php/mpc/article/view/416/399>
- Hanrahan, J. R. (2012). Sunscreens. *Australian Prescriber*, 35(5), 148–151. <https://doi.org/10.18773/austprescr.2012.068>
- Hashim, P., Sidek, H., Helan, M. H. M., Sabery, A., Palanisamy, U. D., & Ilham, M. (2011). Triterpene Composition and Bioactivities of *Centella asiatica*. *Molecules*, 16(2), 1310–1322. <https://doi.org/10.3390/molecules16021310>
- Indarto, I., Ikhsan, H., & Kurwanto, E. (2021). Aktifitas Tabir Surya dari Kombinasi Ekstrak Kunyit (*Curcuma Longa*) dan Ganggang Hijau (*Haematococcus Pluvialis*) Secara In Vitro. *Organisms: Journal of Biosciences*, 1(2), 115–120. <http://ejournal.radenintan.ac.id/index.php/organisme> Aktifitas
- Jaswir, I., Hassan, T. H., & Said, M. Z. M. (2004). Efficacy of Malaysian Plant Extracts in Preventing Peroxidation Reactions in Model and Food Oil Systems. *Journal of Oleo Science*, 53(11), 525–529. <https://doi.org/10.5650/jos.53.525>
- Jones, D. (2008). *Pharmaceutics Dosage Form and Design*. Pharmaceutical Press, 297.
- Kale, S., Prabhu, S., & Venkatachakam, A. (2018). Analytical Method Development and Validation of Glycerin Content in Topical Moisturizing Gel OTC Formulation by Gas Chromatography. *World Journal of Pharmaceutical Research*, 7(11), 766–776. <https://doi.org/10.20959/wjpr201811-12394>
- Kang, S., Amagai, M., Bruckner, A. L., Enk, A. H., Margolis, D. J., McMichael, A. J., & Orringer, J. S. (2019). *Fitzpatrick's Dermatology* (9th ed.). McGraw Hill.
- Kapanya, A., Somsunan, R., Phasayavan, W., & Jiranusornkul, S. (2020). Effect of Molecular Weight of Poly(Ethylene Glycol) as Humectant in Interpenetrating Polymer Network Hydrogels Based on Poly (Sodium AMPS) and Gelatin for Wound Dressing Applications. *International Journal of Polymeric Materials and Polymeric Biomaterials*, 70(1), 1–11. <https://doi.org/10.1080/00914037.2020.1740983>
- Katdare, A., & Chaubal, M. V. (2006). Excipient Development for Pharmaceutical, Biotechnology, and Drug Delivery Systems. In *Excipient Development for Pharmaceutical, Biotechnology, and Drug Delivery Systems*. <https://doi.org/10.1201/9781420004137>
- Kaul, S., Jakhar, D., & Kaur, I. (2020). Occlusion and face masks: Issues with sunscreen use among health care workers during COVID-19. *Dermatologic Therapy*, 33(6), 14259. <https://doi.org/10.1111/dth.14259>
- Kim, B. H., Park, K. C., Park, J. H., Lee, C. G., Ye, S. K., & Park, J. Y. (2016). Inhibition of Tyrosinase Activity and Melanin Production by the Chalcone Derivative 1-(2-Cyclohexylmethoxy-6-Hydroxy-Phenyl)-3-(4-Hydroxymethyl-Phenyl)-Propenone. *Biochemical and Biophysical Research Communications*, 480(4), 648–654.

<https://doi.org/10.1016/j.bbrc.2016.10.110>

- Lachman, L., Lieberman, H. A., & Kanig, J. L. (1989). *Teori dan Praktek Farmasi Industri*. Penerbit Universitas Indonesia.
- Lachman, L., Lieberman, H. A., & Kanig, J. L. (1994). *Teori dan Praktek Farmasi Industri, Edisi Ketiga*. Universitas Indonesia Press.
- Lim, J., Chan, J. Y., & Wong, L. C. (2019). Antioxidants and Cactus Extract Enhances the Sun Protection Factor of Octocrylene and Oxybenzone Solution. *Malaysian Journal of Fundamental and Applied Sciences*, 15(4), 566–571. <https://doi.org/10.11113/mjfas.v15n4.1188>
- López-Hortas, L., Torres, M. D., Falqué, E., & Domínguez, H. (2020). Organic UV Filter Loaded Nanocarriers With Broad Spectrum Photoprotection. *Nanocosmetics*, 127–140. <https://doi.org/10.1016/b978-0-12-822286-7.00009-7>
- López-Sánchez, L., Miralles, P., Salvador, A., Merino-Sanjuán, M., & Merino, V. (2021). In Vitro Skin Penetration of Bronidox, Bronopol and Formaldehyde from Cosmetics. *Regulatory Toxicology and Pharmacology*, 122(November 2020). <https://doi.org/10.1016/j.yrtph.2021.104888>
- Maharai, D., Pamudji, G., & Diyah, E. (2020). Pengaruh Kombinasi Aristoflex AVC dan Glycerin pada Formula Gel Ekstrak Daun Kemangi (*Ocimum sanctum* L.) terhadap Sifat Fisik dan Aktivitas sebagai Sunscreen. *Farmasi & Sains Indonesia*, 3(1), 6–11.
- Majeed, M., Majeed, S., Jain, R., Mundkur, L., Rajalakshmi, H. R., Lad, P., & Neupane, P. (2020). A Randomized Study to Determine the Sun Protection Factor of Natural Pterostilbene from *Pterocarpus marsupium*. *Cosmetics*, 7(1). <https://doi.org/10.3390/COSMETICS7010016>
- Mansur, J. S. R., Breder, M. N., Mansur, M. C. A., & Azulay, R. D. (1986). Determination of Sun Protection Factor by Ultraviolet Spectrophotometry. *Anais Brasileiros de Dermatologia*, 61, 121-124.
- Markham, K. R. (1988). *Cara Mengidentifikasi Flavonoid*. Penerbit ITB.
- Marzuki, I., Nasution, R., Bahi, M., & Marianne, M. (2022). Isolation of Caffeine from *Scurrula ferruginea* Jack Danser (*Coffee Parasite*) as a Sunscreen in Lotion Formula. *Journal of Medical Sciences*, 10, 599–608.
- Maske, A. O., Gupta, K. S. S., Motghare, R., & Sao, A. (2020). Assessment of In-Vitro Sun Protection Factor and Rheological Profile of Some Marketed Sunscreen Formulation in East Vidarbha Area. *Advance Pharmaceutical Journal*, 5(2), 62–66. <https://doi.org/10.31024/apj.2020.5.2.4>
- Mukhlisah, N. R. I. M., & Ningrum, D. M. (2020). Uji Daya Iritasi dan Perlindungan kulit (SPF) Ekstrak Etanol Buah Rukem (*Flacourtia rukam*) dalam Sediaan Sunscreen Basis Gel. *Jurnal Penelitian Dan Kajian Ilmiah Kesehatan*, 6(1), 52–57.
- Niah, R., Rizki Febrianti, D., & Ariani, N. (2021). Formulasi dan Uji Evaluasi Fisik Sediaan Gel Handsanitizer Ekstrak Etanol 96% Daun Cocor Bebek (*Kalanchoe blossfeldiana* Poelln.). *Jurnal Insan Farmasi Indonesia*, 4(1), 129–138. <https://doi.org/10.36387/jifi.v4i1.702>
- Nigro, F., Tavares, M., Sato de Souza de Bustamante Monteiro, M., Toma, H. K., Faria de Freitas, Z. M., de Abreu Garófalo, D., Geraldés Bordalo MontáAlverne, M. A., Barros dos

- Passos, M. M., Pereira dos Santos, E., & Ricci-Júnior, E. (2021). Changes in Workflow to a University Pharmacy to Facilitate Compounding and Distribution of Antiseptics for Use Against COVID-19. *Research in Social and Administrative Pharmacy*, 17(1), 1997–2001. <https://doi.org/10.1016/j.sapharm.2020.09.016>
- Petrick, J., Ibadurrohman, M., & Slamet. (2020). Synthesis of Chitosan/TiO₂nanocomposite for Antibacterial Sunscreen Application. *AIP Conference Proceedings*, 2255(September). <https://doi.org/10.1063/5.0014126>
- Putra, M. ., Dewantara, I. G. N. ., & Swastini, D. A. (2014). Pengaruh Lama Penyimpanan Terhadap Nilai pH Sediaan Cold Cream Kombinasi Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.), Herba Pegagan (*Centella asiatica*) dan Daun Gaharu (*Grynops versteegii* (gilg) Domke). *Jurnal Farmasi Udayana*, 3(1), 18–21.
- Puttarak, P., Brantner, A., & Panichayupakaranant, P. (2016). Biological Activities and Stability of a Standardized Pentacyclic Triterpene Enriched *Centella asiatica* Extract. *Natural Product Sciences*, 22(1), 20–24. <https://doi.org/10.20307/nps.2016.22.1.20>
- Rambe, R., Pangondian, A., Paramitha, R., Zulmai Rani, & Gultom, E. D. (2022). Formulation And Evaluation Of Hand Sanitizer Gel From Clove Flower Extract (*Eugenia aromatica* L.). *International Journal of Science, Technology & Management*, 3(2), 484–491. <https://doi.org/10.46729/ijstm.v3i2.472>
- Ratz-Lyko, A., Arct, J., & Pytkowska, K. (2016). Moisturizing and Antiinflammatory Properties of Cosmetic Formulations Containing *Centella asiatica* Extract. *Indian Journal of Pharmaceutical Sciences*, 78(1), 27–33. <https://doi.org/10.4103/0250-474X.180247>
- Reubun, Y. T. A., Kumala, S., Setyahadi, S., & Simanjuntak, P. (2020). Penghambatan Enzim Asetilkolinesterase dari Ekstrak Herba Pegagan (*Centella asiatica* (L.) Urb), Ekstrak Daun Kelor (*Moringa oleifera* Lam.) dan Kombinasinya. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 17(2), 451. <https://doi.org/10.30595/pharmacy.v17i2.9052>
- Romadhonni, T., Prastyawati, R., Alfatheana, E., & Sinaga, H. (2022). Formulasi Sediaan Lotion Ekstrak Daun Jambu Biji (*Psidium guajava* L.). *Biogenerasi*, 7(1), 180–188.
- Rowe, R. C., Sheskey, P. J., & Quinn, M. E. (2009). Handbook of Pharmaceutical Excipients. In *Pharmaceutical Press* (6th ed.). Pharmaceutical Press.
- Rusdiana, T., & Musfiroh, I. (2007). Formula Gel Antioksidan dari Ekstrak Seledri (*Apium graveolens* L.) dengan Menggunakan AQUPEC HV-505. *Makalah Pada Kongres Ilmiah XV ISFI , 17-19 Juni 2007 Di Jakarta .*, 17–19.
- Safitri et al. (2016). Pengembangan Formulasi dan Evaluasi Fisik Sediaan Krim Ekstrak Etanol 70% Daun Labu Siam (*Sechium edule* (Jacq.) Swatz). *Farmagazine*, III(2), 7.
- Salwa, Kadir, M. B. A., & Sulistyowati, Y. (2020). Formulation and Evaluation of Sunscreen Spray Gel Preparations Ethyl Acetate Fraction of Cempedak Leaves (*Artocarpus Integer* (Thunb.) Merr.) with a Combination of HPMC and Karbopol 940 Bases. *Jurnal Kesehatan Mahasiswa UNIK.*, 2(1), 12–23.
- Sampattavanich, N., Chandayani, N., Intarasupht, J., & Nakakes, A. (2021). An In Vivo Study to Evaluate the Influence of oil Blotting Paper on the Efficacy of Sunscreen. *Photodermatology Photoimmunology and Photomedicine*, 37(4), 324–328. <https://doi.org/10.1111/phpp.12656>

- Sayre, R. M., Agin, P. P., LeVee, G. J., & Marlowe, E. (1979). A Comparison of In Vivo and In Vitro Testing of Sunscreening Formulas. *Photochemistry and Photobiology*, 29(3), 559–566. <https://doi.org/10.1111/j.1751-1097.1979.tb07090.x>
- Sri Kuncari, E., & Praptiwi, D. (2014). Evaluasi, Uji Stabilitas Fisik dan Sineresis Sediaan Gel yang Mengandung Minoksidil, Apigenin dan Perasan Herba Seledri (*Apium graveolens* L.). *Bul. Penelit. Kesehat*, 42(4), 213–222. <https://media.neliti.com/media/publications/20088-ID-evaluasi-uji-stabilitas-fisik-dan-sineresis-sediaan-gel-yang-mengandung-minoksid.pdf>
- Sulastri, L., Indriaty, S., & Pandanwangi, S. (2017). Formulasi dan Uji Iritasi dari Krim yang Mengandung Ekstrak Etanol Herba Pegagan (*Centella asiatica* (L) Urban). *Medical Sains : Jurnal Ilmiah Kefarmasian*, 1(2), 67–75. <https://doi.org/10.37874/ms.v1i2.17>
- Sumiati, T., Effendy, F., & Riani, E. (2019). Formulasi Losion Ekstrak Herba Pegagan (*Centella asiatica* (L.) Urban) dan Uji Mutu Serta Stabilitasnya. *Jurnal Farmamedika (Pharmamedica Journal)*, 4(2), 62–69. <https://doi.org/10.47219/ath.v4i2.82>
- Sumule, A., Gunawan, P., & Ikasari, E. D. (2021). Optimasi Aristiflex AVC dan Propilen Glikol Gel Tabir Surya Rimpang Kunyit dengan Metode Desain Faktorial. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 8(2), 168–177.
- Suryani, Putri, A. E. P., & Agustyani, P. (2019). Formulasi Dan Uji Stabilitas Fisik Sediaan Gel Ekstrak Terpudifikasi Daun Paliasa (*Kleinhovia hospita* L) Yang berefek Anti Oksidan. *Journal of Pharmaceutical Science and Herbal Technology*, 4(1), 4–7.
- Suryani, Putri, A. E. P., & Agustyani, P. (2017). Formulasi dan Uji Stabilitas Sediaan Gel Ekstrak Terpurifikasi Daun Paliasa (*Kleinhovia Hospita* L.). *Pharmacon*, 6(3), 157–169.
- Sutar, M. P., & Chaudhari, S. R. (2020). Screening of In Vitro Sun Protection Factor of Some Medicinal Plant Extracts by Ultraviolet Spectroscopy Method. *Journal of Applied Biology and Biotechnology*, 8(6), 48–53. <https://doi.org/10.7324/JABB.2020.80608>
- Sutardi, S. (2017). Kandungan Bahan Aktif Tanaman Pegagan dan Khasiatnya untuk Meningkatkan Sistem Imun Tubuh. *Jurnal Penelitian Dan Pengembangan Pertanian*, 35(3), 121. <https://doi.org/10.21082/jp3.v35n3.2016.p121-130>
- Suzukawa, A. A., Vieira, A., Maria, S., Winnischofer, B., Cristina, A., Di, P., Maria, A., Ravanat, J., Luna, D. De, Eliane, M., Rocha, M., & Regina, G. (2012). Novel Properties of Melanins Include Promotion of DNA Strand Breaks , Impairment of Repair, and Reduced Ability to Damage DNA After Quenching of Singlet Oxygen. *Free Radical Biology and Medicine*, 52(9), 1945–1953. <https://doi.org/10.1016/j.freeradbiomed.2012.02.039>
- Thahir, Z., & Wahyuni, Y. S. (2021). Aktifitas Gel Kolagen Sisik Ikan Bandeng (*Chanos chanos*) Kombinasi Ekstrak Etanol Daun Bidara (*Ziziphus jujuba*) terhadap Penyembuhan Luka Bakar pada Kelinci (*Oryctolagus cuniculus*). *Media Farmasi Poltekkes Makassar*, 17(2), 5–7.
- Thompson, A. J., Hart-Cooper, W. M., Cunniffe, J., Johnson, K., & Orts, W. J. (2021). Safer Sunscreens: Investigation of Naturally Derived UV Absorbers for Potential Use in Consumer Products. *ACS Sustainable Chemistry and Engineering*, 9(27), 9085–9092. <https://doi.org/10.1021/acssuschemeng.1c02504>
- Tuchinda, C., Lim, H. W., Osterwalder, U., & Rougier, A. (2006). Novel Emerging Sunscreen Technologies. *Dermatologic Clinics*, 24(1), 105–117.

<https://doi.org/10.1016/j.det.2005.09.003>

- Wang, T. yang, Li, Q., & Bi, K. shun. (2018). Bioactive Flavonoids in Medicinal Plants: Structure, Activity and Biological Fate. *Asian Journal of Pharmaceutical Sciences*, 13(1), 12–23. <https://doi.org/10.1016/j.ajps.2017.08.004>
- Widiyana, A. P. (2021). Validasi dari Spektrofotometri UV-Vis dan Kandungan Total Flavonoid Ekstrak Etanol dari Akar Alang-Alang (*Imperata cylindrica*) dan Daun Pegagan (*Centella asiatica*) A. *Journal of Pharmaceutical Care Anwar Medika*, 3(2), 126–136. <https://doi.org/10.36932/jpcam.v3i2.69>
- Widyastuti, W., Kusuma, A. E., Nurlaili, N., & Sukmawati, F. (2016). Antioxidant and Sunscreen Activities of Ethanol Extract of Strawberry Leaves (*Fragaria x ananassa* A.N. Duchesne). *Jurnal Sains Farmasi & Klinis*, 3(1), 19–24. <http://jsfkonline.org/index.php/jsfk/article/view/92>
- Winarto, W. R., & Surbakti, M. (2003). *Khasiat dan Manfaat Pegagan*. Agromedia Pustaka.
- Yahya, M. A., & Nurrosyidah, I. H. (2020). Aktivitas Antioksidan Ekstrak Etanol Herba Pegagan (*Centella asiatica* (L.) Urban) dengan Metode DPPH (2,2-Difenil-1-Pikrihidrazil). *Journal of Halal Product and Research*, 3(2), 106–112.
- Yanti Eff, A. R., Rahayu, S. T., Saraswati, H., & Munim, A. (2019). Formulation and Evaluation of Sunscreen Gels Containing Mangiferin Isolated from *Phaleria macrocarpa* Fruits. *International Journal of Pharmaceutical Investigation*, 9(3), 141–145. <https://doi.org/10.5530/ijpi.2019.3.26>
- Yuliasuti, D., Safira, D. S., & Sari, W. Y. (2022). Pembuatan Sediaan, Uji Kandungan, dan Evaluasi Sediaan Teh Celup Campuran Jahe Emprit, Secang dan Kayu Manis. *Jurnal Farmasetis*, 11(1), 35–42.
- Yulyuswarni. (2021). Formulasi dan Evaluasi Lotion Kombinasi Magnesium Oil dan Minyak Biji Kelor (Moringa Seed Oil) Lotion Formulation and Evaluation Combination of Magnesium Oil and Moringa Seed Oil. *Jurnal Kesehatan*, 12(1), 93–100. <http://ejurnal.poltekkes-tjk.ac.id/index.php/JK>
- Zainuddin, S., Saifullah, T., & W, G. P. (2019). Formulasi Krim Kombinasi Herba Pegagan (*Centella asiatica* L.) dan Minyak Zaitun Sebagai Tabir Surya Secara In Vitro. *CHMK Pharmaceutical Scientific Journal*, 2(1), 27–38.
- Zulkarnaen, Putri, A., & Eka, O. (2016). Penetapan Kadar Asiatikosida Ekstrak Etanol 70 % Pegagan (*Centella asiatica*) Menggunakan Metode LC – MS. *Majalah Kesehatan FKUB*, 2(2), 99–107.