

LAMPIRAN 1 TABEL PEMERIKSAAN PH

PH						
No	Pengulangan	Dosis PAC				Baku Mutu
		1 gr	1,5 gr	2 gr	Kontrol	
1	Ke-1	6,5	6,2	5,1	8	-
2	Ke-2	6,5	6,1	5,1		
3	Ke-3	6,5	6,2	5,5		
4	Ke-4	6,5	6,2	5,5		
5	Ke-5	6,4	6	5		
6	Ke-6	6,5	5,9	5		
Rata-Rata		6,5	6,1	5,2	8	-
Standar Deviasi		0,0408	0,1265	0,2366	-	-

LAMPIRAN 2 TABEL PEMERIKSAAN SUHU

Suhu						
No	Pengulangan	Dosis PAC				Baku Mutu
		1 gr	1,5 gr	2 gr	Kontrol	
1	Ke-1	26,9°C	26,9°C	26,9°C	26,9°C	-
2	Ke-2	26,9°C	26,9°C	26,8°C		
3	Ke-3	26,9°C	26,8°C	26,7°C		
4	Ke-4	26,7°C	26,6°C	26,6°C		
5	Ke-5	26,6°C	26,6°C	26,6°C		
6	Ke-6	26,6°C	26,4°C	26,3°C		
Rata-Rata		26,8°C	26,7°C	26,6°C	26,9°C	-
Standar Deviasi		0,1506	0,2000	0,2074	-	-

LAMPIRAN 3 TABEL PEMERIKSAAN TSS

Total Suspended Solid (TSS)						
No	Pengulangan	Dosis PAC				Baku Mutu PerMen LHK No. 68
		1 gr	1,5 gr	2 gr	Kontrol	
1	Ke-1	24	52	70	188	30 mg/l
2	Ke-2	25	48	65		
3	Ke-3	23	50	73		
4	Ke-4	24	55	65		
5	Ke-5	26	45	60		
6	Ke-6	22	48	68		
Rata-Rata		24	49,6	66,8	188	-
Standar Deviasi		1,414	3,502	4,535	-	-

LAMPIRAN 4 PENGOLAHAN DATA SPSS

Case Processing Summary

	Cases					
	Valid		Missing		Total	
	N	Percent	N	Percent	N	Percent
Hasil	18	100.0%	0	0.0%	18	100.0%

Descriptives

		Statistic	Std. Error
Hasil	Mean	46.83	4.335
	95% Confidence Interval for Mean	Lower Bound	37.69
		Upper Bound	55.98
	5% Trimmed Mean	46.76	
	Median	49.00	
	Variance	338.265	
	Std. Deviation	18.392	
	Minimum	22	
	Maximum	73	
	Range	51	
	Interquartile Range	40	
	Skewness	-.184	.536
	Kurtosis	-1.508	1.038

Tests of Normality

	Kolmogorov-Smirnov ^a			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
Hasil	.205	18	.045	.882	18	.029

a. Lilliefors Significance Correction

LAMPIRAN 5 PENGOLAHAN DATA SPSS

Oneway

Descriptives

Hasil

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
1	6	24.00	1.414	.577	22.52	25.48	22	26
2	6	49.67	3.502	1.430	45.99	53.34	45	55
3	6	66.83	4.535	1.851	62.07	71.59	60	73
Total	18	46.83	18.392	4.335	37.69	55.98	22	73

ANOVA

Hasil

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	5576.333	2	2788.167	240.129	.000
Within Groups	174.167	15	11.611		
Total	5750.500	17			

Post Hoc Tests

Multiple Comparisons

Dependent Variable: Hasil

Bonferroni

(I) Kat_dosis	(J) Kat_dosis	Mean Difference (I-J)	Std. Error	Sig.	95% Confidence Interval	
					Lower Bound	Upper Bound
1	2	-25.667 [*]	1.967	.000	-30.97	-20.37
	3	-42.833 [*]	1.967	.000	-48.13	-37.53
2	1	25.667 [*]	1.967	.000	20.37	30.97
	3	-17.167 [*]	1.967	.000	-22.47	-11.87
3	1	42.833 [*]	1.967	.000	37.53	48.13
	2	17.167 [*]	1.967	.000	11.87	22.47

*. The mean difference is significant at the 0.05 level.

LAMPIRAN 6 PENGOLAHAN DATA SPSS

Between-Subjects Factors

	N
Kat_dosis 1	6
2	6
3	6

Descriptive Statistics

Dependent Variable: Hasil

Kat_dosis	Mean	Std. Deviation	N
1	24.00	1.414	6
2	49.67	3.502	6
3	66.83	4.535	6
Total	46.83	18.392	18

Tests of Between-Subjects Effects

Dependent Variable: Hasil

Source	Type III Sum of Squares	df	Mean Square	F	Sig.
Corrected Model	5576.333 ^a	2	2788.167	240.129	.000
Intercept	39480.500	1	39480.500	3400.234	.000
Kat_dosis	5576.333	2	2788.167	240.129	.000
Error	174.167	15	11.611		
Total	45231.000	18			
Corrected Total	5750.500	17			

a. R Squared = .970 (Adjusted R Squared = .966)

Hasil

Duncan^{a,b}

Kat_dosis	N	Subset		
		1	2	3
1	6	24.00		
2	6		49.67	
3	6			66.83
Sig.		1.000	1.000	1.000

Means for groups in homogeneous subsets are displayed.
Based on observed means.

The error term is Mean Square(Error) = 11.611.

a. Uses Harmonic Mean Sample Size = 6.000.

b. Alpha = .05.

LAMPIRAN 7 GAMBAR

