

ABSTRAK

Stunting merupakan gangguan pertumbuhan dan perkembangan yang dialami anak-anak akibat dari gizi buruk, infeksi berulang dan stimulasi psikososial yang tidak memadai, dan dinilai melalui TB/U atau BB/TB. Faktor resiko stunting disebabkan oleh asupan gizi anak pada 1000 hari pertama kehidupan seperti ASI eksklusif dan Status Gizi Ibu ketika hamil. Selain itu, Pelayanan ANC dan Sanitasi dasar pun menjadi beberapa penyebab terjadinya stunting. Tujuan penelitian ini untuk mengetahui Faktor-faktor yang berhubungan dengan kejadian Stunting pada balita 24-59 bulan di wilayah kerja UPT Puskesmas Citarip Kota Bandung. Penelitian ini menggunakan pendekatan kasus kontrol. Populasi kasus sebanyak 249 balita dan populasi kontrol 2268 balita, dengan tehnik *purposive sampling*. Sampel penelitian yaitu 47 kasus dan 47 kontrol. Ditemukan adanya hubungan antara pengetahuan ibu ($p=0,006$;OR= 3,611), ASI eksklusif ($p=0,0011$;OR 3,314), dan sanitasi dasar ($p=0,025$;OR=3,619) dengan kejadian stunting pada balita, namun tidak pada variabel lain. Kesimpulan, bahwa ada hubungan antara pengetahuan ibu, ASI eksklusif, dan sanitasi dasar dengan stunting, Namun tidak ada hubungan antara Status gizi ibu dan ANC dengan stunting pada balita umur 24-59 bulan di Wilayah Kerja UPT Puskesmas Citarip Kecamatan Bojongloa Kaler Kota Bandung Periode Tahun 2018. Saran, diharapkan adanya upaya peningkatan pengetahuan ibu mengenai stunting serta cakupan ASI eksklusif dan sanitasi dasar.

Kata Kunci : Stunting, Pengetahuan ibu, ASI Eksklusif, Status Gizi Ibu, KEK, ANC, Sanitasi Dasar Lingkungan.

Daftar Pustaka : 98 (Tahun 1956 – 2019)

ABSTRACT

Stunting is a growth and development disorder on children as an impact of malnutrition, recurrent infections and inadequate psychosocial stimulation, and measured by Height/Age or weight/Height. Risk factor of stunting is caused by child nutrition in the first 1000 days of life, such as Exclusive Breastfeeding, Mom,s nutrition while pregnant, ANC visit, and household sanitation. The aim of this study was to identify the factors associated with stunting in children aged 24-59 months in sub-district of bojongloa Kaler of bandung city on period of 2018. This research was used *case control* study. Cases population was 249 child and control population 2268 child, with purposive sampling technic. Sample of this study was 47 on cases and 47 on control. There is correlation between mom's knowledge ($p=0,006$;OR= 3,611), exclusive breastfeed ($p=0,0011$;OR 3,314), and sanitation ($p=0,025$;OR=3,619) with stunting cases on child, but not for the other. Summary, there's a correlation between mom's knowledge, exclusive breastfeed, and sanitation with stunting. But mom's nutrition while pregnant, and ANC visit are uncorrelation with stunting in children aged 24-59 month in Work areas of UPT Puskesmas Citarip in sub-district of Bojongloa Kaler in Bandung city on period of 2018. Suggestion, efforts to increase the knowledge about stunting and amount of exclusive breastfeed and sanitation.

Keywords : Stunting, Mom's knowledge , exclusive breastfeed,
mom's Nutrition, CDE, ANC, Sanitation.

References : 100 (1956 – 2019)