

DAFTAR PUSTAKA

- Abla, M.J., Banga, A.K., 2014. Formulation of tocopherol nanocarriers and in vitro delivery into human skin. *Int. J. Cosmet. Sci.* 36, 239–246. <https://doi.org/10.1111/ics.12119>
- Ahmad, Z., Damayanti, 2018. Penuaan Kulit : Patofisiologi dan Manifestasi Klinis. *Berk. Ilmu Kesehatan. Kulit dan Kelamin – Period. Dermatology Venereol.* 30, 208–215.
- Aljuffali, I.A., Sung, C.T., Shen, F.M., Huang, C.T., Fang, J.Y., 2014. Squarticles as a lipid nanocarrier for delivering diphenycprone and minoxidil to hair follicles and human dermal papilla cells. *AAPS J.* 16, 140–150. <https://doi.org/10.1208/s12248-013-9550-y>
- Allen, L. V, P.P. and A.P.A., 2009. Handbook Of Pharmaceutical Excipients, Sixth edition, in: Raymond C Rowe BPharm, PhD, DSC, FRPharmS, FRSC, CPhys, MInstP Scientist, Chief, Paul J Sheskey BSc, Rp., Leader, A.D., The Dow Chemical Company, Midland, MI, USA, Marian E Quinn BSc, Ms. (Eds.), Handbook Of Pharmaceutical Excipients, Sixth Edition. Pharmaceutical Press.
- Aminu, N., Chan, S.Y., Toh, S.M., 2018. Formulation design and optimization of triclosan loaded nanoparticles for enhanced drug delivery across gingival sulcus by Resolution IV modeling of Design-Expert®. *J. Biomed. Clin. Sci.* 3, 83–90.
- Campos, J.R., Severino, P., Santini, A., Silva, A.M., Shegokar, R., Souto, S.B., Souto, E.B., 2020. Solid lipid nanoparticles (SLN): Prediction of toxicity, metabolism, fate and physicochemical properties. prediction of toxicity, metabolism, fate and physicochemical properties., *Nanopharmaceuticals: Volume 1: Expectations and Realities of Multifunctional Drug Delivery Systems.* Elsevier. <https://doi.org/10.1016/B978-0-12-817778-5.00001-4>
- Capuzzo, A., Occhipinti, A., Maffei, M.E., 2014. Antioxidant and radical scavenging activities of chamazulene. *Nat. Prod. Res.* 28, 2321–2323. <https://doi.org/10.1080/14786419.2014.931393>
- Carvajal-Vidal, P., Fábrega, M.J., Espina, M., Calpena, A.C., García, M.L., 2019. Development of Halobetasol-loaded nanostructured lipid carrier for dermal administration: Optimization, physicochemical and biopharmaceutical behavior, and therapeutic efficacy. *Nanomedicine Nanotechnology, Biol. Med.* 20, 102026. <https://doi.org/10.1016/j.nano.2019.102026>
- Chantaburanan, T., Teeranachaideekul, V., Chantasart, D., Jintapattanakit, A., Junyaprasert, V.B., 2017. Effect of binary solid lipid matrix of wax and triglyceride on lipid crystallinity, drug-lipid interaction and drug release of ibuprofen-loaded solid lipid

- nanoparticles (SLN) for dermal delivery. *J. Colloid Interface Sci.* 504, 247–256. <https://doi.org/10.1016/j.jcis.2017.05.038>
- Chen, J., Wei, N., Lopez-Garcia, M., Ambrose, D., Lee, J., Annelin, C., Peterson, T., 2017. Development and evaluation of resveratrol, Vitamin E, and epigallocatechin gallate loaded lipid nanoparticles for skin care applications. *Eur. J. Pharm. Biopharm.* 117, 286–291. <https://doi.org/10.1016/j.ejpb.2017.04.008>
- Czajkowska-Kośnik, A., Szekalska, M., Winnicka, K., 2019. Nanostructured lipid carriers: A potential use for skin drug delivery systems. *Pharmacol. Reports* 71, 156–166. <https://doi.org/10.1016/j.pharep.2018.10.008>
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., Mozafari, M.R., 2018. Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics* 10, 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- Evonik, 2015. TEGO ® Care 450 1–6.
- Fathi, M., Varshosaz, J., Mohebbi, M., Shahidi, F., 2013. Hesperetin-Loaded Solid Lipid Nanoparticles and Nanostructure Lipid Carriers for Food Fortification: Preparation, Characterization, and Modeling. *Food Bioprocess Technol.* 6, 1464–1475. <https://doi.org/10.1007/s11947-012-0845-2>
- Fatima, N., Rehman, S., Nabi, B., Baboota, S., Ali, J., 2019. Harnessing nanotechnology for enhanced topical delivery of clindamycin phosphate. *J. Drug Deliv. Sci. Technol.* 54, 101253. <https://doi.org/10.1016/j.jddst.2019.101253>
- Ganceviciene, R., Liakou, A.I., Theodoridis, A., Makrantonaki, E., Zouboulis, C.C., 2012. Skin anti-aging strategies. *Dermatoendocrinol.* 4. <https://doi.org/10.4161/derm.22804>
- Gul, R., Ahmed, N., Shah, K.U., Khan, G.M., Asim, ur.Rehman, 2018. Functionalised nanostructures for transdermal delivery of drug cargos. *J. Drug Target.* 26, 110–122. <https://doi.org/10.1080/1061186X.2017.1374388>
- H. Muller, R., Shegokar, R., M. Keck, C., 2011. 20 Years of Lipid Nanoparticles (SLN & NLC): Present State of Development & Industrial Applications. *Curr. Drug Discov. Technol.* 8, 207–227. <https://doi.org/10.2174/157016311796799062>
- Haider, M., Abdin, S.M., Kamal, L., Orive, G., 2020. Nanostructured lipid carriers for delivery of chemotherapeutics: A review. *Pharmaceutics* 12. <https://doi.org/10.3390/pharmaceutics12030288>
- Hatahet, T., Morille, M., Hommoss, A., Devoisselle, J.M., Müller, R.H., Bégu, S., 2016. Quercetin topical application, from conventional dosage forms to nanodosage forms. *Eur.*

- J. Pharm. Biopharm. 108, 41–53. <https://doi.org/10.1016/j.ejpb.2016.08.011>
- Hidayat, I.R., Zuhrotun, A., Sopyan, I., 2020. Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. Maj. Farmasetika 6, 99–120. <https://doi.org/10.24198/mfarmasetika.v6i1.27842>
- Ijaz, M., Akhtar, N., 2020. Fatty acids based α -Tocopherol loaded nanostructured lipid carrier gel: In vitro and in vivo evaluation for moisturizing and anti-aging effects. J. Cosmet. Dermatol. 19, 3067–3076. <https://doi.org/10.1111/jocd.13346>
- Jain, S., Patel, N., Shah, M.K., Khatri, P., Vora, N., 2018. Recent Advances in Lipid-Based Vesicles and Particulate Carriers for Topical and Transdermal Application. J. Pharm. Sci. 106, 423–445. <https://doi.org/10.1016/j.xphs.2016.10.001>
- Khoerunisa, I., Najihudin, A., Hindun, S., 2020. Review Artikel: Solid Lipid Nanoparticles (Sln) Metode Dan Karakteristik. J. Insa. Farm. Indones. 3, 307–316. <https://doi.org/10.36387/jifi.v3i2.548>
- Kim, H., Kim, J.T., Barua, S., Yoo, S.Y., Hong, S.C., Lee, K. Bin, Lee, J., 2018. Seeking better topical delivery technologies of moisturizing agents for enhanced skin moisturization. Expert Opin. Drug Deliv. 15, 17–31. <https://doi.org/10.1080/17425247.2017.1306054>
- Kumar, A., Pathak, K., Bali, V., 2012. Ultra-adaptable nanovesicular systems: A carrier for systemic delivery of therapeutic agents. Drug Discov. Today 17, 1233–1241. <https://doi.org/10.1016/j.drudis.2012.06.013>
- Lephart, E.D., 2016. Skin aging and oxidative stress: Equol's anti-aging effects via biochemical and molecular mechanisms. Ageing Res. Rev. 31, 36–54. <https://doi.org/10.1016/j.arr.2016.08.001>
- Malkin, R., 2006. On site service factor works for minetec, AusIMM Bulletin.
- Masaki, H., 2010. Role of antioxidants in the skin: Anti-aging effects. J. Dermatol. Sci. 58, 85–90. <https://doi.org/10.1016/j.jdermsci.2010.03.003>
- McClements, D.J., Rao, J., 2011. Food-Grade nanoemulsions: Formulation, fabrication, properties, performance, Biological fate, and Potential Toxicity. Crit. Rev. Food Sci. Nutr. 51, 285–330. <https://doi.org/10.1080/10408398.2011.559558>
- Mehnert, W., Mader, K., 2020. Advances in the Cognitive Neuroscience of Neurodevelopmental Disorders: Views from Child Psychiatry and Medical Genetics. Neurodev. Disord. 47, 165–196. <https://doi.org/10.7551/mitpress/4945.003.0031>
- Moghassemi, S., Hadjizadeh, A., 2014. Nano-niosomes as nanoscale drug delivery systems: An illustrated review. J. Control. Release 185, 22–36. <https://doi.org/10.1016/j.jconrel.2014.04.015>

- Montenegro, L., Messina, C.M., Manuguerra, S., Santagati, L.M., Pasquinucci, L., Turnaturi, R., Parenti, C., Arena, R., Santulli, A., 2019. In vitro antioxidant activity and in vivo topical efficacy of lipid nanoparticles co-loading idebenone and tocopheryl acetate. *Appl. Sci.* 9. <https://doi.org/10.3390/app9050845>
- Morais, J.M., Burgess, D.J., 2014. In vitro release testing methods for vitamin e nanoemulsions. *Int. J. Pharm.* 475, 393–400. <https://doi.org/10.1016/j.ijpharm.2014.08.063>
- Müller, R.H., Petersen, R.D., Hommoss, A., Pardeike, J., 2007. Nanostructured lipid carriers (NLC) in cosmetic dermal products. *Adv. Drug Deliv. Rev.* 59, 522–530. <https://doi.org/10.1016/j.addr.2007.04.012>
- Müller, R.H., Radtke, M., Wissing, S.A., 2002. Solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) in cosmetic and dermatological preparations. *Adv. Drug Deliv. Rev.* 54, 131–155. [https://doi.org/10.1016/S0169-409X\(02\)00118-7](https://doi.org/10.1016/S0169-409X(02)00118-7)
- Patel, D.K., Kesharwani, R., Kumar, V., 2020. Etodolac loaded solid lipid nanoparticle based topical gel for enhanced skin delivery. *Biocatal. Agric. Biotechnol.* 29, 101810. <https://doi.org/10.1016/j.bcab.2020.101810>
- Pegoraro, N.S., Barbieri, A. V., Camponogara, C., Mattiazzi, J., Brum, E.S., Marchiori, M.C.L., Oliveira, S.M., Cruz, L., 2017. Nanoencapsulation of coenzyme Q10 and vitamin E acetate protects against UVB radiation-induced skin injury in mice. *Colloids Surfaces B Biointerfaces* 150, 32–40. <https://doi.org/10.1016/j.colsurfb.2016.11.013>
- Raj, S., Jose, S., Sumod, U.S., Sabitha, M., 2012. Nanotechnology in cosmetics: Opportunities and challenges. *J. Pharm. Bioallied Sci.* 4, 186–193. <https://doi.org/10.4103/0975-7406.99016>
- Rakesh, R., Anoop, K.R., 2012. Formulation and optimization of nano-sized ethosomes for enhanced transdermal delivery of cromolyn sodium. *J. Pharm. Bioallied Sci.* 4, 333–340. <https://doi.org/10.4103/0975-7406.103274>
- Ramos-e-Silva, M., Celem, L.R., Ramos-e-Silva, S., Fucci-da-Costa, A.P., 2013. Anti-aging cosmetics: Facts and controversies. *Clin. Dermatol.* 31, 750–758. <https://doi.org/10.1016/j.clindermatol.2013.05.013>
- Rosli, N.A., Hasham, R., Abdul Aziz, A., 2018. Design and physicochemical evaluation of nanostructured lipid carrier encapsulated zingiber zerumbet oil by D-optimal mixture design. *J. Teknol.* 80, 105–113. <https://doi.org/10.11113/jt.v80.11268>
- Severino, P., Santana, M.H.A., Souto, E.B., 2012. Optimizing SLN and NLC by 2 2 full factorial design: Effect of homogenization technique. *Mater. Sci. Eng. C* 32, 1375–1379. <https://doi.org/10.1016/j.msec.2012.04.017>

- Shah, S.M., Ashtikar, M., Jain, A.S., Makhija, D.T., Nikam, Y., Gude, R.P., Steiniger, F., Jagtap, A.A., Nagarsenker, M.S., Fahr, A., 2015. LeciPlex, invasomes, and liposomes: A skin penetration study. *Int. J. Pharm.* 490, 391–403. <https://doi.org/10.1016/j.ijpharm.2015.05.042>
- Sharma, A., Baldi, A., 2018. Nanostructured Lipid Carriers : A Review Journal of Developing Drugs. *J. Dev. Drugs* 7, 1–12. <https://doi.org/10.4172/2329-6631.10001>
- Shettigar, P., Koland, M., Sindhoor, S.M., Prabhu, A., 2021. Formulation and Evaluation of Clarithromycin Loaded Nanostructured Lipid Carriers for the Treatment of Acne. *J. Pharm. Res. Int.* 26–38. <https://doi.org/10.9734/jpri/2021/v33i40b32260>
- Smith, E.W., Maibach, H.I., 2016. Percutaneous penetration enhancers, *Percutaneous Penetration Enhancers*, Second Edition. <https://doi.org/10.1201/9781420009774.ch5>
- Surya Tej, K.V.M., Moin, A., Gowda, D. V., Anjali, Karunakar, G., Patel, N.P., Kamal, S.S., 2016. Nano structured lipid carrier based drug delivery system. *J. Chem. Pharm. Res.* 8, 627–643.
- Tamjidi, F., Shahedi, M., Varshosaz, J., Nasirpour, A., 2013. Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innov. Food Sci. Emerg. Technol.* 19, 29–43. <https://doi.org/10.1016/j.ifset.2013.03.002>
- Tofani, R.P., Sumirtapura, Y.C., Darijanto, S.T., 2016. Formulation, characterisation, and in vitro skin diffusion of nanostructured lipid carriers for deoxyarbutin compared to a nanoemulsion and conventional cream. *Sci. Pharm.* 84, 634–645. <https://doi.org/10.3390/scipharm84040634>
- Vaz, S., Silva, R., Amaral, M.H., Martins, E., Sousa Lobo, J.M., Silva, A.C., 2019. Evaluation of the biocompatibility and skin hydration potential of vitamin E-loaded lipid nanosystems formulations: In vitro and human in vivo studies. *Colloids Surfaces B Biointerfaces* 179, 242–249. <https://doi.org/10.1016/j.colsurfb.2019.03.036>
- Zhang, T., Chen, J., Zhang, Y., Shen, Q., Pan, W., 2011. Characterization and evaluation of nanostructured lipid carrier as a vehicle for oral delivery of etoposide. *Eur. J. Pharm. Sci.* 43, 174–179. <https://doi.org/10.1016/j.ejps.2011.04.005>
- Ziani, K., Fang, Y., McClements, D.J., 2012. Fabrication and stability of colloidal delivery systems for flavor oils: Effect of composition and storage conditions. *Food Res. Int.* 46, 209–216. <https://doi.org/10.1016/j.foodres.2011.12.017>