

DAFTAR PUSTAKA

- Amir, M., Irem, J., & Purukan, A. (2018). Uji Efektivitas Ekstrak Etanol Buah Naga Putih (*Hylocereus undatus*) terhadap Penurunan Kadar Asam Urat Darah pada Mencit (*Mus musculus*) (The Effectiveness of Ethanol Extract of White Dragon Fruit (*Hylocereus undatus*) on the Reduction of Blood Uric . 16(2), 166–171.
- Artini, K.S., Raharjo, D., Wijayanti, E., 2021. Efek penghambatan enzim xantin oksidase oleh ekstrak etanol biji pepaya (*Carica papaya* linn.) secara in vitro. Pros. Semin. Inf. Kesehat. Nas. 163–167.
- Aroor, A.R., Demarco, V.G., Jia, G., Sun, Z., Nistala, R., Meininger, G.A., Sowers, J.R., 2013. The role of tissue renin-angiotensin-aldosterone system in the development of endothelial dysfunction and arterial stiffness 4, 1–8. <https://doi.org/10.3389/fendo.2013.00161>
- Ayala, A., Muñoz, M.F., Argüelles, S., 2014. Lipid peroxidation: Production, metabolism, and signaling mechanisms of malondialdehyde and 4-hydroxy-2-nonenal. *Oxid. Med. Cell. Longev.* 2014. <https://doi.org/10.1155/2014/360438>.
- Beattie, C.J., Fulton, R.L., Higgins, P., Padmanabhan, S., McCallum, L., Walters, M.R., Dominiczak, A.F., Touyz, R.M., Dawson, J., 2014. Allopurinol initiation and change in blood pressure in older adults with hypertension. *Hypertension* 64, 1102–1107. <https://doi.org/10.1161/HYPERTENSIONAHA.114.03953>.
- Chilappa, C.S., Aronow, W.S., Shapiro, D., Sperber, K., Patel, U., Ash, J.Y., 2010. Gout and hyperuricemia. *Compr. Ther.* 36, 3–13. <https://doi.org/10.1201/9781420006452-31>.
- Cai, W., Duan, X., Liu, Y., Yu, J., Tang, Y., Liu, Z., Jiang, S., Zhang, C., Liu, J., Xu, J., 2017. Uric Acid Induces Endothelial Dysfunction by Activating the HMGB1 / RAGE Signaling Pathway 2017.
- Dipiro J, Talbert RL, Yee GC, Matzke GR, Wells BG, Posey LM. *Pharmacotherapy A Pathophysiologic Approach*. AIAA Guidance, Navigation, and Control Conference. 2015. 4485 p.
- Dai, X.M., Wei, L., Ma, L.L., Chen, H.Y., Zhang, Z.J., Ji, Z.F., Wu, W.L., Ma, L.Y., Kong, X.F., Jiang, L. Di, 2015. Serum uric acid and its relationship with cardiovascular risk profile in Chinese patients with early-onset coronary artery disease. *Clin. Rheumatol.* 34, 1605–1611. <https://doi.org/10.1007/s10067-015-2878-1>
- Departemen Kesehatan RI, 2005.
- Dehpour, A. A., Ebrahimzadeh, M. A., Fazel, N. S., & Mohamad, N.S. (2009). Antioxidant Activity of Metanol Extract of *Ferula assafoetida* And Its Essential Oil Composition, *Grass Aceiles*, 60(4), 405-412.

- Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., Posey, L.M. 2008, Pharmacotherapy: A pathophysiologic approach, 7th Edition, The McGraw-Hill Companies Inc, New York, USA.
- Dewi, N. Y. O. C., Ni, M. P., I Made, D. S., Asih, I. A. R., & Wiwik, S. R. (2014). Aktivitas Antioksidan Senyawa Flavonoid Ekstrak Etanol Biji Terong Belanda (*Solanum Betaceum*, Syn) dalam Menghambat Reaksi Peroksidasi Lemak Pada Plasma Darah Tikus Wistar, *Cakra Kimia*, 2(1), 7-16.
- Eff, A.R.Y., Rahayu, S.T., Syachfitri, R.D., 2016. Uji Aktivitas Penghambatan Xantin Oksidase secara In-Vitro oleh Isolat 6,4'-Dihidroksi-4-Metoksibenzofenon-2-O- β -D Glukopiranosida (C 20 H 22 O 10) yang Diisolasi dari Mahkota Dewa (*Phaleria macrocarpa* (Scheff .) Boerl). *Pharm Sci Res* 3, 1–11.
- Elis Susilawati, Ika Kurnia Sukmawati, R.A.S., 2019. AKTIVITAS ANTIHIPERURISEMIA EKSTRAK ETANOL DAUN PEPAYA (*Carica papaya* L.) PADA TIKUS PUTIH JANTAN GALUR WISTAR Elis. *J. Sains dan Teknol. Farm. Indones.* VIII, 1–12.
- Elisa, N., Anggoro, A.B., Indriyanti, E., 2021. Aktivitas Antihipertensi Ekstrak dan Fraksi-Fraksi Daun Avokad (*Persea americana* Mill) pada Tikus Jantan dengan Parameter Sistolik dan Diastolik. *J. Ilm. Sains* 21, 145. <https://doi.org/10.35799/jis.v21i2.35625>.
- Ford ES, Giles WH, Dietz WH, 2002. Prevalence of the Metabolic Syndrome Among US Adults. Finding from the Third National Health and Nutrition Examination Survey. *Journal American Medical Association.* 287(20): 356–59.
- Ferre MG, Bullo M, Babio N, Gonzalez MAM, Estruch R, Covas MI, et al. cardiovascular risk. *Medical Sciences.* 2013 April 17;68(10):1263-70.
- Feig, D.I., 2012. Hyperuricemia and Hypertension. *Adv. Chronic Kidney Dis.* 19, 377–385. <https://doi.org/10.1053/j.ackd.2012.05.009>.
- Gunawan, H., 2018b. Pengaruh Pemberian Ekstrak Etanol Herba Poguntano (*Picria FelTerae* Lour.) Terhadap Profil Lipid Tikus Putih Jantan Dislipidemia. *Talent. Conf. Ser.* 1, 230–236.
- Grassi D, Ferri L, Desideri G, Paolo DG, Paola C, Rita DP, et al. Chronic hyperuricemia, uric acid deposite and cardiovascular risk. *Bentham Science Publisher.* 2013;19(13): 2432-38.
- Grotto D, Maria LS, Valentini J, Paniz C, Garcia GS, Pomblum VJ, et al. Importance of the lipid peroxidation biomarkers and methodological aspects for malondialdehyde quantification. *Quimm Nova.* 2009;32(1):169-74.
- Gultom, M.N.S., Queljoe, E. De, Suoth, E.J., 2020. Activity Test to Decrease Uric Acid Levels of the Ethanol Extract of Bitter Melon (*Momordica charantia* L.) on White Male Rats (*Rattus norvegicus*) Induced Caffeine. *Pharmacon* 9, 478–486.

- Hasimun, P. (2019). Prevention of Hypertension and Arterial Stiffness by Combination of *Centella asiatica* and *Curcuma longa* in Rats. <https://doi.org/10.3923/ajbs.2019.173.179>.
- Hartini, S., & Suryani, M. E. (2017). Uji Kualitas Serum Simpanan Terhadap Kadar Kolesterol Dalam Darah Di Poltekkes Kemenkes Kaltim. *Jurnal Ilmiah Manuntung*, 2(1), 65–69. http://jurnal.akfarsam.ac.id/index.php/jim_akfarsam/article/view/49.
- Hasrianti, Nururrahmah, Nurasia, 2016. Pemanfaatan Ekstrak Bawang Merah dan Asam Asetat Sebagai Pengawet Alami Bakso. *J. Din.* 07, 9–30.
- Harpaz, E., Tamir, S., Weinstein, A., Weinstein, Y., 2017. The effect of caffeine on energy balance. *J. Basic Clin. Physiol. Pharmacol.* 28, 1–10. <https://doi.org/10.1515/jbcpp-2016-0090>.
- Harborne, J. 1996. *Metode Fitokimia : Penuntun Cara Modern Menganalisis Tumbuhan*. Institut Teknologi Bandung, Bandung.
- Harrison. 2000, *Prinsip-Prinsip Ilmu Penyakit Dalam*, Edisi 13, Volume 3, Penerbit Buku Kedokteran EGC, Jakarta, Indonesia.
- Isnindar, Wahyuono S., & Setyowati, E.P.2011. Isolasi Dan Identifikasi Senyawa Antioksidan Daun Kesemek (*Diospyros Kaki Thunb .*) Dengan Metodedpph (2 , 2-Difenil-1- Pikrilhidrazil) Isolation And Identification Of Antioxidant Compound Of Persimmon. *Maj. Obat Tradis.* 16, 157–164.
- Indrianingsih, A.W., Tachibana, S., Itoh, K., 2015. In Vitro Evaluation of Antioxidant and α -Glucosidase Inhibitory Assay of Several Tropical and Subtropical Plants. *Procedia Environ. Sci.* <https://doi.org/10.1016/j.proenv.2015.07.075>.
- Imbar, A.C., De Queljoe, E., Rotinsulu, H., 2019. UJI AKTIVITAS ANTIHIPERURISEMIA EKSTRAK ETANOL TUMBUHAN SURUHAN (*Peperomia pellucida* L.Kunth) TERHADAP TIKUS PUTIH JANTAN (*Gallur wistar*) YANG DI INDUKSI KAFEIN. *Pharmacon* 8, 953. <https://doi.org/10.35799/pha.8.2019.29375>
- International Diabetes Federation (IDF). Information on the IDF consensus worldwide definition of the metabolic syndrome. 2014 [internet]. Available from: http://www.idf.org/webdata/docs/IDF_Meta_def_final.pdf.
- Katzung, Bertram G. 2012. *Farmakologi Dasar dan Klinik* Edisi 10. EGC. Jakarta.
- Katzung, B.G. 2002. *Farmakologi: Dasar dan Klinik*. Edisi kedelapan. Diterjemahkan oleh: Bagian Farmakologi Fakultas Kedokteran UNAIR. Jakarta: Salemba Medika. Halaman: 246.
- Kimura, Y., Yanagida, T., Onda, A., Tsukui, D., Hosoyamada, M., Kono, H., 2019. Soluble uric acid promotes atherosclerosis via AMPK (AMP-activated protein

kinase)-mediated inflammation. *Arterioscler. Thromb. Vasc. Biol.* 570–582. <https://doi.org/10.1161/ATVBAHA.119.313224>

- Khanna, D., Fitzgerald, J.D., Khanna, P.P., Bae, S., Singh, M. & Neogi, T. 2012, American college of rheumatology guidelines for management of gout part 1: Systematic nonpharmacologic and pharmacologic therapeutic approaches to hyperuricemia, *Arthritis Care Res*, 64(10):1431–46.
- Kee JL. Pedoman pemeriksaan laboratorium & diagnostik. Ed 6. Kapoh RP, translator. Jakarta; EGC, 2007:451.
- Kalonio, D.E., Barung, E.N., Wullur, A.C., Mapaliey, P.L.P., 2021. Penurunan Kadar Asam Urat Pada Tikus Putih Terinduksi Diet Tinggi Purin Oleh Ekstrak Daun Sesewanua (*Clerodendrum fragrans* [Vent] Willd) Decreased of Uric Acid Levels in High Purine Diet-Induced White Rats by Sesewanua Leaf Extract (*Clerodendrum fra* 20–23.
- Kent Scientific Cooperation. 2011. *Non-Invasive Blood Pressure System Owner's Manual*.
- Lohr MD. Hyperuricemia. Medscape. 2017 Juny 27. Available from : url <http://www.emedicine.medscape.com/article/241767-clinical#b5>. Accessed : july 15th 2017.
- Li, P., Zhang, L., Zhang, M.E.I., Zhou, C., Lin, N.A.N., 2016. Uric acid enhances PKC-dependent eNOS phosphorylation and mediates cellular ER stress : A mechanism for uric acid-induced endothelial dysfunction 989–997. <https://doi.org/10.3892/ijmm.2016.2491>
- Larantukan, S.V.M., Setiasih, L.N.E., Widyastuti, S.K., et al, 2014. Pemberian Ekstrak Etanol Kulit Batang Kelor Glukosa Darah Tikus Hiperglikemia. *Indones. Med. Veterinus* 3, 292–299.
- Molyneux, P., 2004. The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity. *Songklanakarin J. Sci. Technol.* 26, 211–219. <https://doi.org/10.1287/isre.6.2.144>.
- Megawati, S., Noliqo, S., & Sagita, R. (2021). Effectiveness of Anting-Anting Leaves (*Acalypha indicL.*) in Reducing Uric Acid Levels in Hyperuricemic Male White Rats (*Rattus novergicus*), *33(ICoSIHSN 2020)*, 534–537.
- Maruhashi, T., Nakashima, A., Soga, J., Fujimura, N., Idei, N., Mikami, S., Iwamoto, Y., Kajikawa, M., Matsumoto, T., Hidaka, T., Kihara, Y., Chayama, K., Goto, C., Noma, K., Tomiyama, H., Takase, B., Yamashina, A., Higashi, Y., 2013. Hyperuricemia is independently associated with endothelial dysfunction in postmenopausal women but not in premenopausal women. <https://doi.org/10.1136/bmjopen-2013-003659>

- Marliani, L., Rahmawati, W., Sinurat, A., 2015. Antioxidant Activity And Total Phenolic Content Of Bangle (*Zingiber cassumunar* Roxb.) RHIZOME. *J. Tumbuh. Obat Indones.* 7, 22–27.
- Murray, R.K., Granner, D.K., Rodwell, V.W. 2006. Biokimia Harper terjemahan dari Harper's Illustrated Biochemistry 27thed oleh Brahm U dan Nanda Wulandari. Jakarta: Penerbit Buku Kedokteran ECG, 65-77.
- Muhtadi NW, Sutrisna E, Suhendi A, Frastyowati H. Uji Penghambatan Xanthine Oksidase Oleh Ekstrak Daun Tempuyung (*Sonchus arvensis*) Pada Mencit Hiperurisemia. *Univ Res Colloq.* 2015;82–5. 7.
- Media Medika Indonesiana UNDIP.2019.
- Mandal ,Y. S. (2009). Antioxidants: A Review. *Journal of Chemical and Pharmaceutical Research*, 102-104.
- Nadila, F., 2014. Antihypertensive Potential Of Chayote Fruit Extract Kandungan labu siam Potensi flavonoid 3, 34–38.
- Ng, K.P., Stringer, S.J., Jesky, M.D., Yadav, P., Athwal, R., Dutton, M., Ferro, C.J., Cockwell, P., 2014. Allopurinol is an independent determinant of improved arterial stiffness in chronic kidney disease: A cross-sectional study. *PLoS One* 9. <https://doi.org/10.1371/journal.pone.0091961>.
- Padmasari, P.D., Astuti, K.W., Warditiani, N.K., 2013. Skrining Fitokimia Ekstrak Etanol 70% Rimpang Bangle (*Zingiber purpureum* Roxb.). *Journal* 366, 1–7.
- Pertiwi, D., Almurdi, A., Sy, E., 2014. Hubungan Asam Urat Dengan Gula Darah Pada Penderita Diabetes Mellitus Tipe 2 Yang Mengalami Obesitas. *J. Kesehat. Masy. Andalas* 8, 79. <https://doi.org/10.24893/jkma.8.2.79-84.2014>.
- Perhimpunan Reumatologi Indonesia, 2018. Rekomendasi Pedoman Diagnosis dan Pengelolaan Gout.
- Pertamawati, P., Hardhiyuna, M., 2015. Uji Penghambatan Aktivitas Enzim XANTIN OKSIDASE TERHADAP EKSTRAK KULIT KAYU SECANG (*Caesalpinia sappan* L.). *Kartika J. Ilm. Farm.* 3, 12–17. <https://doi.org/10.26874/kjif.v3i2.99>.
- Papežíková, I., Pekarová, M., Kolářová, H., Klinke, A., Lau, D., Baldus, S., Lojek, A., Kubala, L., 2013. Uric acid modulates vascular endothelial function through the down regulation of nitric oxide production. *Free Radic. Res.* 47, 82–88. <https://doi.org/10.3109/10715762.2012.747677>
- Paulis, L., Becker, S. T. R., Lucht, K., Schwengel, K., Slavic, S., Kaschina, E., Thöne-Reineke, C., Dahlöf, B., Baulmann, J., Unger, T., & Steckelings, U. M. (2012). Direct angiotensin II type 2 receptor stimulation in N ω- nitro-L-arginine-methyl ester-induced hypertension: The effect on pulse wave velocity and aortic remodeling. *Hypertension*, 59(2 SUPPL. 1), 485–492.

<https://doi.org/10.1161/HYPERTENSIONAHA.111.185496>.

- Qowiyyah., dkk, 2021. Aktivitas Antiobesitas Ekstrak Etanol Jambu Mawar (*Syzygium jambos* (L) Alston) Pada Tikus Betina Galur Wistar. *Journal Of Pharmacy Science And Technology Journal Of Pharmacy Science And Technology Online* : 2614-0993 3, 135–145.
- Rizki, M.U., Probosari, E., Nissa, C., 2017. Hubungan Lingkar Pinggang, Rasio Lingkar Pinggang Terhadap Tinggi Badan Dan Indeks Massa Tubuh Dengan Kadar Asam Urat Wanita Usia 45-55 Tahun. *J. Nutr. Coll.* 6, 357. <https://doi.org/10.14710/jnc.v6i4.18788>.
- Riskesdas, 2013. Badan Penelitian dan Pengembangan Kesehatan. Kementerian Kesehatan RI. <http://www.depkes.go.id> Diakses pada tanggal 2 September 2019.
- Riskesdas, 2018. Kementerian kesehatan Republik Indonesia. Badan Penelitian dan Pengembangan Kesehatan. Sekretariat Badan Litbang. Jakarta Pusat. Hal 177-178
- Rambi, C., De Queljoe, E., Simbala, H.E.I., 2019. Uji Aktivitas Penurunan Kadar Asam Urat Ekstrak Etanol Buah Pinang Yaki (*Areca Vestiaria*) Pada Tikus Putih Galur Wistar (*Rattus Norvegicus*) Yang Diinduksi Kalium Oksonat. *Pharmacon* 8, 465. <https://doi.org/10.35799/Pha.8.2019.29314>.
- Rissanti I., Fachriyah E., Kusrini D. 2014. Isolasi dan Identifikasi Senyawa Aktif dari Ekstrak Aseton Rimpang Bangle (*Zingiber cassumunar* Roxb.) sebagai Antioksidan. *Jurnal Kimia Sains dan Aplikasi* 17 (3) (2014) : 75 – 79.
- Sari, N., Nurkhasanah, Sulistyani, N., 2020. The antioxidant effect of bangle (*Zingiber cassumunar*) rhizome extract on superoxide dismutase (sod) activity in hyperlipidemic rats. *Res. J. Chem. Environ.* 24, 78–81.
- Susilawati, E., 2019. Pengaruh Ekstrak Etanol Daun Kerehau (*Callicarpa Longifolia* Lamk.). Pada Kadar Malondialdehid Hewan Yang Diinduksi Aloksan. *Jurnal MDA Poltekes Tasik*.
- Soegondo, S., Purnamasari, D., 2010. Sindrom Metabolik. Dalam Sudoyo, dkk. *Buku Ajar Ilmu Penyakit Dalam*. ... 4, 88–93.
- Sung, K.C., Reaven, G., Kim, S., 2014. Ability of the plasma concentration ratio of triglyceride/high-density lipoprotein cholesterol to identify increased cardio-metabolic risk in an east Asian population. *Diabetes Res. Clin. Pract.* 105, 96–101. <https://doi.org/10.1016/j.diabres.2014.04.021>.
- Savira F and Y. Suharsono, “Jamu Saintifik Suatu Lompatan Ilmiah Pengembangan Jamu,” *J. Chem. Inf. Model.*, vol. 01, no. 01, pp. 1689–1699, 2013.
- Rissanti I., Fachriyah E., Kusrini D. 2014. Isolasi dan Identifikasi Senyawa Aktif dari Ekstrak Aseton Rimpang Bangle (*Zingiber cassumunar* Roxb.) sebagai Antioksidan. *Jurnal Kimia Sains dan Aplikasi* 17 (3) (2014) : 75 – 79.

- Sridhar, K., & Charles, A. L. (2018). In vitro antioxidant activity of Kyoho grape extracts in DPPH and ABTS assays: Estimation methods for EC50 using advanced statistical programs. *Food Chemistry*. <https://doi.org/10.1016/j.foodchem.2018.09.040>.
- Sukandar, E. Y. (2017). Xanthine oxidase inhibitory activity of some Indonesian medicinal plants and, (February).
- Sridhar, K., Charles, A.L., 2018. Department of Tropical Agriculture and International Cooperation, National Pingtung. Food Chem. <https://doi.org/10.1016/j.foodchem.2018.09.040>
- Selvam, R., & Kurien, T. B. (1987). Induction of lipid peroxidation by oxalate in experimental rat urolithiasis, 12(4), 367–373.
- S, K.N., Sumiwi, S.A., 2020. Aktivitas Berbagai Tanaman Sebagai Antihiperurisemia. *Farmaka* 17, 33–49.
- Sukandar, E.Y., 2017. Xanthine oxidase inhibitory activity of some Indonesian medicinal plants and animals.
- Sukandar, E.Y., Kurniati, N.F., Nurdianti, A.N., 2016. Antiobesity effect of ethanol extract of *Anredera cordifolia* (Ten) steenis leaves on obese male wistar rats induced by high-carbohydrate diet Antiobesity Effect Of Ethanol Extract Of *Anredera Cordifolia* (Ten) Steenis Leaves On Obese Male Wistar Rats Induced By High-Carbohydrate Diet.
- Smith, E., & March, L. 2015, Global Prevalence of Hyperuricemia: A Systematic Review of Population-based Epidemiological studies, *Arthritis Rheum*, 67:2236
- Simanjuntak K. Peran Antioksidan Flavonoid Dalam Meningkatkan Kesehatan. *Adv Ceram Mater*.2012;23(3):135–40.
- Susanti, N., Rahmawati, E., Kristanti, R.A., 2019. Efek Diet Tinggi Fruktosa terhadap Profil Lipid Tikus *Rattus Rattus norvegicus* Strain Wistar. *J. Islam. Med.* 3, 26–35. <https://doi.org/10.18860/jim.v3i2.8724>.
- Sari, N., Nurkhasanah, Sulistyani, N., 2020. The antioxidant effect of bangle (*Zingiber cassumunar*) rhizome extract on superoxide dismutase (sod) activity in hyperlipidemic rats. *Res. J. Chem. Environ.* 24, 78–81.
- Shinta, A., Kusuma, W., 2015. The Effect of Ethanol Extract of Soursop Leaves (*Annona muricata* L.) to Decreased Levels of Malondialdehyde. *J Major*. | 4, 14.
- Serrano R, Villar M, Gallardo N, Carracosa JM, Martinez C, Andres A. The effect of aging on insulin signaling pathway is tissue in the insulin resistance of aging. *Mechanism of Aging and Development*. 2008;130:189-97.
- Soeharto I. Penyakit Jantung Koroner dan Serangan Jantung. Jakarta: Gramedia; 2004.
- Shimizu T, Yoshihisa A, Takiguchi M, Miura S, Nakamura Y, Hiroyuki Y, et al. Association between hyperuricemia and mortality in heart failure patients with

- preserved ejection fraction. *Cardiac Failure*. 2015 October; 21(10): S169.
- Sudargo T., dkk. 2018. *Pola Makan Dan Obesitas*. Gadjah Mada University. ISBN 979-420-850-7 .
- Surahman, A., Subandi & Muntholib. (2013). Phytochemical test and the inhibitory power of spoon leaf extract (*Plantago major*) and srikaya fruit (*Annona squamosa* L.) against xanthine oxidase activity. Thesis. Malang: State University FMIPA Poor.
- Siti, T., Tg, A., Samah, O.A., Taher, M., Susanti, D., 2012. Antimicrobial activity and essential oils of *Curcuma aeruginosa* , *Curcuma mangga* , and *Zingiber cassumunar* from Malaysia. *Asian Pac. J. Trop. Med.* 5, 202–209. [https://doi.org/10.1016/S1995-7645\(12\)60025-X](https://doi.org/10.1016/S1995-7645(12)60025-X)
- Takir, M., Kostek, O., Ozkok, A., Elcioglu, O.C., Bakan, A., Erek, A., Mutlu, H.H., Telci, O., Semerci, A., Odabas, A.R., Afsar, B., Smits, G., Alanaspa, M., Sharma, S., Johnson, R.J., Kanbay, M., 2015. Lowering uric acid with allopurinol improves insulin resistance and systemic inflammation in asymptomatic hyperuricemia. *J. Investig. Med.* 63, 924–929. <https://doi.org/10.1097/JIM.0000000000000242>
- Wulansari, E.D., Wahyuono, S., Marchaban, M., Widayarni, S., 2018. Topical Anti-inflammatory Activity of Bangle (*Zingiber cassumunar* Roxb). Ethanol Extract in Mice Induced By Carrageenan. *Maj. Obat Tradis.* 23, 122. <https://doi.org/10.22146/mot.34640>.
- Wowor, R., Wantania, F., 2018. Pengaruh Pemberian Alopurinol terhadap Tekanan Darah Pasien Gagal Jantung. *J. Biomedik* 10. <https://doi.org/10.35790/jbm.10.1.2018.18997>
- Wulandari, S., Subandi & Muntholib. (2013). Inhibisi xantin oksidase oleh ekstrak etanol kulit melinjo (*Gnetum gnemon*) relatif terhadap allopurinol. Malang : Universitas Negeri Malang.
- Yu, W., Cheng, J., 2020. Asam Urat dan Penyakit Kardiovaskular : Pembaruan Dari Mekanisme Molekuler ke Perspektif Klinis 1–13. <https://doi.org/10.3389/fphar.2020.582680>
- Yulianto, D. 2009. Inhibisi xantin oksidase secara in vitro oleh ekstrak rosella (*Hibiscus sabdariffa*) dan ciplukan (*Physalis angulate*). Skripsi tidak diterbitkan. Bogor: MIPA Institut Pertanian Bogor.
- Yuniarto, A., Selifiana, N., 2018. Aktivitas Inhibisi Enzim Alfa-glukosidase dari Ekstrak Rimpang Bangle (*Zingiber cassumunar* Roxb.) secara In vitro. *MPI (Media Pharm. Indones.* 2, 22–25. <https://doi.org/10.24123/mpiv2i1.1299>.
- Yunan, J., Iswari, F., Maruni, D.W., Indriyani, S.N., 2019. Penurunan Kadar Gula Darah Antara Yang Melakukan Senam Jantung Sehat Dan Jalan Kaki. *J. Kesehat. Prima* 13, 1–9.

- Zaetun, S., Kusuma Dewi, L.B., Rai Wiyadna, I.B., 2019. Profil Kadar Mda (Malondialdehyde) Sebagai Penanda Kerusakan Seluler Akibat Radikal Bebas Pada Tikus Yang Diberikan Air Beroksigen. *J. Anal. Med. Biosains* 5, 79. <https://doi.org/10.32807/jambs.v5i2.109>.
- Zakaria, H., & Hasimun, P. (2017). Non-invasive pulse wave velocity measurement in mice. *Proceedings - 2017 International Seminar on Sensor, Instrumentation, Measurement and Metrology: Innovation for the Advancement and Competitiveness of the Nation, ISSIMM 2017, 2017-Janua*, 95–98. <https://doi.org/10.1109/ISSIMM.2017.8124270>