

DAFTAR PUSTAKA

- Amri, A. *et al.* (2012) 'Administration of resveratrol: What formulation solutions to bioavailability limitations?', *Journal of Controlled Release*, 158(2), pp. 182–193. doi: 10.1016/j.jconrel.2011.09.083.
- Andini, T., Yusriadi, Y. and Yuliet, Y. (2017) 'Optimasi Pembentuk Film Polivinil Alkohol dan Humektan Propilen Glikol pada Formula Masker Gel Peel off Sari Buah Labu Kuning (*Cucurbita moschata* Duchesne) sebagai Antioksidan', *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy) (e-Journal)*, 3(2), pp. 165–173. doi: 10.22487/j24428744.0.v0.i0.8773.
- Anisimova, NY, Kiselevsky, MV, Sosnov, AV, Sadovnikov, SV, Stankov, IN, Gakh, A. (2011) 'Trans-, cis-, dan dihydro-resveratrol: studi banding', *Jurnal Pusat Kimia*, 5, pp. 1–6.
- Arikumalasari, J *et al.* (2009) 'Optimasi HPMC Sebagai Gelling Agent Dalam Formula Gel Ekstrak Kulit Buah Manggis (*Garcinia mangostana* L.) (Arikumalasari OPTIMASI HPMC SEBAGAI GELLING AGENT DALAM FORMULA GEL EKSTRAK KULIT BUAH MANGGIS (*Garcinia mangostana* L.)'.
- Baur, J. A. and Sinclair, D. A. (2006) 'Therapeutic potential of resveratrol: The in vivo evidence', *Nature Reviews Drug Discovery*, 5(6), pp. 493–506. doi: 10.1038/nrd2060.
- Baxter, R. A. (2008) 'Anti-aging properties of resveratrol: Review and report of a potent new antioxidant skin care formulation', *Journal of Cosmetic Dermatology*, 7(1), pp. 2–7. doi: 10.1111/j.1473-2165.2008.00354.x.
- BPOM (2011) 'Peraturan Kepala Badan Pengawas Obat dan Makanan', *Badan Pengawas Obat dan Makanan*, 53, pp. 1689–1699.
- Davidov-Pardo, G. and McClements, D. J. (2015) 'Nutraceutical delivery systems: Resveratrol encapsulation in grape seed oil nanoemulsions formed by spontaneous emulsification', *Food Chemistry*, 167, pp. 205–212. doi: 10.1016/j.foodchem.2014.06.082.
- Djajadisastra J (2004) 'Seminar Setengah Hari HIKI: Cosmetic stability', *Departemen Farmasi Matematika dan Pengetahuan Ilmu Alam Universitas Indonesia, Depok*.
- Eroschenko, V. P. (2012) *Atlas Histologi Difiore*. Penerbit buku kedokteran (ECG).
- Farris, P. *et al.* (2014) 'Evaluation of efficacy and tolerance of a nighttime topical antioxidant

- containing resveratrol, baicalin, and vitamin e for treatment of mild to moderately photodamaged skin.’, *Journal of drugs in dermatology : JDD*, 13(12), pp. 1467–1472.
- Froelich, A. *et al.* (2017) ‘Novel microemulsion-based gels for topical delivery of indomethacin: Formulation, physicochemical properties and in vitro drug release studies’, *Journal of Colloid and Interface Science*, 507, pp. 323–336. doi: 10.1016/j.jcis.2017.08.011.
- Garg, A. *et al.* (2002) ‘Spreading of semisolid formulations: An update’, *Pharmaceutical Technology North America*, 26(9), pp. 84–105.
- Ginting, P. C. (2015) *Formulasi Sediaan Masker Gel dari Ekstrak Etanolik Daun Pepaya, (Skripsi)*. Medan: Universitas Sumatera Utama.
- Goeswin, A. (2015) *Sediaan Kosmetik (SFI-9)*. Bandung: Penerbit Institut Teknologi Bandung.
- Gokce, E. H. *et al.* (2012) ‘Resveratrol-loaded solid lipid nanoparticles versus nanostructured lipid carriers: Evaluation of antioxidant potential for dermal applications’, *International Journal of Nanomedicine*, 7, pp. 1841–1850. doi: 10.2147/IJN.S29710.
- Haerani, A. *et al.* (2018) ‘Artikel Tinjauan: Antioksidan Untuk Kulit’, *Farmaka, Universitas Padjadjaran, Bandung*, 16(2), pp. 135–151.
- Hanani, M dan Sekarini, R. (2013) ‘Identifikasi Senyawa Antioksidan dalam Spons *Calispongia* sp dari Kepulauan Seribu’, *Majalah Ilmu Farmasi*, 2, p. 3.
- Handayani, S., Najib, A dan Wati, N. (2018) ‘Uji Aktivitas Antioksidan Ekstrak Daun Daruju (*Acanthus ilicifolius* L.) dengan Metode Peredaman Radikal Bebas 1,1-Diphenyl-2-Picrylhidrazil (DPPH)’, *JFFI*, 5, p. 2.
- Handayani, S., Najib, A. and Wati, N. P. (2018) ‘UJI AKTIVITAS ANTIOKSIDAN EKSTRAK DAUN DARUJU (*Acanthus ilicifolius* L.) DENGAN METODE PEREDAMAN RADIKAL BEBAS 1,1-DIPHENYIL-2-PICRYLHIDRAZIL (DPPH)’, *Jurnal Fitofarmaka Indonesia*, 5(2), pp. 299–308. doi: 10.33096/jffi.v5i2.414.
- Harmita (2006) ‘Analisis kuantitatif bahan baku dan sediaan farmasi’, *FMIPA-UI, Departemen Farmasi*, edisi I.
- Hu, C. *et al.* (2016) ‘Non-aqueous self-double-emulsifying drug delivery system: A new approach to enhance resveratrol solubility for effective transdermal delivery’, *Colloids*

- and Surfaces A: Physicochemical and Engineering Aspects*, 489, pp. 360–369. doi: 10.1016/j.colsurfa.2015.11.017.
- Iswari, T. R. and Fatma, L. (2004) 'Buku Panduan Ilmu pengetahuan Kosmetik', *Buku pegangan ilmu pengetahuan kosmetik*, pp. 1–223.
- Kikuzaki, H. *et al.* (2002) 'Antioxidant properties of ferulic acid and its related compounds', *Journal of Agricultural and Food Chemistry*, 50(7), pp. 2161–2168. doi: 10.1021/jf011348w.
- Kim, K. H. *et al.* (2004) 'Extraction and fractionation of glucosyltransferase inhibitors from cacao bean husk', *Process Biochemistry*, 39(12), pp. 2043–2046. doi: 10.1016/j.procbio.2003.10.006.
- Kosasih. dkk (2004) *Peranan Antioksidan pada Lanjut Usia*. Jakarta: Pusat Kajian Nasional Masalah Lanjut Usia.
- Kumalaningsih, S. (2006) *Antioksidan Alami dan Penangkal Radikal Bebas Sumber, Manfaat, Cara Penyediaan dan Pengolahan*. Cetakan 1. Surabaya: Surabaya Trubus Agrisarana.
- Lestari, P.M., R.B. Sutyasningsih, R. and Ruhimat. (2013) 'The influence of increase concentration polivinil alcohol (PVA) as a gelling agent on physical properties of the peel-off gel of pineapple juice (*Ananas comosus* L.)', *Asian Societies of Cosmetic Scientists Conference. Bali. Indonesia*.
- Lingga, L. (2012) *The Healing Power of Anti-oxidant*. Jakarta: PT. Elex Media Komputindo.
- Molyneux (2004) 'The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity', *Songklanakarin Journal of Science and Technology*, 26(December 2003), pp. 211–219. doi: 10.1287/isre.6.2.144.
- Muliyawan, D. Suriana, N. (2013) *A-Z tentang Kosmetik*. Jakarta: PT. Elex Media Komputindo.
- Nastiti, M., Nawangsari, D. and Febrina, D. (2021) 'FORMULASI, SIFAT FISIK DAN UJI AKTIVITAS ANTIOKSIDAN MASKER GEL PEEL OFF TEPUNG BERAS HITAM (*Oriza sativa* L. var *Indica*)', *Jurnal Farmasi & Sains Indonesia*, 4(2), pp. 58–67. doi: 10.52216/jfsi.vol4no2p58-67.
- Ndiaye, M. *et al.* (2011) 'Prévalence et phénotype clinique des allergies respiratoires en milieu de travail à Dakar, Sénégal', *Revue Francaise d'Allergologie*, 51(6), pp. 535–540. doi:

10.1016/j.reval.2011.01.014.

- Noormindhawati, L. (2013) *Jurus Ampuh Melawan Penuaan Dini*. Jakarta: PT. Elex Media Komputindo.
- Nur Rahmi Syam, Uce Lestari, M. (2021) 'Formulasi Dan Uji Sifat Fisik Masker Gel Peel Off Dari Minyak Sawit Murni Dengan Basis Carbomer 940', *Indonesian Journal of Pharma Science*, 1(1), pp. 28–41.
- Priani, S.E., Irawati I., Darma, G. C. (2015) 'Formulation of Mangosteen Peel off Skin Mask (Garcinia mangostana Linn.)', *Ijps*, 2(3), pp. 90–95.
- Puizina-Ivić, N. (2008) 'Skin aging', *Acta Dermatovenerologica Alpina, Pannonica et Adriatica*, 17(2), pp. 47–54. doi: 10.5124/jkma.2000.43.5.448.
- Rahmawanty, D., Yulianti, N. and Fitriana, M. (2015) 'Formulasi dan Evaluasi Masker Wajah Peel-Off Mengandung Kuersetin dengan Variasi Konsentrasi Gelatin dan Gliserin', *Media Farmasi: Jurnal Ilmu Farmasi*, 12(1), p. 17. doi: 10.12928/mf.v12i1.3019.
- Ramadhan, P. (2015) *Mengenal Antioksidan*. Yogyakarta: Graha Ilmu.
- Robinson, K., Mock, C. and Liang, D. (2015) 'Pre-formulation studies of resveratrol', *Drug Development and Industrial Pharmacy*, 41(9), pp. 1464–1469. doi: 10.3109/03639045.2014.958753.
- Rowe, R.C., Paul, J. S., dan Marian, E. Q. (2009) *Handbook of Pharmaceutical Excipients Sixth Edition*. Chicago: Pharmaceutical Press, London.
- Setiyadi, G. and Qonitah, A. (2020) 'Optimasi Masker Gel Peel-Off Ekstrak Etanolik Daun Sirih (Piper Betle L.) dengan Kombinasi Carbomer dan Polivinil Alkohol', *Pharmacon: Jurnal Farmasi Indonesia*, 17(2), pp. 174–183. doi: 10.23917/pharmacon.v17i2.11976.
- Sukmawati, N. M. A. (2013) *Formulasi dan Evaluasi Sediaan Masker Wajah Gel Peel Off dari Ekstrak Etanol 96% Kulit Buah Manggis (Garcinia mangostanaL.)*, (Skripsi). Bali: Jurusan Farmasi FMIPA Universitas Udayana.
- Sulaiman, M. (2019) 'Penargetan aktif resveratrol berbasis nanopartikel emas terkonjugasi asam folat terhadap sel kanker payudara MCF-7 = Active targeting of resveratrol loaded on gold nanoparticles conjugated to folic acid against MCF-7 cell line', *Universitas Indonesia Library*.

- Sultana, K., Jayathilakan, K. and Pandey, M. C. (2017) 'Evaluation of Antioxidant Activity, Radical Scavenging, and Reducing Power of Clove Oil and Clove Oleoresin in Comparison with Natural and Synthetic Antioxidants in Chevron (*Capra aegagrus hircus*) and Chicken Meat', *Defence Life Science Journal*, 3(1), p. 51. doi: 10.14429/dlsj.3.12016.
- Taufik, S. (2012). (2011) *Pengaruh Peptida Tembaga-Glisil-L-Histidil-L-Lisin (Cu-GHK) Terhadap Penetrasi in vitro serta Stabilitas Fisik dan Kimia Vitamin C dalam Sediaan Serum*, Skripsi, FMIPA. Depok: Universitas Indonesia. doi: Jakarta: Universitas Indonesia.
- Tricaesario, C. and Widayati, R. (2016) 'Efektivitas Krim Almond Oil 4% Terhadap Tingkat Kelembapan Kulit', *Jurnal Kedokteran Diponegoro*, 5(4), pp. 599–610.
- Weller, R. *et al.* (2015) 'Natural new particle formation at the coastal Antarctic site Neumayer', *Atmospheric Chemistry and Physics*, 15(19), pp. 11399–11410. doi: 10.5194/acp-15-11399-2015.
- Yahya, M. A. dan Nurrosyidah, I. H. (2020) "Antioxidant activity ethanol extract of gotu kola (*Centella asiatica* (L.) Urban) with DPPH method (2,2-Diphenyl-1-Pikrilhidrazil)", *Journal of Halal Product and Research*, 3(2), p. 106. doi: 10.20473/jhpr.vol.3-issue.2.106-112.
- Yuindartanto, A. (2009) 'Acne Vulgaris', *Fakultas Kedokteran Universitas Indonesia*.
- Yuslianti, E. R. (2018) *Pengantar Radikal Bebas dan Antioksidan*. Yogyakarta: Penerbit Deepublish.
- Zupančič, Š., Lavrič, Z. and Kristl, J. (2015) 'Stability and solubility of trans-resveratrol are strongly influenced by pH and temperature', *European Journal of Pharmaceutics and Biopharmaceutics*, 93, pp. 196–204. doi: 10.1016/j.ejpb.2015.04.002.