

DAFTAR PUSTAKA

- Abdel-Salam, F. S., Ammar, H. O., Elkheshen, S. A., & Mahmoud, A. A. (2017). Anti-inflammatory sunscreen nanostructured lipid carrier formulations. *Journal of Drug Delivery Science and Technology*, 37, 13–19. <https://doi.org/10.1016/j.jddst.2016.10.014>
- Abdel-Salam, F. S., Mahmoud, A. A., Ammar, H. O., & Elkheshen, S. A. (2017). Nanostructured lipid carriers as semisolid topical delivery formulations for diflucortolone valerate. *Journal of Liposome Research*, 27(1), 41–55. <https://doi.org/10.3109/08982104.2016.1149866>
- Ahmadi Ashtiani, H. R., Akaberi, M., Nilforoushzadeh, M. A., & Farahani, M. (2019). Repairing Injured Skin: Biologics, Skin Substitutes, and Scaffolds: Review. *Journal of Skin and Stem Cell, In Press(In Press)*. <https://doi.org/10.5812/jssc.86162>
- Aiman, H. (2008). Nanostructured Lipid Carriers (Nlc) in Dermal and Personal. *Freie Universität Berlin*, 1–202.
- Amandeep, Manchanda, R., & Arora, S. C. (2019). Nanostructured Lipid Carriers: A Novel Drug Delivery System. *International Journal of ChemTech Research*, 12(01), 75–86. <https://doi.org/10.20902/ijctr.2019.120108>
- Banna, H., Hasan, N., Lee, J., Kim, J., Cao, J., Lee, E. H., Moon, H. R., Chung, H. Y., & Yoo, J. W. (2018). In vitro and in vivo evaluation of MHY908-loaded nanostructured lipid carriers for the topical treatment of hyperpigmentation. *Journal of Drug Delivery Science and Technology*, 48(October), 457–465. <https://doi.org/10.1016/j.jddst.2018.10.032>
- Birben, E., Sahiner, U., Sackesen, C., Erzurum, S., & Kalayci, O. (1997). Oxidative Stress and Antioxidant Defense Mechanism in. *Science*, 22(96), 161–168. <https://waojournal.biomedcentral.com/track/pdf/10.1097/WOX.0b013e3182439613>
- Carvajal-Vidal, P., González-Pizarro, R., Araya, C., Espina, M., Halbaut, L., Gómez de Aranda, I., García, M. L., & Calpena, A. C. (2020). Nanostructured lipid carriers loaded with Halobetasol propionate for topical treatment of inflammation: Development, characterization, biopharmaceutical behavior and therapeutic efficacy of gel dosage forms. *International Journal of Pharmaceutics*, 585(May), 119480. <https://doi.org/10.1016/j.ijpharm.2020.119480>
- Chen, J., Wei, N., Lopez-Garcia, M., Ambrose, D., Lee, J., Annelin, C., & Peterson, T. (2017). Development and evaluation of resveratrol, Vitamin E, and epigallocatechin gallate loaded lipid nanoparticles for skin care applications. *European Journal of Pharmaceutics and Biopharmaceutics*, 117, 286–291. <https://doi.org/10.1016/j.ejpb.2017.04.008>
- Danaei, M., Dehghankhold, M., Ataei, S., Davarani, F. H., Javanmard, R., Dokhani, A.,

- Khorasani, S., & Id, M. R. M. (2018). *Impact of Particle Size and Polydispersity Index on the Clinical Applications of Lipidic Nanocarrier Systems*. 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- El-housiny, S., Attia, D., Rasmy, E., & El-nabarawi, M. A. (2017). Development of Fluconazole Controlled Release Formulations Based on Solid Lipid Nanoparticles for Topical Delivery. *Inventi Journals*, 2017(2), 1–10.
- Gaba, B., Fazil, M., Ali, A., Baboota, S., Sahni, J. K., & Ali, J. (2015). Nanostructured lipid (NLCs) carriers as a bioavailability enhancement tool for oral administration. *Drug Delivery*, 22(6), 691–700. <https://doi.org/10.3109/10717544.2014.898110>
- Gao, S., Tian, B., Han, J., Zhang, J., Shi, Y., Lv, Q., & Li, K. (2019). *Enhanced transdermal delivery of lornoxicam by nanostructured lipid carrier gels modified with polyarginine peptide for treatment of carrageenan-induced rat paw edema*.
- Giannopoulou, I., Saïs, F., & Thomopoulos, R. (2015). Linked data annotation and fusion driven by data quality evaluation. *Revue Des Nouvelles Technologies de l'Information*, E.28, 257–262.
- Hidayat, I. R., Zuhrotun, A., & Sopyan, I. (2020). Design-Expert Software sebagai Alat Optimasi Formulasi Sediaan Farmasi. *Majalah Farmasetika*, 6(1), 99–120. <https://doi.org/10.24198/mfarmasetika.v6i1.27842>
- Jafar, G., Agustin, E., & Puryani, D. (2019). Pengembangan Formula Solid Lipid Nanoparticles (SLN) Hidrokortison Asetat. *Jurnal Pharmascience*, 6(1), 83. <https://doi.org/10.20527/jps.v6i1.6080>
- Jafar, G., Darijanto, S. T., & Mauludin, R. (2015). Formulasi Solid Lipid Nanoparticle Ceramide. *Jurnal Pharmascience*, 2(2), 80–87.
- Jain, S., Patel, N., Shah, M. K., Khatri, P., & Vora, N. (2017). Recent Advances in Lipid-Based Vesicles and Particulate Carriers for Topical and Transdermal Application. *Journal of Pharmaceutical Sciences*, 106(2), 423–445. <https://doi.org/10.1016/j.xphs.2016.10.001>
- Jameson, M., Hirani, A., & Pathak, Y. V. (2016). Nanostructured lipid carriers. *Nanotechnology in Nutraceuticals: Production to Consumption*, 215–232. <https://doi.org/10.1016/b978-0-323-52729-3.00002-0>
- Kammeyer, A., & Luiten, R. M. (2015). Oxidation events and skin aging. *Ageing Research Reviews*, 21, 16–29. <https://doi.org/10.1016/j.arr.2015.01.001>
- Karakteristik, D. A. N. (2020). *No Title*. 3(2), 307–316. <https://doi.org/10.36387/jifi.v3i2.548>
- Khallaf, R. A., Salem, H. F., & Abdelbary, A. (2016). 5-Fluorouracil shell-enriched solid lipid nanoparticles (SLN) for effective skin carcinoma treatment. *Drug Delivery*, 23(9), 3452–

3460. <https://doi.org/10.1080/10717544.2016.1194498>
- Khosa, A., Reddi, S., & Saha, R. N. (2018). Nanostructured lipid carriers for site-specific drug delivery. *Biomedicine and Pharmacotherapy*, 103(April), 598–613. <https://doi.org/10.1016/j.biopha.2018.04.055>
- Kim, A. R., Lee, N. H., Park, Y. M., & Park, S. N. (2019). Preparation and characterization of novel pseudo ceramide liposomes for the transdermal delivery of baicalein. *Journal of Drug Delivery Science and Technology*, 52(January), 150–156. <https://doi.org/10.1016/j.jddst.2019.04.009>
- Kr, S. A., Ankita, G., & Mona, A. (2016). Formulation & Characterization of Nanostructured Lipid Carrier (NLC) Based Gel For Topical Delivery of Etoricoxib. *Journal of Drug Delivery and Therapeutics*, 6(2), 4–13. <http://jddtonline.info/index.php/jddt/article/view/1222>
- Lacatusu, I., Badea, G., Popescu, M., Bordei, N., Istrati, D., Moldovan, L., Seciu, A. M., Panteli, M. I., Rasit, I., & Badea, N. (2017). Marigold extract, azelaic acid and black caraway oil into lipid nanocarriers provides a strong anti-inflammatory effect in vivo. *Industrial Crops and Products*, 109(August), 141–150. <https://doi.org/10.1016/j.indcrop.2017.08.030>
- Listiyana, A., Mutiah, R., Suyadinata, A., & Salsabilla, F. R. (2020). PENGAMBANGAN SISTEM NANOSTRUCTURED LIPID CARRIER (NLC) DAUN Chrysanthemum cinerariifolium (Trev.) Vis DENGAN VARIASI KONSENTRASI LIPID. *Journal of Islamic Medicine*, 4(2), 86–97. <https://doi.org/10.18860/jim.v4i2.9787>
- Malinda, O., & Syakdani, A. (2020). POTENSI ANTIOKSIDAN DALAM KELOPAK BUNGA ROSELLA (*Hibiscus sabdariffa* L .) SEBAGAI ANTI-AGING POTENTIAL OF ANTIOXIDANT IN FLOWER CLASSROOM ROSELLA (*Hibiscus sabdariffa* L .) AS ANTI-AGING. 11(03), 60–65.
- Mishra, V., Bansal, K. K., Verma, A., Yadav, N., Thakur, S., Sudhakar, K., & Rosenholm, J. M. (2018). Solid lipid nanoparticles: Emerging colloidal nano drug delivery systems. *Pharmaceutics*, 10(4), 1–21. <https://doi.org/10.3390/pharmaceutics10040191>
- Morais Diane, J. M., & Burgess, J. (2014). Vitamin e nanoemulsions characterization and analysis. *International Journal of Pharmaceutics*, 465(1–2), 455–463. <https://doi.org/10.1016/j.ijpharm.2014.02.034>
- Nafisi, S., & Maibach, H. I. (2018). Skin penetration of nanoparticles. In *Emerging Nanotechnologies in Immunology: The Design, Applications and Toxicology of Nanopharmaceuticals and Nanovaccines*. Elsevier Inc. <https://doi.org/10.1016/B978-0-323-40016-9.00003-8>

- Nurulita, N. A., Sundhani, E., Amalia, I., Rahmawati, F., Nurhayati, N., & Utami, D. (2019). *Uji Aktivitas Antioksidan dan Anti-aging Body Butter dengan Bahan Aktif Ekstrak Daun Kelor (Antioxidant and Anti-aging activity of Moringa Leaves Extract Body Butter)*. 17(1), 1–8.
- Patwekar, S. L., Pedewad, S. R., & Gattani, S. (2018). Development and evaluation of nanostructured lipid carriers-based gel of isotretinoin. *Particulate Science and Technology*, 36(7), 832–843. <https://doi.org/10.1080/02726351.2017.1305026>
- Pencerah, T. S., Masri, M., Rahmat, D., & Wibowo, A. E. (2021). *Jurnal Sains dan Kesehatan*. 3(3), 478–487.
- Prow, T. W., Grice, J. E., Lin, L. L., Faye, R., Butler, M., Becker, W., Wurm, E. M. T., Yoong, C., Robertson, T. A., Soyer, H. P., & Roberts, M. S. (2011). Nanoparticles and microparticles for skin drug delivery. *Advanced Drug Delivery Reviews*, 63(6), 470–491. <https://doi.org/10.1016/j.addr.2011.01.012>
- Pyo, S. M., Meinke, M., Klein, A. F., Fischer, T. C., & Müller, R. H. (2016). A novel concept for the treatment of couperosis based on nanocrystals in combination with solid lipid nanoparticles (SLN). *International Journal of Pharmaceutics*, 510(1), 9–16. <https://doi.org/10.1016/j.ijpharm.2016.05.017>
- Rachmawati, A. L., & Surini, S. (2018). Formulasi dan Karakterisasi Nanopartikel Sambungsilang Gom Xantan dan Gom Akasia Untuk Penghantaran Insulin Oral. *Pharmaceutical Sciences and Research*, 5(3), 159–168. <https://doi.org/10.7454/psr.v5i3.4192>
- Rochman, M. F., Darmawan, A., & Wardhana, P. (2022). *Sistem Nanostructured Lipid Carriers Lemak Padat Poloksamer dan Asam Stearat dengan Lemak Cair Minyak Kedelai Nanostructured Lipid Carriers System Solid Lipid Poloxamer and Stearic Acid with Liquid Lipid Soybean Oil*. 8(1), 1–7.
- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019). Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1). <https://doi.org/10.17728/jatp.3722>
- Saez, V., Souza, I. D. L., & Mansur, C. R. E. (2018). Lipid nanoparticles (SLN & NLC) for delivery of vitamin E: a comprehensive review. *International Journal of Cosmetic Science*, 40(2), 103–116. <https://doi.org/10.1111/ics.12452>
- Sarhadi, S., Gholizadeh, M., Moghadasian, T., & Golmohammadzadeh, S. (2020). Moisturizing effects of solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) using deionized and magnetized water by in vivo and in vitro methods. *Iranian Journal of Basic*

- Medical Sciences*, 23(3), 337–343. <https://doi.org/10.22038/IJBMS.2020.39587.9397>
- Savić, V., Ilić, T., Nikolić, I., Marković, B., Čalić, B., Cekić, N., & Savić, S. (2019). Tacrolimus-loaded lecithin-based nanostructured lipid carrier and nanoemulsion with propylene glycol monocaprylate as a liquid lipid: Formulation characterization and assessment of dermal delivery compared to referent ointment. *International Journal of Pharmaceutics*, 569(August). <https://doi.org/10.1016/j.ijpharm.2019.118624>
- Sharma, G., Thakur, K., Raza, K., Singh, B., & Katare, O. P. (2017). Nanostructured lipid carriers: A new paradigm in topical delivery for dermal and transdermal applications. *Critical Reviews in Therapeutic Drug Carrier Systems*, 34(4), 355–386. <https://doi.org/10.1615/CritRevTherDrugCarrierSyst.2017019047>
- Shojaeiarani, J., Bajwa, D., & Holt, G. (2020). Sonication amplitude and processing time influence the cellulose nanocrystals morphology and dispersion. *Nanocomposites*, 0(0), 1–6. <https://doi.org/10.1080/20550324.2019.1710974>
- Siddiqui, A., Alayoubi, A., El-malah, Y., & Nazzal, S. (2013). Modeling the effect of sonication parameters on size and dispersion temperature of solid lipid nanoparticles (SLNs) by response surface methodology (RSM). 7450(ii), 1–5. <https://doi.org/10.3109/10837450.2013.784336>
- Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC): Occlusive Effect and Penetration Enhancement Ability.* (2015). June, 62–72.
- Souto, E. B., Baldim, I., Oliveira, W. P., Rao, R., Yadav, N., Gama, F. M., & Mahant, S. (2020). SLN and NLC for topical, dermal, and transdermal drug delivery. *Expert Opinion on Drug Delivery*, 17(3), 357–377. <https://doi.org/10.1080/17425247.2020.1727883>
- Sriarumtias, F. F., Tarini, S., & Damayanti, S. (2017). FORMULASI DAN UJI POTENSI ANTIOKSIDAN NANOSTRUCTURED LIPID CARRIER (NLC) RETINIL PALMITAT. 1.
- Subramaniam, B., Siddik, Z. H., & Nagoor, N. H. (2020). Optimization of nanostructured lipid carriers: understanding the types, designs, and parameters in the process of formulations. *Journal of Nanoparticle Research*, 22(6). <https://doi.org/10.1007/s11051-020-04848-0>
- Sulastri, A., & Chaerunisaa, A. Y. (2018). Formulasi Masker Gel Peel Off untuk Perawatan Kulit Wajah. *Farmaka*, 14(3), 17–26.
- Suratun, D. P. (2019). Pendidikan Kesehatan Tentang Pencegahan Penuaan Dini Di Sman 6 Palembang. 1(April), 92–98.
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2013). Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science and Emerging Technologies*, 19, 29–43. <https://doi.org/10.1016/j.ifset.2013.03.002>

- Tekade, R. K., Maheshwari, R., Tekade, M., & Chougule, M. B. (2017). Solid Lipid Nanoparticles for Targeting and Delivery of Drugs and Genes. In *Nanotechnology-Based Approaches for Targeting and Delivery of Drugs and Genes*. Elsevier Inc. <https://doi.org/10.1016/B978-0-12-809717-5.00010-5>
- Tirmiara, N., Arianto, A., & Bangun, H. (2018). Formulasi Dan Evaluasi Sediaan Nanoemulsi Gel Vitamin E (Alfa Tokoferol) Sebagai Anti-Aging kulit. *Talenta Conference Series: Tropical Medicine (TM)*, 1(3), 099–105. <https://doi.org/10.32734/tm.v1i3.270>
- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016). Formulation, characterisation, and in vitro skin diffusion of nanostructured lipid carriers for deoxyarbutin compared to a nanoemulsion and conventional cream. *Scientia Pharmaceutica*, 84(4), 634–645. <https://doi.org/10.3390/scipharm84040634>
- Vranešić-Bender, D. (2010). The role of nutraceuticals in anti-aging medicine. *Acta Clinica Croatica*, 49(4), 537–544.
- Wahyuningsih, K. A. (2011). Astaxanthin Memberikan Efek Proteksi Terhadap Photoaging. *Journal of Medicine*, 10(3), 149–160.