

DAFTAR PUSTAKA

- Abla, M. J. and Banga, A. K. (2014) 'Formulation of tocopherol nanocarriers and in vitro delivery into human skin', *International Journal of Cosmetic Science*, 36(3), pp. 239–246. doi: 10.1111/ics.12119.
- Carvajal-Vidal, P. *et al.* (2019) 'Development of Halobetasol-loaded nanostructured lipid carrier for dermal administration: Optimization, physicochemical and biopharmaceutical behavior, and therapeutic efficacy', *Nanomedicine: Nanotechnology, Biology, and Medicine*, 20, p. 102026. doi: 10.1016/j.nano.2019.102026.
- Dangmei, J. (2016) 'Social Entrepreneurship and Social Net- Works for Sustainable Rural Development in India', *Paripex - Indian Journal of Reserach*, 5(10), pp. 622–624. doi: 10.15373/22501991.
- Elmowafy, M. and Al-Sanea, M. M. (2021) 'Nanostructured lipid carriers (NLCs) as drug delivery platform: Advances in formulation and delivery strategies', *Saudi Pharmaceutical Journal*, 29(9), pp. 999–1012. doi: 10.1016/j.jsps.2021.07.015.
- Gaba, B. *et al.* (2015) 'Nanostructured lipid carrier system for topical delivery of terbinafine hydrochloride', *Bulletin of Faculty of Pharmacy, Cairo University*, 53(2), pp. 147–159. doi: 10.1016/j.bfopcu.2015.10.001.
- Hosseini Berenji, R. *et al.* (2021) 'Resveratrol entrapped food grade lipid nanocarriers as a potential antioxidant in a mayonnaise', *Food Bioscience*, 41(June 2020), p. 101041. doi: 10.1016/j.fbio.2021.101041.
- Kawish, S. M. *et al.* (2017) 'Development of nabumetone loaded lipid nano-scaffold for the effective oral delivery; optimization, characterization, drug release and pharmacodynamic study', *Journal of Molecular Liquids*, 231, pp. 514–522. doi: 10.1016/j.molliq.2017.01.107.
- Khoerunisa, I., Najihudin, A. and Hindun, S. (2020) 'Review Artikel: Solid Lipid Nanoparticles (Sln) Metode Dan Karakteristik', *Jurnal Insan Farmasi Indonesia*, 3(2), pp. 307–316. doi: 10.36387/jifi.v3i2.548.
- Lauterbach, A. and Müller-Goymann, C. C. (2015) 'Applications and limitations of lipid

- nanoparticles in dermal and transdermal drug delivery via the follicular route', *European Journal of Pharmaceutics and Biopharmaceutics*, 97(July), pp. 152–163. doi: 10.1016/j.ejpb.2015.06.020.
- Manosroi, A. *et al.* (2012) 'Anti-aging efficacy of topical formulations containing niosomes entrapped with rice bran bioactive compounds', *Pharmaceutical Biology*, 50(2), pp. 208–224. doi: 10.3109/13880209.2011.596206.
- Mishra, V. *et al.* (2018) 'Solid lipid nanoparticles: Emerging colloidal nano drug delivery systems', *Pharmaceutics*, 10(4), pp. 1–21. doi: 10.3390/pharmaceutics10040191.
- Moghddam, S. M. M. *et al.* (2017) 'Optimization of nanostructured lipid carriers for topical delivery of nimesulide using Box–Behnken design approach', *Artificial Cells, Nanomedicine and Biotechnology*, 45(3), pp. 617–624. doi: 10.3109/21691401.2016.1167699.
- Montenegro, L. *et al.* (2016) 'From nanoemulsions to nanostructured lipid carriers: A relevant development in dermal delivery of drugs and cosmetics', *Journal of Drug Delivery Science and Technology*, 32, pp. 100–112. doi: 10.1016/j.jddst.2015.10.003.
- Nafisi, S. and Maibach, H. I. (2018) *Skin penetration of nanoparticles, Emerging Nanotechnologies in Immunology: The Design, Applications and Toxicology of Nanopharmaceuticals and Nanovaccines*. Elsevier Inc. doi: 10.1016/B978-0-323-40016-9.00003-8.
- Patel, D. *et al.* (2012) 'Nanostructured lipid carriers (NLC)-based gel for the topical delivery of aceclofenac: Preparation, characterization, and in vivo evaluation', *Scientia Pharmaceutica*, 80(3), pp. 749–764. doi: 10.3797/scipharm.1202-12.
- Puglia, C. and Bonina, F. (2012) 'Lipid nanoparticles as novel delivery systems for cosmetics and dermal pharmaceuticals', *Expert Opinion on Drug Delivery*, 9(4), pp. 429–441. doi: 10.1517/17425247.2012.666967.
- Ribeiro, L. N. M. *et al.* (2017) 'Natural lipids-based NLC containing lidocaine: from pre-formulation to in vivo studies', *European Journal of Pharmaceutical Sciences*, 106, pp. 102–112. doi: 10.1016/j.ejps.2017.05.060.

- Rostamkalaei, S. S. *et al.* (2019) 'Topical gel of Metformin solid lipid nanoparticles: A hopeful promise as a dermal delivery system', *Colloids and Surfaces B: Biointerfaces*, 175(October 2018), pp. 150–157. doi: 10.1016/j.colsurfb.2018.11.072.
- Rowe et al., *nd Handbook Of Pharmaceutical Exipient*
- Sabzichi, M. *et al.* (2017) 'Vitamin D-Loaded Nanostructured Lipid Carrier (NLC): A New Strategy for Enhancing Efficacy of Doxorubicin in Breast Cancer Treatment', *Nutrition and Cancer*, 69(6), pp. 840–848. doi: 10.1080/01635581.2017.1339820.
- Saghafi, Z. *et al.* (2021) 'Preparation, characterization, and in vivo evaluation of perphenazine-loaded nanostructured lipid carriers for oral bioavailability improvement', *Drug Development and Industrial Pharmacy*, 47(3), pp. 509–520. doi: 10.1080/03639045.2021.1892745.
- Sharma, G. *et al.* (2017) 'Nanostructured lipid carriers: A new paradigm in topical delivery for dermal and transdermal applications', *Critical Reviews in Therapeutic Drug Carrier Systems*, 34(4), pp. 355–386. doi: 10.1615/CritRevTherDrugCarrierSyst.2017019047.
- Singhal, G. B. *et al.* (2011) 'Solid Lipid Nanoparticles and Nano Lipid Carriers: As novel solid lipid based drug carriers', *International Research Journal of Pharmacy*, 2(22), pp. 40–52.
- Souto, E. B. *et al.* (2020) 'SLN and NLC for topical, dermal, and transdermal drug delivery', *Expert Opinion on Drug Delivery*, 17(3), pp. 357–377. doi: 10.1080/17425247.2020.1727883.
- Subramaniam, B., Siddik, Z. H. and Nagoor, N. H. (2020) 'Optimization of nanostructured lipid carriers: understanding the types, designs, and parameters in the process of formulations', *Journal of Nanoparticle Research*, 22(6). doi: 10.1007/s11051-020-04848-0.
- Suryani *et al.* (2020) 'Preparation and evaluation of physical characteristics of vitamin e nanoemulsion using virgin coconut oil (VCO) and olive oil as oil phase with variation concentration of tween 80 surfactant', *Research Journal of Pharmacy and Technology*, 13(7), pp. 3232–3236. doi: 10.5958/0974-360X.2020.00572.7.
- Tamjidi, F. *et al.* (2013) 'Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules', *Innovative Food Science and Emerging Technologies*, 19, pp.

29–43. doi: 10.1016/j.ifset.2013.03.002.

Tofani, R. P., Sumirtapura, Y. C. and Darijanto, S. T. (2016) 'Formulation, characterisation, and in vitro skin diffusion of nanostructured lipid carriers for deoxyarbutin compared to a nanoemulsion and conventional cream', *Scientia Pharmaceutica*, 84(4), pp. 634–645. doi: 10.3390/scipharm84040634.

Vas, G. (2021) 'Evaluation of Vitamin E Acetate Volatile Degradation Products ; a possible Connection to the EVALI Epidemic open access Reviews in Separation Sciences Evaluation of Vitamin E Acetate Volatile Degradation Products ; a possible Connection to the EVALI Epide', (October). doi: 10.17145/rss.21.004.

Vinardell, M. P. (2015) 'Nanocarriers for Delivery of Antioxidants on the Skin', pp. 342–354. doi: 10.3390/cosmetics2040342.