

ABSTRAK

Gagal ginjal kronis merupakan gangguan fungsi ginjal yang sifatnya progresif atau tidak dapat pulih kembali dan memerlukan terapi hemodialisa sebagai pengganti fungsi ginjal yang rusak. Menurut *World Health Organization* (WHO), penyakit gagal ginjal kronis merupakan penyakit dengan angka kematian sebesar 850.000 jiwa per tahun. *Indonesian Renal Registry* (IRR) juga menyampaikan bahwa tahun 2017 mengalami peningkatan menjadi 108.723 pasien dan mengalami peningkatan ditahun menjadi 198.575 ditahun 2018. Pasien gagal ginjal kronis yang menjalani terapi hemodialisa dapat mengalami penurunan kualitas hidup. Oleh karena itu sangat pentingnya mengetahui dan memahami faktor-faktor yang mempengaruhi kualitas hidup pasien gagal ginjal kronis yang menjalani terapi hemodialisa. Tujuan penelitian ini adalah untuk mengidentifikasi faktor-faktor yang mempengaruhi kualitas hidup pasien gagal ginjal kronis yang menjalani terapi hemodialisa dengan populasi pada penelitian ini 2100 jurnal nasional(2010-2020). Metode penelitian yang digunakan adalah *studi literature* dengan teknik pengambilan sampel *purposive sampling*.Jumlah sampel yaitu 3 jurnal nasional bersertifikat ISSN. Hasil penelitian ini menunjukan bahwa faktor-faktor yang mempengaruhi kualitas hidup pasien gagal ginjal kronis yang menjalani hemodialisa, yaitu dukungan keluarga, usia, jenis kelamin dan pekerjaan. Diharapkan pelayanan kesehatan khususnya dalam pelayanan hemodialisa dapat meningkat dengan menyusun program penyuluhan kesehatan tentang pola hidup dan semangat hidup penderita gagal ginjal kronis yang menjalani terapi hemodialisa, sehingga kualitas hidup pasien gagal ginjal kronis terus meningkat.

Kata Kunci : Faktor-faktor, Gagal Ginjal Kronik, Hemodialisa, Kualitas Hidup

Sumber : 16 Jurnal (2010-2020), 2 buku (2010-2020), 2 Situs Internet (2010-2020)

ABSTRACT

Chronic renal failure is a progressive or irreversible renal function disorder and requires hemodialysis therapy to replace the damaged kidney function. According to the World Health Organization (WHO), chronic kidney failure is a disease with a death rate of 850,000 people per year. The Indonesian Renal Registry (IRR) also said that in 2017 there was an increase to 108,723 patients and an increase in the year to 198,575 in 2018. Chronic kidney failure patients undergoing hemodialysis therapy may experience a decrease in quality of life. Therefore, it is very important to know and understand the factors that affect the quality of life of chronic renal failure patients undergoing hemodialysis therapy. The aim of this study was to identify the factors that affect the quality of life of chronic renal failure patients undergoing hemodialysis therapy with a population in this study of 2100 national journals (2010-2020). The research method used is a literature study with a purposive sampling technique. The number of samples is 3 ISSN certified national journals. The results of this study indicate that the factors that influence the quality of life of patients with chronic kidney failure undergoing hemodialysis are family support, age, gender and occupation. It is hoped that health services, especially in hemodialysis services, can be improved by compiling a health education program about the lifestyle and enthusiasm for people with chronic kidney failure undergoing hemodialysis therapy, so that the quality of life for patients with chronic kidney failure continues to improve.

Keywords: *Factors, Chronic Kidney Failure, Hemodialysis, Quality of Life*

Source: *16 Journals (2010-2020), 2 books (2010-2020), 2 Internet Sites (2010-2020)*