

ABSTRAK

Gagal ginjal kronik merupakan gangguan penurunan fungsi ginjal dalam beberapa bulan atau tahun. Gagal ginjal kronik didefinisikan sebagai kerusakan ginjal atau penurunan *Glomerular Filtration Rate* (GFR) kurang dari 60mL/min/1,73 m selama minimal 3 bulan. Gagal ginjal kronik penyebab kematian di dunia dengan peringkat ke-27 tahun tahun 1990 dan meningkat menjadi ke-18 di tahun 2010. Kepatuhan terhadap pelaksanaan terapi sangat menunjang dalam meningkatkan kesehatan dan kesejahteraan pasien hemodialisa. Tujuan penelitian ini adalah untuk mengidentifikasi faktor-faktor yang mempengaruhi kepatuhan pasien gagal ginjal kronik dalam menjalani hemodialisa. Faktor-faktor yang mempengaruhi kepatuhan hemodialisa menurut model Kamerrer yaitu faktor pasien, sistem pelayanan kesehatan, dan petugas hemodialisa. Metode dalam penelitian ini menggunakan *literatur review* dengan teknik pengambilan sample *purposive sampling*. Jumlah sample yang digunakan sebanyak 4 jurnal nasional *full text* ber ISSN dan rentang diterbitkan 10 tahun. Hasil penelitian *literature review* didapatkan faktor yang mempengaruhi kepatuhan pasien gagal ginjal kronik dalam menjalani hemodialisa adalah faktor dukungan keluarga, pengetahuan dan lamanya sakit. Diharapkan pelayanan kesehatan khususnya dalam pelayanan pasien hemodialisa dapat meningkat dengan menyusun program penyuluhan kesehatan tentang pola hidup penderita gagal ginjal kronik yang menjalani hemodialisa.

Kata Kunci : Faktor-faktor, Gagal Ginjal Kronik, Hemodialisa, Kepatuhan,

Sumber : 6 Buku (2010-2020) + 16 Jurnal (2010-2020) + 4 Situs internet(2010-2020)

ABSTRACT

Chronic renal failure is a decrease in kidney function over a period of months or years. Chronic renal failure was defined as kidney damage or a decrease in Glomerular Filtration Rate (GFR) of less than 60mL / min / 1.73 m for at least 3 months. Chronic kidney failure is the leading cause of death in the world, ranking 27th in 1990 and increasing to 18th in 2010. Adherence to the implementation of therapy is very supportive in improving the health and well-being of hemodialysis patients. The aim of this study was to identify the factors that influence the compliance of patients with chronic renal failure in undergoing hemodialysis. Factors that influence hemodialysis compliance according to Kamerrer's model are patient factors, health service system, and hemodialysis staff. The method in this study used a literature review with purposive sampling technique. The number of samples used was 4 nationaljournals with full text ISSN and a span of 10 years published. The results of thestudy literature review found that the factors that influence chronic renal failure patient compliance in undergoing hemodialysis are family support factors, knowledge and duration of illness. It is hoped that health services, especially in hemodialysis patient services, can be improved by compiling a health education program about the lifestyle of patients with chronic kidney failure undergoing hemodialysis.

Keywords : Factors, Chronic Renal Failure, Hemodialysis, Adherence,

Source : 6 Books (2010-2020) + 16 Journals (2010-2020) + 4 Internet Sites (2010-2020)