

DAFTAR PUSTAKA

- Abd El-Aziz, A. B. (2013a). Improvement of Kojic Acid Production by a Mutant strain of *Aspergillus flavus*. In *Journal of Natural Sciences Research* www.iiste.org ISSN (Vol. 3, Issue 4). Online. www.iiste.org
- Abd El-Aziz, A. B. (2013b). Improvement of Kojic Acid Production by a Mutant strain of *Aspergillus flavus*. In *Journal of Natural Sciences Research* www.iiste.org ISSN (Vol. 3, Issue 4). Online. www.iiste.org
- Afifah, S. N., Ashari, E., & Salim, N. Nanomedicine formulation and evaluation of kojic monooleate in nanoemulsion for enhanced topical delivery. *International Journal of Nanomedicine*, 13, 123–132.
- Agilent Technologies Inc. (2019). *Corporate Philanthropy Report*, 34(11), 10–11. <https://doi.org/10.1002/CPRT.30448>
- Aji, A., Bahri, S., & Tantalia, T. (2017). PENGARUH WAKTU EKSTRAKSI DAN KONSENTRASI HCl UNTUK PEMBUATAN PEKTIN DARI KULIT JERUK BALI (*Citrus maxima*). *Jurnal Teknologi Kimia Unimal*, 6(1), 33–44. <https://doi.org/10.29103/JTKU.V6I1.467>
- Akamatsu, F., Oda, K., Fujita, A., Igi, Y., & Isogai, A. (2024). Carbon stable isotopes of glucose during the degradation of rice by the koji fungus *Aspergillus oryzae*. *Heliyon*, 10(13). <https://doi.org/10.1016/j.heliyon.2024.e33664>
- Alegantina, S., Isnawati Pusat Biomedis dan Teknologi Dasar Kesehatan, A., Penelitian dan Pengembangan Kesehatan, B., & Kesehatan, K. (n.d.). *Profil Disolusi Tablet Amlodipin dan Perbandingan Kadar Dua Produk Generik dengan Produk Inovator Dissolution Profile Amlodipine Tablet and Comparison of Two Generic Products with Innovator Product*.
- Amara, A. A., & El-Baky, N. A. (2023). Fungi as a Source of Edible Proteins and Animal Feed. *Journal of Fungi* 2023, Vol. 9, Page 73, 9(1), 73. <https://doi.org/10.3390/JOF9010073>
- Apitalau, E. A., Edy, H. J., & Mansauda, K. L. R. (2021). FORMULASI DAN UJI EFEKTIVITAS ANTIOKSIDAN SEDIAAN KRIM EKSTRAK ETANOL DAUN SALAM (*Syzygium Polyanthum* (Wight) Walpers.) DENGAN MENGGUNAKAN METODE DPPH (1,1-diphenyl-2-picrylhydrazyl). *PHARMACON*, 10(1). <https://doi.org/10.35799/pha.10.2021.32764>
- Armadany, F. I., Musnina, W. O. S., & Wilda, U. (2019). Formulasi dan Uji Stabilitas Lotion Antioksidan dari Ekstrak Etanol Rambut Jagung (*Zea mays* L.) sebagai Antioksidan dan Tabir Surya. *Pharmauho: Jurnal Farmasi, Sains, Dan Kesehatan*, 5(1). <https://doi.org/10.33772/pharmauho.v5i1.8996>

Aspergillus oryzae - Morphology, Usage and Genetics | Mold Busters. (n.d.). Retrieved 5 December 2024, from <https://library.bustmold.com/aspergillus/aspergillus-oryzae/>

Azzahra, A. F., Sukarna, D. K. P., & Suryadi, H. (2018). Optimization of *Aspergillus Oryzae* fermentation conditions for kojic acid production. *International Journal of Applied Pharmaceutics*, 10(Special Issue 1), 316–320. <https://doi.org/10.22159/ijap.2018.v10s1.70>

BADAN PENGAWAS OBAT DAN MAKANAN REPUBLIK INDONESIA. (n.d.).

Baroni, A., Buommino, E., De Gregorio, V., Ruocco, E., Ruocco, V., & Wolf, R. (2012). Structure and function of the epidermis related to barrier properties. In *Clinics in Dermatology* (Vol. 30, Issue 3, pp. 257–262). <https://doi.org/10.1016/j.clindermatol.2011.08.007>

Bastiaens, M., Hoefnagel, J., Westendorp, R., Vermeer, B. J., & Bavinck, J. N. B. (2004). Solar lentigines are strongly related to sun exposure in contrast to ephelides. *Pigment Cell Research*, 17(3), 225–229. <https://doi.org/10.1111/J.1600-0749.2004.00131.X>

Basu, S., Bose, C., Ojha, N., Das, N., Das, J., Pal, M., & Khurana, S. (2015). Evolution of bacterial and fungal growth media. In *Bioinformation* (Vol. 11, Issue 4). www.bioinformation.net

Biotechnological Application of Saccharomyces cerevisiae and Lactobacillus delbrueckii sp. bulgaricus for Protein Enrichment of Fermented Unmalted and Malted Sorghum (Sorghum bicolor (L.) Moench) - PubMed. (n.d.). Retrieved 7 November 2024, from <https://pubmed.ncbi.nlm.nih.gov/35155665/>

Bowers, A. N., Trujillo-Rodríguez, M. J., Farooq, M. Q., & Anderson, J. L. (2019). Extraction of DNA with magnetic ionic liquids using in situ dispersive liquid–liquid microextraction. *Analytical and Bioanalytical Chemistry*, 411(28), 7375–7385. <https://doi.org/10.1007/s00216-019-02163-9>

Budi Lusihanne, C., Andriana, M., Mareta Kurnia Sari, F., Bahagia Sumber Abadi, P., Tenganan, K., & Semarang, K. (2023). Perubahan Biokimiawi dan Fisik pada Fermentasi Koji oleh *Aspergillus oryzae* dalam Pembuatan Kecap The Biochemistry and Physical Changes in Koji Fermentation by *Aspergillus oryzae* in Sweet Soy Sauce Making. In *Universitas Kristen Satya Wacana Jl. Diponegoro* (Vol. 1, Issue 1). <https://ejournal.uksw.edu/jtm>

Cario, M. (2019). How hormones may modulate human skin pigmentation in melasma: An in vitro perspective. *Experimental Dermatology*, 28(6), 709–718. <https://doi.org/10.1111/exd.13915>

- CIR (Cosmetic Ingredient Review). (2024). Safety Assessment of Kojic Acid as Used in Cosmetics. Final Amended Report. <https://www.cir-safety.org>
- Cestari, T. F., Dantas, L. P., & Boza, J. C. (2014). Acquired hyperpigmentations. *Anais Brasileiros de Dermatologia*, 89(1), 11–25. <https://doi.org/10.1590/abd1806-4841.20142353>
- Chen, Z., & Huang, L. (2024). Different administration routes of tranexamic acid in the treatment of melasma. In *Chinese Journal of Plastic and Reconstructive Surgery* (Vol. 6, Issue 3, pp. 154–158). KeAi Communications Co. <https://doi.org/10.1016/j.cjprs.2024.06.006>
- Choi, W., Yin, L., Smuda, C., Batzer, J., Hearing, V. J., & Kolbe, L. (n.d.). *Molecular and histological characterization of age spots*. <https://doi.org/10.1111/exd.13203>
- Daba, G. M., Mostafa, F. A., & Elkhateeb, W. A. (2021). The ancient koji mold (*Aspergillus oryzae*) as a modern biotechnological tool. *Bioresources and Bioprocessing* 2021 8:1, 8(1), 1–17. <https://doi.org/10.1186/S40643-021-00408-Z>
- Ditjen POM.2000.Parameter Standar Umum Ekstrak Tumbuhan Obat. Cetakan Pertama.Jakarta : Departemen Kesehatan RI.
- Dionisio, K. L., Phillips, K., Price, P. S., Grulke, C. M., Williams, A., Biryol, D., Hong, T., & Isaacs, K. K. (2018a). Data Descriptor: The Chemical and Products Database, a resource for exposure-relevant data on chemicals in consumer products. *Scientific Data*, 5. <https://doi.org/10.1038/SDATA.2018.125>
- Dionisio, K. L., Phillips, K., Price, P. S., Grulke, C. M., Williams, A., Biryol, D., Hong, T., & Isaacs, K. K. (2018b). Data Descriptor: The Chemical and Products Database, a resource for exposure-relevant data on chemicals in consumer products. *Scientific Data*, 5. <https://doi.org/10.1038/SDATA.2018.125>
- Dzurendova, S., Losada, C. B., Dupuy-Galet, B. X., Fjær, K., & Shapaval, V. (2021). Mucoromycota fungi as powerful cell factories for modern biorefinery. *Applied Microbiology and Biotechnology* 2021 106:1, 106(1), 101–115. <https://doi.org/10.1007/S00253-021-11720-1>
- Faig, J. J., Moretti, A., Joseph, L. B., Zhang, Y., Nova, M. J., Smith, K., & Uhrich, K. E. (2017). Biodegradable Kojic Acid-Based Polymers: Controlled Delivery of Bioactives for Melanogenesis Inhibition. *Biomacromolecules*, 18(2). <https://doi.org/10.1021/acs.biomac.6b01353>
- Fatmawati, F. (2020). Uji Penghambatan Tirosinase Masker Gel Peel Off Yang Mengandung Rumpun Laut (*Euchema cottonii*) Dan Whey Kefir. *INDONESIA NATURAL RESEARCH PHARMACEUTICAL JOURNAL*, 5(1). <https://doi.org/10.52447/inspj.v5i1.1843>

- Giménez García, R. M., & Molina, S. C. (2019). Drug-Induced Hyperpigmentation: Review and Case Series. *Journal of the American Board of Family Medicine : JABFM*, 32(4), 628–638. <https://doi.org/10.3122/JABFM.2019.04.180212>
- Gomi, K. (2014). *Aspergillus: Aspergillus oryzae*. *Encyclopedia of Food Microbiology: Second Edition*, 92–96. <https://doi.org/10.1016/B978-0-12-384730-0.00011-2>
- Hung, C. T., Gao, H. W., Wu, B. Y., & Chiang, C. P. (2013). Mottled hyperpigmentation on the face and neck of a woman 35 years of age. In *Dermatologica Sinica* (Vol. 31, Issue 1, pp. 41–42). Elsevier Ltd. <https://doi.org/10.1016/j.dsi.2012.02.003>
- Ida, N., & S.F, N. (stabilitas-fisik-gel-ekstrak-lidah-buaya-aloe-vera-l.htmlMajalah stabilitas-fisik-gel-ekstrak-lidah-buaya-aloe-vera-l.htmlInfo/48034856-Uji-stabilitas-fisik-gel-ekstrak-lidah-buaya-aloe-vera-l.html
- Ismail, A. H., Syafiq, M., & Indra, R. (2020). Studi stabilitas viskositas krim asam kojat dan asam glikolat dalam penyimpanan. *Jurnal Farmasi dan Ilmu Kefarmasian Indonesia*, 7(1), 45–53.
- Khairunnissa, L. (2016). Formulasi Sediaan Krim Sari Buah Mangga (*Mangifera indica* L.) sebagai Pelembab Kulit. In Skripsi.
- Khanderao, M., & Jadhav, V. (2024). Formulation optimization of kojic acid dipalmitate emulsion using ternary phase diagram. *African Journal of Biological Sciences*, 5(2), 89–97.
- Kemp, W. L., Koponen, M. A., & Meyers, S. E. (2016). Addison Disease: The First Presentation of the Condition May be at Autopsy. *Academic Forensic Pathology*, 6(2), 249–257. <https://doi.org/10.23907/2016.026>
- Kolarsick, P. A., Ann Kolarsick, M., Goodwin, C., & Chapter, F. (2006). *Anatomy and Physiology of the Skin*.
- Lv, X., Xiang, C., Zheng, Y., Zhou, W.-X., & Lv, X.-L. (2024). Recent Developments in Using Microneedle Patch Technology as a More Efficient Drug Delivery System for Treating Skin Photoaging. *Clinical, Cosmetic and Investigational Dermatology, Volume 17*, 2417–2426. <https://doi.org/10.2147/CCID.S492774>
- Mardikasari, S. A., Akib, N., & Suryani, S. (2020a). FORMULASI DAN UJI STABILITAS KRIM ASAM KOJAT DALAM PEMBAWA VESIKEL ETOSOM. *Majalah Farmasi Dan Farmakologi*, 24(2). <https://doi.org/10.20956/mff.v24i2.10390>
- Mardikasari, S. A., Akib, N., & Suryani, S. (2020b). FORMULASI DAN UJI STABILITAS KRIM ASAM KOJAT DALAM PEMBAWA VESIKEL

- ETOSOM. *Majalah Farmasi Dan Farmakologi*, 24(2). <https://doi.org/10.20956/mff.v24i2.10390>
- Munchinamane, A. P., Mulukuri, S. N. V. L., Kumar, P., & V, S. M. N. (2024). Advances In Skin Lightening Agents: Mechanisms, Efficacy, And Safety Considerations. *International Journal of Pharmaceutical Sciences*, 02(06), 1–1. <https://doi.org/10.5281/ZENODO.12105303>
- Mutmainnah, P. A., Hakim, A., & Savalas, L. R. T. (2017). IDENTIFIKASI SENYAWA TURUNAN HASIL FRAKSINASI KAYU AKAR ARTOCARPUS ODORATISSIMUS. *Jurnal Penelitian Pendidikan IPA*, 3(2). <https://doi.org/10.29303/jppipa.v3i2.89>
- Mektildis, R. (2018). FormPoltekkes Kemenkes Etanol Kulit Batang Faloak (*Sterculia Quadrifida* R.Br). *Farmasi Poltekkes Kemenkes Kupang*. <https://doi.org/10.31227/osf.io/fujrb>
- Nealma, S. (2020). *Science and Technology FORMULASI DAN EVALUASI FISIK KRIM KOSMETIK DENGAN VARIASI EKSTRAK KAYU SECANG (Caesalpinia sappan) DAN BEESWAX SUMBAWA* (Vol. 4, Issue 2). <http://jurnal.uts.ac.id>
- Nurleni, N., Erviana, N., Firdiawan, A., & Sari, E. R. (2023a). FORMULASI SEDIAAN KRIM ASAM KOJAT DENGAN VARIASI ISOPROPIL MIRISTAT SEBAGAI ENHANCER DAN EVALUASI STABILITAS FISIKA WAKTU DIPERCEPAT DAN KIMIA. *Jurnal Ilmiah Bakti Farmasi*, 8(2). <https://doi.org/10.61685/jibf.v8i2.106>
- Nurleni, N., Erviana, N., Firdiawan, A., & Sari, E. R. (2023b). FORMULASI SEDIAAN KRIM ASAM KOJAT DENGAN VARIASI ISOPROPIL MIRISTAT SEBAGAI ENHANCER DAN EVALUASI STABILITAS FISIKA WAKTU DIPERCEPAT DAN KIMIA. *Jurnal Ilmiah Bakti Farmasi*, 8(2). <https://doi.org/10.61685/jibf.v8i2.106>
- Oda, K., Kobayashi, A., Ohashi, S., & Sano, M. (2011). *Aspergillus oryzae* laea regulates kojic acid synthesis genes. *Biosci Biotechnol Biochem*, 75(9), 1832–1834. <https://doi.org/10.1271/bbb.110235>
- Phasha, V., Senabe, J., Ndzotoyi, P., Okole, B., Fouche, G., & Chuturgoon, A. (2022). Review on the Use of Kojic Acid—A Skin-Lightening Ingredient. In *Cosmetics* (Vol. 9, Issue 3). MDPI. <https://doi.org/10.3390/cosmetics9030064>
- Prawira, A. Y., Hanadhita, D., Rahma, A., Supratikno, S., Novelina, S., & Agung Priyono, S. (2018). CHARACTERISTIC OF SKIN MORPHOLOGY OF SUNDA PORCUPINE (*Hystrix javanica*) WITH SPECIAL REFERENCE TO THE CONNECTIVE TISSUE. *Jurnal Kedokteran Hewan - Indonesian Journal of Veterinary Sciences*, 12(1). <https://doi.org/10.21157/j.ked.hewan.v12i1.6892>

- Rohim, F. (n.d.). *Laporan Kromatografi Kolom dan KLT*. Retrieved 2 February 2025, from https://www.academia.edu/52718729/Laporan_Kromatografi_Kolom_dan_KLT
- Rosfarizan, M., & Ariff, A. B. (2000). Kinetics of kojic acid fermentation by *Aspergillus flavus* using different types and concentrations of carbon and nitrogen sources. In *Journal of Industrial Microbiology & Biotechnology* (Vol. 25). <https://academic.oup.com/jimb/article/25/1/20/5990427>
- Saeedi, M., Eslamifar, M., & Khezri, K. (2019). Kojic acid applications in cosmetic and pharmaceutical preparations. In *Biomedicine and Pharmacotherapy* (Vol. 110, pp. 582–593). Elsevier Masson SAS. <https://doi.org/10.1016/j.biopha.2018.12.006>
- Sanchez, N. P., Pathak, M. A., Sato, S., Fitzpatrick, T. B., Sanchez, J. L., & Mihm, M. C. (1981). Melasma: A clinical, light microscopic, ultrastructural, and immunofluorescence study. *Journal of the American Academy of Dermatology*, 4(6), 698–710. [https://doi.org/10.1016/S0190-9622\(81\)70071-9](https://doi.org/10.1016/S0190-9622(81)70071-9)
- Stefyana Hernawati, author. (2019). *Optimasi sumber nitrogen kompleks, pH, dan kadar air awal medium untuk produksi asam kojat oleh aspergillus oryzae menggunakan fermentasi substrat padat = Optimization of complex nitrogen source, pH, and moisture content of medium for kojic acid production by aspergillus oryzae under solid-state fermentation*. Fakultas Farmasi Universitas Indonesia. <https://lib.ui.ac.id>
- Suryadi, H., & Sukarna, D. K. P. (2018). Kojic acid production using mixed cultures of *Aspergillus Oryzae* and *Aspergillus Tamaraii*. *International Journal of Applied Pharmaceutics*, 10(Special Issue 1). <https://doi.org/10.22159/ijap.2018.v10s1.62>
- Syafi'i, M., Rohaeti, E., Wahyuni, W. T., Rafi, M., & Septaningsih, D. A. (2018). Analisis Sidik Jari Kromatografi Lapis Tipis Rimpang Temu Mangga (*Curcuma mangga*). *Jurnal Jamu Indonesia*, 3(3). <https://doi.org/10.29244/jji.v3i3.68>
- Syder, N. C., Quarshie, C., & Elbuluk, N. (2023). Disorders of Facial Hyperpigmentation. *Dermatologic Clinics*, 41(3), 393–405. <https://doi.org/10.1016/J.DET.2023.02.005>
- Thamrin, N. F. (2012). Formulasi Sediaan Krim dari Ekstrak Etanol Kunyit (*Curcuma domesticae*. Val) dan Uji Efektivitas terhadap Bakteri *Staphylococcus aureus* [Skripsi]. NASPA Journal, 124.
- Vassilev, N., Vassileva, M., & Nikolaeva, I. (2006). Simultaneous P-solubilizing and biocontrol activity of microorganisms: Potentials and future trends. In *Applied Microbiology and Biotechnology* (Vol. 71, Issue 2, pp. 137–144). <https://doi.org/10.1007/s00253-006-0380-z>

- Wibowo, F. R., & Andriani, N. (2021). Review of Kojic Acid: Properties, stability, and potential as skin-lightening agent. *Cosmetics (MDPI)*, 8(3), 102. <https://doi.org/10.3390/cosmetics8030102>
- Yousef, H., Alhajj, M., Fakoya, A. O., & Sharma, S. (2024). Anatomy, Skin (Integument), Epidermis. *StatPearls*. <https://www.ncbi.nlm.nih.gov/books/NBK470464/>
- Yuan, Y., Jin, W., Nazir, Y., Fercher, C., Blaskovich, M. A. T., Cooper, M. A., Barnard, R. T., & Ziora, Z. M. (2020). Tyrosinase inhibitors as potential antibacterial agents. *European Journal of Medicinal Chemistry*, 187, 111892. <https://doi.org/10.1016/J.EJMECH.2019.111892>
- Zhang, X. J., He, P. P., Liang, Y. H., Yang, S., Yuan, W. T., Xu, S. J., & Huang, W. (2004). A Gene for *Freckles* Maps to Chromosome 4q32–q34. *Journal of Investigative Dermatology*, 122(2), 286–290. <https://doi.org/10.1046/J.0022-202X.2004.22244.X>
- Zhao, X., He, Z., Zhang, D., Li, H., & Ren, X. (2019). Study of Kojic Acid Extraction Method from Fermentation Broth. *IOSR Journal of Environmental Science*, 13(12).
- Zohri, A.-N. A., Mahmoud, G. A.-E., & Kamal-Eldin, N. A. (2024). Kojic acid: history, properties, biosynthesis, and applications. *Bioactive Microbial Metabolites*, 183–199. <https://doi.org/10.1016/B978-0-443-18568-7.00016-1>
- Zulkifli, N. A. (2015). *MORPHOLOGICAL AND MOLECULAR IDENTIFICATION OF ASPERGILLUS SPECIES ISOLATED FROM CORN FEED IN PENANG*.