

**ASUHAN KEPERAWATAN PADA PASIEN *POST SECTIO CAESAREA*
ATAS INDIKASI KETUBAN PECAH DINI DENGAN NYERI AKUT DI
RUANG ALAMANDA OBGYN RSUD MAJALAYA**

NENG MALA KOMALASARI

221FK01022

Program Studi DIII Keperawatan, Fakultas Keperawatan
Universitas Bhakti Kencana

ABSTRAK

Latar Belakang: *Sectio Caesarea* sering dilakukan pada kasus ketuban pecah dini untuk mencegah risiko pada ibu dan janin. Namun, prosedur ini dapat menimbulkan nyeri akut pascaoperasi yang mengganggu pemulihan dan interaksi ibu dengan bayi. Penanganan nyeri memerlukan pendekatan farmakologi dan non-farmakologi. Meningkatnya kasus SC di RSUD Majalaya, termasuk karena KPD, menjadikan masalah ini penting untuk dikaji dalam asuhan keperawatan. **Tujuan :** Untuk melakukan asuhan keperawatan secara komprehensif meliputi Pengkajian, Diagnosa keperawatan, intervensi, implementasi, dan evaluasi asuhan keperawatan pada pasien *post sectio caesarea* yang mengalami nyeri akut di Ruang Obgyn RSUD Majalaya. **Metode :** metode yang di gunakan adalah metode Deskriptif dengan pendekatan studi kasus Studi kasus yaitu untuk mengeksplorasi suatu masalah atau fenomena dengan batasan terperinci. Metode pengumpulan dat pada metode penelitian ini adalah wawancara, observasi, dan pemeriksaan fisik dan studi dan dokumentasi, Studi kasus me ini dilakukan pada 2 orang pasien SC dengan masalah keperawatan nyeri akut. **Hasil :** Setelah dilakukan asuhan keperawatan dengan memberikan intervensi keperawatan termasuk penerapan teknik relaksasi benson, masalah keperawatan nyeri akut pada kasus 1 dapat tertasi pada hari ke 3 dan pada kasus 2 masalah keperawatan nyeri akut dapat tertasi pada hari ke 3. **Diskusi :** Asuhan keperawatan komprehensif efektif mengurangi nyeri akut pada pasien *post sectio caesarea* akibat KPD. Intervensi farmakologis dan non-farmakologis, seperti terapi relaksasi benson, berhasil mengatasi nyeri dalam tiga hari, menunjukkan pentingnya peran keperawatan dalam pemulihan pascaoperasi.

Kata kunci: Ketuban_pecah_dini; Nyeri_akut; *Sectio_caesarea*

**NURSING CARE FOR POST-CESAREAN SECTION PATIENTS DUE TO
INDICATION OF PREMATURE RUPTURE OF MEMBRANES WITH
ACUTE PAIN IN THE ALAMANDA OBGYN ROOM, MAJALAYA
REGIONAL HOSPITAL**

NENG MALA KOMALASARI

221FK01022

*DIII Nursing Study Program, Faculty of Nursing
Bhakti Kencana University*

ABSTRACT

Background: Sectio Caesarea is often performed in cases of premature rupture of membranes to prevent risks to the mother and fetus. However, this procedure can cause acute postoperative pain that interferes with recovery and interaction between the mother and the baby. Pain management requires pharmacological and non-pharmacological approaches. The increasing cases of CS in Majalaya Hospital, including due to KPD, make this problem important to study in nursing care. **Objective:** To carry out comprehensive nursing care including Assessment, Nursing Diagnosis, intervention, implementation, and evaluation of nursing care in post sectio caesarea patients who experience acute pain in the Obgyn Room of Majalaya Hospital. **Method:** the method used is the Descriptive method with a case study approach Case studies are to explore a problem or phenomenon with detailed limitations. The data collection methods in this research method are interviews, observations, and physical examinations and studies and documentation. This case study was conducted on 2 CS patients with acute pain nursing problems. **Results:** After nursing care was carried out by providing nursing interventions including the application of Benson relaxation techniques, the acute pain nursing problem in case 1 could be resolved on the 3rd day and in case 2 the acute pain nursing problem could be resolved on the 3rd day. **Discussion:** Comprehensive nursing care is effective in reducing acute pain in post-cesarean section patients due to PROM. Pharmacological and non-pharmacological interventions, such as Benson relaxation therapy, successfully resolved pain within three days, indicating the importance of the role of nursing in postoperative recovery.

Keywords: Sectio Caesarea, premature rupture of membranes, acute pain