

## LAMPIRAN

### Lampiran 1. Bukti Determinasi Buah Mentimun



## INSTITUT TEKNOLOGI BANDUNG

### SEKOLAH ILMU DAN TEKNOLOGI HAYATI

Gedung Labtek XI, Jalan Ganesa No.10, Bandung 40132, Telp.: +6222 2511575, Fax.: +6222 2534107  
e-mail: sith@itb.ac.id situs: www.sith.itb.ac.id

Nomor : 2578/IT1.C11.2/TA.00/2025  
Hal : Determinasi tumbuhan

14 April 2025

Yth. Dekan  
Fakultas Farmasi  
Universitas Bhakti Kencana  
Jalan Soekarno Hatta No. 754  
Bandung

Memperhatikan permintaan Saudara dalam surat No. 0952/03.S1-FF/UBK/XII/2024 tanggal 16 Desember 2024 mengenai determinasi tumbuhan, dengan ini kami sampaikan bahwa setelah dilakukan pendeterminasian oleh staf kami, sampel tumbuhan yang dikirim oleh Sdr. Afifah Isybillah Ahmad (NIM: 231FF04035), yaitu:

No	Nama sampel	Hasil determinasi	Famili
1	Timun	<i>Cucumis sativus</i> L.	Cucurbitaceae

#### Referensi:

- de Wilde, W. J. J. O., & Duyfjes, B. (2010). Cucurbitaceae. *Flora Malesiana - Series 1, Spermatophyta*, 19(1), 1–333.

Demikian yang kami sampaikan. Atas perhatian dan kerjasama yang diberikan, kami ucapkan terima kasih.



Wakil Dekan Bidang Sumber Daya,


Angga Dwiartama, S.Si., M.Si., Ph.D.  
NIP. 198302052012121002

Tembusan:  
1. Dekan SITH ITB

Terakreditasi oleh:



**Lampiran 2. Hasil uji fitokimia ekstrak mentimun**

Kandungan	Hasil	Literatur
Alkaloid - Mayer: + (endapan putih) - Dragendroff: + (endapan jingga) - Bauchardat: + (endapan coklat)		(Agustin & Gunawan, 2019)
Flavonoid	 + Merah	
Tanin	 ++ Hijau gelap	
Saponin	 +++ Busa	
Steroid/Triterpenoid	 + Ungu kemerahan	

**Lampiran 3. CoA (Certificate of Analysis)****Kitosan Udang****Result Of Analysis**

pharma

Source : SHRIMPSHELL extract

Batch : chs\_0424

Production Date : April, 2024

Qty : 1Kg

Exp Date : April, 2027

Parameter	Result
Colour / Appearance	White
Particle Size	powder
Moisture Regaint	9.88%
Residue Of Ignition	0.89%
Degree Of Deacetylation	98.03%
Viscosity	198.21mPas
Molecular Weight	75.02KDa
Proteint Content	< 0.2 %
Heavy Metals	< 3ppm
Micro Organism	Negative

Indramayu, June 03rd, 2024

**Kitosan Udang  
Phy Edumedia**

QC &amp; QA

## PVP K30

COA Code: JHNHPK30PG(USP41)0002



JH Nanhang Life Sciences Co., Ltd.

## Certificate of Analysis

Product Name	Povidone K30	Batch No.	PK30-220919F31	Date of Mfg	20220919
Quantity	6000KG	Packaging	25KG/ Fibre Drum	Expiry Date	20260918
Source	PVP Workshop	Reference	USP41		
No.	Items	Specification			Test Results
1.	Appearance	White or yellowish-white, hygroscopic powder			Complies
2.	Solubility	Freely soluble in water, ethanol 96%, methanol, very slightly soluble in acetone			Complies
3.	Identifications A、B、C、D、E	Positive			Complies
4.	Appearance of solution	Clear and NMT B <sub>5</sub> , B <sub>Y6</sub> , or R <sub>6</sub>			Complies
5.	pH	3.0-5.0			3.4
6.	K-value	27.0-32.4			29.6
7.	Aldehydes, ppm	≤ 500			21.1
8.	Peroxides, ppm	≤ 400			189
9.	Formic acid, %	≤ 0.5			0.3
10.	Hydrazine, ppm	≤ 1			<1
11.	Impurity A(1-vinylpyrrolidin-2-one), ppm	≤ 10			0.22
12.	Impurity B (2-pyrrolidone), %	≤ 3.0			1.1
13.	Heavy metals, ppm	≤ 10			<10
14.	Lead, ppm	≤ 10			<10
15.	Water, %	≤ 5.0			2.9
16.	Sulphated ash, %	≤ 0.1			0.08
17.	Nitrogen content, %	11.5 - 12.8			12.0
18.	* Total Aerobic Plate count, CFU/g	≤100			<10
19.	* Total Mold/Yeast count, CFU/g	≤100			<10
20.	* E.coli , CFU/g	Not detected			Complies
21.	* Staphylococcus Aureus , CFU /g	Not detected			Complies
22.	* Pseudomonas Aeruginosa , CFU /g	Not detected			Complies
23.	* Salmonella, CFU /g	Not detected			Complies

Note: The above tests with \* are performed randomly.

Conclusion: Material meets the requirement for Povidone in USP41.

Completed by: Lan Qiao	Signature: <i>LAN Qiao</i>	Date: 30/9/2022
QC Manager: Tong Mengxin	Signature: <i>Tong Mengxin</i>	Date: 30/9/2022
Released by QA Manager: Zhang Ming	Signature: <i>Zhang Ming</i>	Date: 30/9/2022
Factory address: No.16 Luyin Road, Hi-Tech Industrial Zone, Quzhou, Zhejiang, 324004 P. R. China		
Website: <a href="http://www.jh-nh.com">www.jh-nh.com</a> E-mail: <a href="mailto:info@jh-nh.com">info@jh-nh.com</a> Contact person: Zhang Ming Tel: +86-0570-3883574		

## SSG

Sodium Starch Glycolate (Normal Residual Solvent Grade)-EP/BP	
Tests	Acceptance Criteria
Appearance	A white or almost white, fine, free-flowing powder, very hygroscopic
Solubility	Practically insoluble in methylene chloride. A translucent suspension in water
Identification A. pH B. Suspension test C. Iodine test D. Sodium test	5.5 ~ 7.5 A suspension forms that settles after standing The solution becomes blue or violet Dense white precipitate formed
Appearance of solution Clear  Colorless	The opalescence is not more pronounced than reference suspension I Not more intensely colored than reference solution B <sub>9</sub>
Assay	2.8 % ~ 4.2 % of sodium
Sodium chloride	≤ 7.0 %
Sodium glycolate	≤ 2.0 %
Loss on drying	≤ 10.0 %
Iron	≤ 20 ppm
Settling volume	< 45 mL
Degree of substitution	For reference
Microbial contamination	Absence of <i>Salmonella</i> species and <i>Escherichia coli</i>
Particle size d(90%)	≤ 82 μm

## Laktosa



DFE Pharma GmbH &amp; Co. KG / PO Box 20 21 20 / D-47568 Goch

Page nr. 1/2

0811342880-900001-20221010-133649-2006-3420\_FONT\_01-000001

**Certificate of Analysis**

<b>Customer number</b>	: 160560	<b>Lot/ Batchnumber</b>	: 23174701
<b>Delivery number</b>	: 811342880	<b>Date of production</b>	: 03.06.2022
<b>Delivery Date</b>	: 24.10.2022	<b>Expiry date</b>	: 01.06.2025
<b>Material number</b>	: 0743826	<b>Order number</b>	: 15452851
<b>Material description</b>	: HMS Impalpable (NZ) Milled lactose monohydrate USP-NF, Ph.Eur., JP Bag, PE liner, 25 kg net		
<b>Your order number</b>			: PH220517

Analysis				
Chemical & Physical				
Characteristic	Method of analysis	Unit	Specification	Results
Infrared absorption spectrum / Id A	USP-NF; Ph.Eur.; JP		Conforms to reference	Pass
Water / Id D Ph.Eur.	USP-NF; Ph.Eur.; JP	%(m)	4.5-5.5	5.1
Appearance of solution	Ph.Eur.		Not more intensely coloured than ref BY7	Pass
Lactose colour of sol.	USP-NF; JP		Nearly colourless	Pass
Lactose clarity of sol.	USP-NF; Ph.Eur.; JP		Clear	Pass
UV-Abs. 1% sol. 210-220 nm	USP-NF; Ph.Eur.; JP		0.00-0.25	0.02
UV-Abs. 1% sol. 270-300 nm	USP-NF; Ph.Eur.; JP		0.00-0.07	0.00
UV-Abs. 10% sol. 400 nm	USP-NF; Ph.Eur.; JP		0.00-0.04	0.00
Acidity (0.1N NaOH/6g)	USP-NF; Ph.Eur.; JP	ml	0.0-0.4	0.2
Specific optical rotation (anhydrous bas	USP-NF; Ph.Eur.; JP	Degree	54.4-55.9	55.1
Heavy Metals	USP-NF; Ph.Eur.; JP		max 5 ppm	Pass
Loss on Drying (2 hrs, 80°C)	USP-NF; JP	%(m)	0.0-0.5	0.1
Residue on ignition / Sulfated ash	USP-NF; Ph.Eur.; JP	%(m)	0.0-0.1	<0.1
Microbiological				
Characteristic	Method of analysis	Unit	Specification	Results
Total Aerobic Micro Count	Pharmacopela Harmonized Methods	cfu/g	0-100	<100
Total Yeast & Mould Count	Pharmacopela Harmonized Methods	cfu/g	0-10	<10
Escherichia coli (10 g)	Pharmacopela Harmonized Methods		Negative	Negative
Salmonella (750g)	equal to ISO 6579		Negative	Negative
OTHERS				
Characteristic	Method of analysis	Unit	Specification	Results
Particle size <75 µm	Internal, ATM sonic sifter	%(m)	78-86	81
Particle size <180 µm	Internal, ATM sonic sifter	%(m)	>=98	99

Manufacturer: DFE Pharma GmbH &amp; Co. KG, Goch, Germany (formerly named "DMV-Fonterra Excipients GmbH &amp; Co. KG")

**Lampiran 4. Dokumentasi penelitian**

Penyiapan Bahan



Pencampuran Bahan



Pembuatan masa kepal



Pembuatan ekstrudat



Pembuatan sferoid



Pengeringan sediaan



Uji LoD



Uji Laju Alir



Uji Sudut istirahat



Uji waktu melarut



Uji distribusi partikel



Uji dengan PSA

### Lampiran 5. Hasil uji evaluasi fisik

#### 1. Uji LOD

Formulasi	Pengulangan Ke- (%)			Rata-Rata	Sd
	1	2	3		
F1	2,16	2,12	2,14	2,14	0,02
F2	2,35	2,32	2,38	2,35	0,03
F3	2,21	2,25	2,26	2,24	0,026458
F4	2,45	2,47	2,49	2,47	0,02
F5	2,38	2,4	2,36	2,38	0,02

#### 2. Uji laju alir

Formulasi	Pengulangan ke- (gr/ detik)			Rata-Rata	Sd
	1	2	3		
F1	6,9	6,92	6,91	6,91	0,01
F2	6,99	7	6,98	6,99	0,01
F3	8,65	8,63	8,6	8,626666667	0,025166
F4	7,8	7,82	7,78	7,8	0,02
F5	7,31	7,32	7,34	7,32	0,015275

#### 3. Sudut istirahat

Formulasi	Pengulangan ke- (°)			Rata-rata	Sd
	1	2	3		
F1	30	29,6	29,9	29,83	0,208167
F2	30,76	30,65	30,46	30,62	0,151767
F3	28,51	29,6	28,92	29,01	0,550545
F4	32,96	32,57	32,27	32,6	0,345977
F5	31,93	31,18	31,86	31,66	0,414287

#### 4. Waktu melarut

Formulasi	Pengulangan ke- (menit)			Rata-rata	Sd
	1	2	3		
F1	4,35	4,31	4,33	4,33	0,02
F2	4,2	4,15	4,17	4,17	0,025166115
F3	3,5	3,55	3,4	3,48	0,076376262
F4	4,5	4,45	4,48	4,48	0,025166115
F5	4,47	4,45	4,48	4,47	0,015275252

## Lampiran 6. Hasil Uji Statistik Evaluasi Fisik Mikropartikel

### 1. Uji LOD

Tests of Normality							
formula	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk			
	Statistic	df	Sig.	Statistic	df	Sig.	
lod	f1	.175	3	.	1.000	3	1.000
	f2	.175	3	.	1.000	3	1.000
	f3	.314	3	.	.893	3	.363
	f4	.175	3	.	1.000	3	1.000
	f5	.175	3	.	1.000	3	1.000

a. Lilliefors Significance Correction

lod

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
f1	3	2.1400	.02000	.01155	2.0903	2.1897	2.12	2.16
f2	3	2.3500	.03000	.01732	2.2755	2.4245	2.32	2.38
f3	3	2.2400	.02646	.01528	2.1743	2.3057	2.21	2.26
f4	3	2.4700	.02000	.01155	2.4203	2.5197	2.45	2.49
f5	3	2.3800	.02000	.01155	2.3303	2.4297	2.36	2.40
Total	15	2.3160	.12034	.03107	2.2494	2.3826	2.12	2.49

#### Test of Homogeneity of Variances

lod

Levene Statistic	df1	df2	Sig.
.250	4	10	.903

#### ANOVA

lod

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	.197	4	.049	88.018	.000
Within Groups	.006	10	.001		
Total	.203	14			

## 2. Uji Laju Alir

**Tests of Normality**

formula	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
lajualir f1	.175	3	.	1.000	3	1.000
f2	.175	3	.	1.000	3	1.000
f3	.219	3	.	.987	3	.780
f4	.175	3	.	1.000	3	1.000
f5	.253	3	.	.964	3	.637

a. Lilliefors Significance Correction

**Descriptives**

lajualir

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
f1	3	6.9100	.01000	.00577	6.8852	6.9348	6.90	6.92
f2	3	6.9900	.01000	.00577	6.9652	7.0148	6.98	7.00
f3	3	8.6267	.02517	.01453	8.5642	8.6892	8.60	8.65
f4	3	7.8000	.02000	.01155	7.7503	7.8497	7.78	7.82
f5	3	7.3233	.01528	.00882	7.2854	7.3613	7.31	7.34
Total	15	7.5300	.65388	.16883	7.1679	7.8921	6.90	8.65

**Test of Homogeneity of Variances**

lajualir

Levene Statistic	df1	df2	Sig.
.818	4	10	.542

**ANOVA**

lajualir

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	5.983	4	1.496	5099.034	.000
Within Groups	.003	10	.000		
Total	5.986	14			

## 3. Uji Sudut Diam

**Tests of Normality**

formula	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
sudutdiam f1	.292	3	.	.923	3	.463
f2	.236	3	.	.977	3	.708
f3	.232	3	.	.980	3	.729
f4	.201	3	.	.994	3	.856
f5	.355	3	.	.819	3	.162

a. Lilliefors Significance Correction

**Descriptives**

sudutdiam

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
f1	3	29.8333	.20817	.12019	29.3162	30.3504	29.60	30.00
f2	3	30.6233	.15177	.08762	30.2463	31.0003	30.46	30.76
f3	3	29.0100	.55055	.31786	27.6424	30.3776	28.51	29.60
f4	3	32.6000	.34598	.19975	31.7405	33.4595	32.27	32.96
f5	3	31.6567	.41429	.23919	30.6275	32.6858	31.18	31.93
Total	15	30.7447	1.35506	.34987	29.9943	31.4951	28.51	32.96

**Test of Homogeneity of Variances**

sudutdiam

Levene Statistic	df1	df2	Sig.
1.476	4	10	.281

**ANOVA**

sudutdiam

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	24.385	4	6.096	46.128	.000
Within Groups	1.322	10	.132		
Total	25.707	14			

## 4. Uji Waktu Melarut

## Tests of Normality

formula	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
melarut f1	.175	3	.	1.000	3	1.000
f2	.219	3	.	.987	3	.780
f3	.253	3	.	.964	3	.637
f4	.219	3	.	.987	3	.780
f5	.184	3	.	.999	3	.927

a. Lilliefors Significance Correction

## Descriptives

melarut

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
f1	3	4.3300	.02000	.01155	4.2803	4.3797	4.31	4.35
f2	3	4.1733	.02517	.01453	4.1108	4.2358	4.15	4.20
f3	3	3.4833	.07638	.04410	3.2936	3.6731	3.40	3.55
f4	3	4.4767	.02517	.01453	4.4142	4.5392	4.45	4.50
f5	3	4.4733	.07506	.04333	4.2869	4.6598	4.40	4.55
Total	15	4.1873	.38464	.09931	3.9743	4.4003	3.40	4.55

## Test of Homogeneity of Variances

melarut

Levene Statistic	df1	df2	Sig.
1.857	4	10	.195

## ANOVA


melarut

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	2.045	4	.511	194.641	.000
Within Groups	.026	10	.003		
Total	2.071	14			

## Lampiran 7. Hasil Uji PSA Mikropartikel

Formula 1 (AF1T)


Result	
Concentration	0,29%
Span	0,67
Uniformity	0,205
Specific Surface Area	2,993 m <sup>2</sup> /kg
D [3;2]	2000 μm
D [4;3]	2140 μm
Dx (10)	1460 μm
Dx (50)	2110 μm
Dx (90)	2880 μm



F1	Number	Sample Name	Dx (10) (μm)	Dx (50) (μm)	Dx (90) (μm)
	63	AF1T	1460	2110	2880
	64	AF1T	1270	1870	2670
	65	AF1T	1250	1900	2740
	66	Average of 'AF1T'	1310	1960	2770
Mean			1320	1960	2770
1xStd Dev			96,3	107	87,4
1RSD (%)			7,29	5,47	3,16

## Formula 2 (AF2T)


Result	
Concentration	0,26%
Span	0,928
<i>Uniformity</i>	0,284
Specific Surface Area	3,907 m <sup>2</sup> /kg
D [3;2]	1540 μm
D [4;3]	1720 μm
Dx (10)	1030 μm
Dx (50)	1630 μm
Dx (90)	2550 μm



F2	Number	Sample Name	Dx (10) (μm)	Dx (50) (μm)	Dx (90) (μm)
	67	AF2T	1030	1630	2550
	68	AF2T	979	1590	2550
	69	AF2T	921	1550	2560
	70	Average of 'AF2T'	979	1590	2550
Mean			978	1590	2550
1xStd Dev			45,4	33,2	4,3
1RSD (%)			4,64	2,08	0,169

Formula 3 (AF3T) grafik bertumpuk nyaris sama persis pada pengulangan 1,2 dan 3

Result	
Concentration	0,30%
Span	0,821
Uniformity	0,249
Specific Surface Area	3,706 m <sup>2</sup> /kg
D [3;2]	1620 μm
D [4;3]	1770 μm
Dx (10)	1140 μm
Dx (50)	1700 μm
Dx (90)	2530 μm




— [71] AF3T-09/05/2025 12:28:24   
 — [72] AF3T-09/05/2025 12:36:06   
 — [73] AF3T-09/05/2025 12:38:15

F3	Number	Sample Name	Dx (10) (μm)	Dx (50) (μm)	Dx (90) (μm)
	71	AF3T	1140	1700	2530
	72	AF3T	1140	1710	2540
	73	AF3T	1140	1700	2530
	74	Average of 'AF3T'	1140	1700	2530
Mean			1140	1700	2530
1xStd Dev			2,75	3,27	2,64
1RSD (%)			0,241	0,192	0,104

## Formula 4 (AF4T)


Result	
Concentration	0,17%
Span	0,727
<i>Uniformity</i>	0,224
Specific Surface Area	3,410 m <sup>2</sup> /kg
D [3;2]	1760 μm
D [4;3]	1890 μm
Dx (10)	1270 μm
Dx (50)	1840 μm
Dx (90)	2610 μm



F4	Number	Sample Name	Dx (10) (μm)	Dx (50) (μm)	Dx (90) (μm)
	75	AF4T	1270	1840	2610
	76	AF4T	1270	1810	2550
	77	AF4T	1110	1790	2720
	78	Average of 'AF4T'	1210	1810	2630
Mean			1220	1810	2630
1xStd Dev			74,8	19,3	73
1RSD (%)			6,14	1,07	2,78

## Formula 5 (AF5T)


Result	
Concentration	0,15%
Span	0,764
<i>Uniformity</i>	0,237
Specific Surface Area	3,399 m <sup>2</sup> /kg
D [3;2]	1770 μm
D [4;3]	1920 μm
Dx (10)	1250 μm
Dx (50)	1860 μm
Dx (90)	2670 μm



— [79] AF5T-09/05/2025 12:52:00   
— [80] AF5T-09/05/2025 12:54:36   
— [81] AF5T-09/05/2025 12:57:26

F5	Number	Sample Name	Dx (10) (μm)	Dx (50) (μm)	Dx (90) (μm)
	79	AF5T	1250	1860	2670
	80	AF5T	1340	1830	2480
	81	AF5T	1300	1850	2570
	82	Average of 'AF5T'	1300	1840	2580
Mean			1300	1850	2580
1xStd Dev			34,6	14,4	77,7
1RSD (%)			2,67	0,78	3,02

Grafik puncak dari rata-rata tiap formula ( 1, 2, 3, 4, dan 5)



	Number	Sample Name	Dx (10) (µm)	Dx (50) (µm)	Dx (90) (µm)
	63	AF1T	1460	2110	2880
	64	AF1T	1270	1870	2670
	65	AF1T	1250	1900	2740
	66	Average of 'AF1T'	1310	1960	2770
	67	AF2T	1030	1630	2550
	68	AF2T	979	1590	2550
	69	AF2T	921	1550	2560
	70	Average of 'AF2T'	979	1590	2550
	71	AF3T	1140	1700	2530
	72	AF3T	1140	1710	2540
	73	AF3T	1140	1700	2530
	74	Average of 'AF3T'	1140	1700	2530
	75	AF4T	1270	1840	2610
	76	AF4T	1270	1810	2550
	77	AF4T	1110	1790	2720
	78	Average of 'AF4T'	1210	1810	2630
	79	AF5T	1250	1860	2670
	80	AF5T	1340	1830	2480
	81	AF5T	1300	1850	2570
	82	Average of 'AF5T'	1300	1840	2580
	Mean		1190	1780	2610
	1xStd Dev		138	138	102
	1RSD (%)		11,6	7,73	3,91


## Lampiran 8. Uji aktivitas antioksidan

### 1. Vitamin C

$\Lambda=516 \text{ nm}$




Absorban kontrol= 0,814

Konsentrasi ( $\mu\text{g/mL}$ )	Abs. Kontrol	Abs. vit C			% Inhibisi			IC50				
		1	2	3	1	2	3	1	2	3	Rata-rata	SD
1	0,814	0,728	0,732	0,732	10,565	10,074	10,074	6,315	6,288	6,272	6,292	0,021
2	0,814	0,708	0,709	0,71	13,022	12,899	12,776					
3	0,814	0,633	0,623	0,614	22,236	23,464	24,570					
4	0,814	0,502	0,503	0,497	38,329	38,206	38,943					
5	0,814	0,481	0,482	0,481	40,909	40,786	40,909					
6	0,814	0,427	0,427	0,428	47,543	47,543	47,420					






2. Ekstrak mentimun  
 $\Lambda=516 \text{ nm}$   
 Absorban kontrol= 0,660

Konsentrasi ( $\mu\text{g/mL}$ )	Abs. Kontrol	Abs. ekstrak mentimun			% Inhibisi			IC50				
		1	2	3	1	2	3	1	2	3	rata- rata	SD
50	0,66	0,371	0,371	0,371	43,788	43,788	43,788	70,286	70,800	70,977	70,688	0,359115
60	0,66	0,354	0,355	0,355	46,364	46,212	46,212					
70	0,66	0,321	0,324	0,327	51,364	50,909	50,455					
80	0,66	0,311	0,312	0,311	52,879	52,727	52,879					
90	0,66	0,296	0,296	0,296	55,152	55,152	55,152					
100	0,66	0,272	0,273	0,273	58,788	58,636	58,636					



3. Formula 1 Mikropartikel  
 $\Lambda=516$  nm  
 Absorban kontrol= 0,660

Konsentrasi ( $\mu\text{g/mL}$ )	Abs. Kontrol	Abs. formula 1			% Inhibisi			IC50				
		1	2	3	1	2	3	1	2	3	Rata- rata	SD
50	0,66	0,406	0,405	0,405	38,485	38,636	38,636	77,103	76,687	76,686	76,825	0,240
60	0,66	0,38	0,379	0,38	42,424	42,576	42,424					
70	0,66	0,355	0,354	0,354	46,212	46,364	46,364					
80	0,66	0,315	0,314	0,313	52,273	52,424	52,576					
90	0,66	0,293	0,291	0,291	55,606	55,909	55,909					
100	0,66	0,267	0,266	0,266	59,545	59,697	59,697					






## 4. Formula 2 Mikropartikel

$\Lambda=516 \text{ nm}$

Absorban kontrol= 0,660

Konsentrasi ( $\mu\text{g/mL}$ )	Abs. Kontrol	Abs. formula 2			% Inhibisi			IC50				
		1	2	3	1	2	3	1	2	3	rata- rata	SD
50	0,66	0,39	0,389	0,388	40,909	41,061	41,212	77,741	78,048	77,727	77,839	0,180
60	0,66	0,369	0,369	0,368	44,091	44,091	44,242					
70	0,66	0,353	0,353	0,352	46,515	46,515	46,667					
80	0,66	0,317	0,319	0,319	51,970	51,667	51,667					
90	0,66	0,304	0,304	0,305	53,939	53,939	53,788					
100	0,66	0,283	0,285	0,283	57,121	56,818	57,121					






## 5. Formula 3 Mikropartikel

 $\Lambda=516$  nm

Absorban kontrol= 0,660

Konsentrasi ( $\mu\text{g/mL}$ )	Abs. Kontrol	Abs. formula 3			% Inhibisi			IC50				
		1	2	3	1	2	3	1	2	3	rata- rata	SD
50	0,66	0,404	0,402	0,403	38,788	39,091	38,939	75,646	75,207	75,101	75,318	0,289
60	0,66	0,385	0,388	0,386	41,667	41,212	41,515					
70	0,66	0,351	0,354	0,352	46,818	46,364	46,667					
80	0,66	0,313	0,31	0,308	52,576	53,030	53,333					
90	0,66	0,287	0,283	0,283	56,515	57,121	57,121					
100	0,66	0,252	0,247	0,25	61,818	62,576	62,121					






## 6. Formula 4 Mikropartikel

$\Lambda=516 \text{ nm}$

Absorban kontrol= 0,660

Konsentrasi ( $\mu\text{g/mL}$ )	Abs. Kontrol	Abs. formula 4			% Inhibisi			IC50				
		1	2	3	1	2	3	1	2	3	Rata- rata	SD
50	0,66	0,407	0,408	0,407	38,333	38,182	38,333	80,586	80,380	80,559	80,508	0,112
60	0,66	0,387	0,387	0,386	41,364	41,364	41,515					
70	0,66	0,356	0,355	0,356	46,061	46,212	46,061					
80	0,66	0,327	0,327	0,326	50,455	50,455	50,606					
90	0,66	0,301	0,3	0,301	54,394	54,545	54,394					
100	0,66	0,287	0,286	0,288	56,515	56,667	56,364					






## 7. Formula 5 Mikropartikel

 $\Lambda=516$  nm

Absorban kontrol= 0,660

Konsentrasi ( $\mu\text{g/mL}$ )	Abs. Kontrol	Abs. formula 5			% Inhibisi			IC50				
		1	2	3	1	2	3	1	2	3	Rata- rata	SD
50	0,66	0,413	0,413	0,413	37,424	37,424	37,424	82,911	82,987	82,636	82,844	0,185
60	0,66	0,379	0,38	0,379	42,576	42,424	42,576					
70	0,66	0,353	0,352	0,352	46,515	46,667	46,667					
80	0,66	0,334	0,334	0,333	49,394	49,394	49,545					
90	0,66	0,31	0,311	0,31	53,030	52,879	53,030					
100	0,66	0,299	0,299	0,298	54,697	54,697	54,848					






## 8. Formula 3 Mikropartikel (tanpa ekstrak)

 $\Lambda=516$  nm

Absorban kontrol= 0,660

Konsentrasi ( $\mu\text{g/mL}$ )	Abs. Kontrol	Abs. formula 3 tanpa ekstrak			% Inhibisi			IC50				
		1	2	3	1	2	3	1	2	3	Rata- rata	SD
50	0,66	0,643	0,64	0,64	2,576	3,030	3,030	444,895	484,379	460,738	463,337	19,87
60	0,66	0,635	0,632	0,631	3,788	4,242	4,394					
70	0,66	0,63	0,628	0,627	4,545	4,848	5,000					
80	0,66	0,618	0,618	0,616	6,364	6,364	6,667					
90	0,66	0,613	0,612	0,61	7,121	7,273	7,576					
100	0,66	0,603	0,604	0,602	8,636	8,485	8,788					



## 9. Hasil uji statistik antioksidan

## Tests of Normality

formula	Kolmogorov-Smirnov <sup>a</sup>			Shapiro-Wilk		
	Statistic	df	Sig.	Statistic	df	Sig.
antioksidan f1	.363	3	.	.801	3	.117
f2	.371	3	.	.783	3	.074
f3	.316	3	.	.889	3	.352
f4	.341	3	.	.846	3	.231
f5	.307	3	.	.903	3	.396

a. Lilliefors Significance Correction

## Descriptives

antioksidan

	N	Mean	Std. Deviation	Std. Error	95% Confidence Interval for Mean		Minimum	Maximum
					Lower Bound	Upper Bound		
f1	3	76.72333	.056977	.032895	76.58180	76.86487	76.687	76.789
f2	3	77.83867	.181423	.104745	77.38799	78.28935	77.727	78.048
f3	3	75.31800	.288958	.166830	74.60019	76.03581	75.101	75.646
f4	3	80.50833	.111957	.064638	80.23022	80.78645	80.380	80.586
f5	3	82.84467	.184663	.106615	82.38594	83.30339	82.636	82.987
Total	15	78.64660	2.801733	.723404	77.09505	80.19815	75.101	82.987

## Test of Homogeneity of Variances

antioksidan

Levene Statistic	df1	df2	Sig.
2.893	4	10	.079

## ANOVA

antioksidan

	Sum of Squares	df	Mean Square	F	Sig.
Between Groups	109.563	4	27.391	823.575	.000
Within Groups	.333	10	.033		
Total	109.896	14			

## Lampiran 9. Bukti Cek Plagiarisme

skripsi mau cetak.docx

---

ORIGINALITY REPORT

---

<b>9%</b>	<b>11%</b>	<b>4%</b>	<b>3%</b>
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

---

PRIMARY SOURCES

---

<b>1</b>	<b>journals.upi-yai.ac.id</b> Internet Source	<b>1%</b>
<b>2</b>	<b>iontech.ista.ac.id</b> Internet Source	<b>1%</b>
<b>3</b>	<b>jurnal.kolibi.org</b> Internet Source	<b>1%</b>
<b>4</b>	<b>media.neliti.com</b> Internet Source	<b>1%</b>
<b>5</b>	<b>publikasiilmiah.unwahas.ac.id</b> Internet Source	<b>1%</b>
<b>6</b>	<b>repository.bku.ac.id</b> Internet Source	<b>1%</b>
<b>7</b>	<b>journal.untar.ac.id</b> Internet Source	<b>1%</b>
<b>8</b>	<b>Submitted to Universitas Binawan</b> Student Paper	<b>1%</b>
<b>9</b>	<b>repository.poltekkes-tjk.ac.id</b> Internet Source	<b>1%</b>

---

## Lampiran 10. Bimbingan Tugas Akhir

No	Tanggal	Pembimbing Proposal	Topik	Disetujui	Aksi
1	7 Oktober 2024	RAHMAT SANTOSO	Membahas Topik Penelitian		 
1	25 Oktober 2024	RAHMA ZISKA	membahas topik penelitian dan jurnal acuan		 
2	9 November 2024	RAHMA ZISKA	Laporan Kemajuan 1, dan membahas BAB 1		 
2	22 Oktober 2024	RAHMAT SANTOSO	Membahas alur penelitian		 
3	25 November 2024	RAHMA ZISKA	Pengumpulan BAB 1		 
3	30 Oktober 2024	RAHMAT SANTOSO	Membahas Latar Belakang		 
4	7 Desember 2024	RAHMA ZISKA	Pengumpulan ulang BAB 1 dan 2		 
4	2 November 2024	RAHMAT SANTOSO	Membahas sediaan mikro dan nano		 
5	21 Desember 2024	RAHMA ZISKA	Laporan Kemajuan 2, dan penyerahan bab 1,2,3		 
5	9 November 2024	RAHMAT SANTOSO	Laporan Kemajuan 1		 
6	15 November 2024	RAHMAT SANTOSO	Pembahasan pengujian ekstrak		 
7	3 Desember 2024	RAHMAT SANTOSO	Pembahasan bab 1 dan alur penelitian		 
8	7 Desember 2024	RAHMAT SANTOSO	Penyerahan bab 1,2,3		 
9	21 Desember 2024	RAHMAT SANTOSO	Laporan kemajuan 2		 

No	Tanggal	Dosen Pembimbing	Topik	Disetujui	Aksi
1	8 Maret 2025	RAHMAT SANTOSO	Konsultasi sediaan Mikro	✓	 
1	10 Maret 2025	RAHMA ZISKA	Konsultasi sediaan Mikro	✓	 
2	11 Maret 2025	RAHMAT SANTOSO	Konsultasi sediaan Mikro	✓	 
2	5 Mei 2025	RAHMA ZISKA	Laporan progress	✓	 
3	5 Mei 2025	RAHMAT SANTOSO	Laporan Kemajuan 1	✓	 
3	17 Mei 2025	RAHMA ZISKA	Laporan Kemajuan 1	✓	 
4	22 Mei 2025	RAHMA ZISKA	Laporan progress	✓	 
4	9 Mei 2025	RAHMAT SANTOSO	uji PSA	✓	 
5	27 Mei 2025	RAHMAT SANTOSO	Laporan progress	✓	 
5	17 Juni 2025	RAHMA ZISKA	Laporan progress	✓	 
6	17 Juni 2025	RAHMAT SANTOSO	Laporan kemajuan 2	✓	 
6	10 Juli 2025	RAHMA ZISKA	Revisi Draft Skripsi	✓	 
7	2 Juli 2025	RAHMAT SANTOSO	Konsultasi sediaan Nano	✓	 
7	4 Juli 2025	RAHMA ZISKA	Konsultasi Lanjutan	✓	 
8	5 Juli 2025	RAHMAT SANTOSO	Laporan progress	✓	 
8	10 Juli 2025	RAHMA ZISKA	Revisi draft	✓	 

**Lampiran 11. Curriculum Vitae****BIODATA**

Nama lengkap : Afifah Isybillah Ahmad  
Nama panggilan : Afifah  
Tempat/Tanggal lahir : Metro, 17 September 2001  
Jenis kelamin : Perempuan  
Agama : Islam  
Alamat : Jl. Anwar, Kelurahan Ganjar Asri, Kecamatan  
Metro Barat, Kota Metro, Provinsi Lampung  
Email : afifahisybillah20@gmail.com  
Nama Ayah : Ahmat Subandi  
Nama Ibu : Desy Eva Rohmahwati