

DAFTAR PUSTAKA

- Abdulhafiz, F., Mohammed, A., Reduan, M. F. H., Hamzah, Z., Kari, Z. A., & Téllez-Isaías, G. (2023). Evaluation of anti-hyperuricemic effects of *Alocasia longiloba* Miq. (Keladi Candik) extracts in potassium oxonate induced rat model. *Heliyon*, 9(7). <https://doi.org/10.1016/j.heliyon.2023.e18069>
- Afees, O. J., Ayodele, B. R., Gbenga, A., Taiye, A. S., Yinka, O. S., Dayo, O., Sunday, F. O., Leviticus, A., Esther, O. O., Igbo, E. J., Dorcas, T. ola, Toluwanimi, A., & Oladele, O. J. (2022). Localised streptozotocin-induced structural and cognitive changes in the hippocampal cornu ammonis 1 (CA-1) neurons and mitigating effects of *Zingiber officinale*. *Phytomedicine Plus*, 2(1), 100162. <https://doi.org/10.1016/j.phyplu.2021.100162>
- Al-Azzawie, H. F., & Abd, S. A. (2015). Effects of Crude Flavonoids from Ginger (*Zingiber officinale*), on Serum Uric Acid Levels, Biomarkers of Oxidative Stress and Xanthine Oxidase Activity in Oxonate-Induced Hyperuricemic Rats. *International Journal of Advanced Research*, 2(6), 55–61.
- Alatas, H. (2021). Penatalaksanaan Hiperurisemia Pada Penyakit Ginjal Kronik (CKD). *Herb-Medicine Journal*, 4(1), 1. <https://doi.org/10.30595/hmj.v4i1.5805>
- Aqsyah, M., & Mardiyanti, S. (2023). Formulasi dan Uji Aktivitas Krim Antibakteri Ekstrak Ethanol Jahe Gajah (*Zingiber officinale* Rosc.) Terhadap *Staphylococcus aureus*. *PharmaCine: Journal of Pharmacy, Medical and Health Science*, 4(1), 51–62. <https://doi.org/10.35706/pc.v4i1.9035>
- Arcusa, R., Villaño, D., Marhuenda, J., Cano, M., Cerdà, B., & Zafrilla, P. (2022). Potential Role of Ginger (*Zingiber officinale* Roscoe) in the Prevention of Neurodegenerative Diseases. *Frontiers in Nutrition*, 9(March). <https://doi.org/10.3389/fnut.2022.809621>
- Ballester, P., Cerdá, B., Arcusa, R., Marhuenda, J., Yamedjeu, K., & Zafrilla, P. (2022). Effect of Ginger on Inflammatory Diseases. *Molecules*, 27(21). <https://doi.org/10.3390/molecules27217223>
- Fathiah, F. (2022). IDENTIFIKASI TANAMAN JAHE (*Zingiber officinale*) BERDASARKAN MORFOLOGI. *Agrifor*, 21(2), 341. <https://doi.org/10.31293/agrifor.v21i2.6315>
- Gustiana, S., Mustariani, B. A. A., & Suryani, N. (2022). SKRINING FITOKIMIA DAN UJI AKTIVITAS ANTIBAKTERI KOMBINASI EKSTRAK ETANOL DAUN SELEDRI (*Apium graveolens*L.) DAN KELOR (*Moringa oleifera*L.) SEBAGAI ZAT AKTIF MASKER WAJAH. *JURNAL KIMIA & PENDIDIKAN KIMIA*.
- Hajimoosayi, F., Sadatmahalleh, S. J., Kazemnejad, A., & Pirjani, R. (2020). Effect of ginger on the blood glucose level of women with gestational diabetes mellitus (GDM) with impaired glucose tolerance test (GTT): A randomized

- doubleblind placebo-controlled trial. *BMC Complementary Medicine and Therapies*, 20(1), 1–7. <https://doi.org/10.1186/s12906-020-02908-5>
- Hardisari, R., & Koiriyah, B. (2016). Gambaran Kadar Trigliserida (Metode Gpo-Pap) Pada Sampel Serum dan Plasma EDTA. *Jurnal Teknologi Laboratorium*, 5, 27–31.
- Hasimun, P., Mulyani, Y., Rehulina, E., & Zakaria, H. (2020). Impact of Black Garlic on Biomarkers of Arterial Stiffness and Frontal QRS-T Angle on Hypertensive Animal Model. *Journal of Young Pharmacists*, 12(4), 338–342. <https://doi.org/10.5530/jyp.2020.12.88>
- Hasimun, P., Mulyani, Y., Sulaeman, A., & Embas Sara, D. A. (2019). Prevention of Hypertension and Arterial Stiffness by Combination of Centella asiatica and Curcuma longa in Rats. *Asian Journal of Biological Sciences*, 12(2), 173–179. <https://doi.org/10.3923/ajbs.2019.173.179>
- Hasimun, P., & Zakaria, H. (2020). PENGARUH KADAR TRIGLISERIDA TERHADAP KEKAKUAN ARTERI PADA MODEL HEWAN TIKUS WISTAR JANTAN. *Kartika: Jurnal Ilmiah Farmasi*, 7(2), 102. <https://doi.org/10.26874/kjif.v7i2.307>
- Joseph T DiPiro, G. C. Y. L. M. P. (2020). *Eleventh Edition Pharmacotherapy A Pathophysiologic Approach*. Mc Graw Hill.
- Kraaijenhof, J. M., & Stroes, E. S. G. (2023). Inflammatory Effects of Triglycerides: Relevant or Redundant? *JACC: Basic to Translational Science*, 8(5), 476–478. <https://doi.org/10.1016/j.jacbts.2023.04.005>
- Kusumayanti, G. A. D., Komang Wiardani, N., Antarini, A. A. N., Jurusan, D., Politeknik, G., & Denpasar, K. (2015). Pola Konsumsi Purin Dan Kegemukan Sebagai Faktor Risiko Hiperurisemia Pada Masyarakat Kota Denpasar. *Jurnal Skala Husada*, 12, 27–31.
- Laporan Riskesdas 2018 Nasional*. (n.d.).
- Li, G. Y., Qian, X. D., Ma, C. M., & Yin, F. Z. (2022). The dose-response relationship between sex hormones and hyperuricemia in different gender: NHANES 2013-2016. *Frontiers in Endocrinology*, 13(November), 1–10. <https://doi.org/10.3389/fendo.2022.1035114>
- Li, L., Zhang, Y., & Zeng, C. (2020). Update on the epidemiology, genetics, and therapeutic options of hyperuricemia. *American Journal of Translational Research*.
- Misbah, M. (2020). Ginger and its active compounds in management of hyperlipidemia and its associated diseases: A review. *Food Science & Nutrition*.
- Mubaraki, M. A., Thagfan, F. A., Alkhudhayri, A., Al-Shaebi, E. M., Maodaa, S. N., Abdel-Gaber, R., Hafiz, T. A., Al-Quraishy, S., & Dkhil, M. A. (2022). Zingiber officinale supplementation suppresses eimeriosis and regulates goblet cell response. *Saudi Journal of Biological Sciences*, 29(5), 3403–3407.

<https://doi.org/10.1016/j.sjbs.2022.02.025>

- Mundhe, S., & Mhasde, D. (2016). The study of prevalence of hyperuricemia and metabolic syndrome in type 2 diabetes mellitus. *International Journal of Advances in Medicine*. <https://doi.org/10.18203/2349-3933.ijam20160655>
- Nie, G., Wan, J. J., Jiang, L., Hou, S. K., & Peng, W. (2023). Correlation Analysis between Uric Acid and Metabolic Syndrome in the Chinese Elderly Population: A Cross-Sectional Study. *International Journal of Endocrinology*, 2023. <https://doi.org/10.1155/2023/8080578>
- Nile, S. H., & Park, S. W. (2015). Chromatographic analysis, antioxidant, anti-inflammatory, and xanthine oxidase inhibitory activities of ginger extracts and its reference compounds. *Industrial Crops and Products*, 70. <https://doi.org/10.1016/j.indcrop.2015.03.033>
- Paulis, L., Becker, S. T. R., Lucht, K., Schwengel, K., Slavic, S., Kaschina, E., Thöne-Reineke, C., Dahlöf, B., Baulmann, J., Unger, T., & Steckelings, U. M. (2012). Direct angiotensin II type 2 receptor stimulation in N ω- nitro-L-arginine-methyl ester-induced hypertension: The effect on pulse wave velocity and aortic remodeling. *Hypertension*, 59(2 SUPPL. 1), 485–492. <https://doi.org/10.1161/HYPERTENSIONAHA.111.185496>
- SARI, D., & NASUHA, A. (2021). Kandungan Zat Gizi, Fitokimia, dan Aktivitas Farmakologis pada Jahe (*Zingiber officinale* Rosc.): Review. *Tropical Bioscience: Journal of Biological Science*, 1(2), 11–18. <https://doi.org/10.32678/tropicalbiosci.v1i2.5246>
- Saz-Lara, A., Cavero-Redondo, I., Álvarez-Bueno, C., Notario-Pacheco, B., Ruiz-Grao, M. C., & Martínez-Vizcaíno, V. (2021). The acute effect of exercise on arterial stiffness in healthy subjects: A meta-analysis. *Journal of Clinical Medicine*, 10(2), 1–14. <https://doi.org/10.3390/jcm10020291>
- Seo, H. Y., Mun, C. Y., Park, C. Y., Bin Choi, S., Hwang, J. H., Lee, J. H., & Yoon, H. (2023). The relationship between hyperuricemia and anemia and metabolic syndrome in Korean adults: The Korea National Health and Nutrition Examination Survey 2019. *Primary Care Diabetes*, 17(1). <https://doi.org/10.1016/j.pcd.2022.11.007>
- Singh, J. A., & Cleveland, J. (2017). Allopurinol and the risk of ventricular arrhythmias in the elderly: A study using US Medicare data. *BMC Medicine*, 15(1), 1–11. <https://doi.org/10.1186/s12916-017-0816-6>
- Sitanggang, V. M. M., Kalesaran, A., & Kaunang, W. (2023). Analisis Faktor–Faktor Risiko Hiperurisemia Pada Masyarakat Di Pulau Manado Tua. *Jurnal Kesehatan Masyarakat*, 7(1), 228–243.
- Skoczyńska, M., Chowaniec, M., Szymczak, A., Langner-Hetmańczuk, A., Maciążek-Chyra, B., & Wiland, P. (2020). Pathophysiology of hyperuricemia and its clinical significance – a narrative review. *Reumatologia*, 58(5), 312–323. <https://doi.org/10.5114/reum.2020.100140>

- Sung, Y. Y., Yuk, H. J., & Kim, D. S. (2021). Saengmaeksan, a traditional herbal formulation consisting of Panax ginseng, ameliorates hyperuricemia by inhibiting xanthine oxidase activity and enhancing urate excretion in rats. *Journal of Ginseng Research*, 45(5), 565–574. <https://doi.org/10.1016/j.jgr.2021.01.001>
- Yanai, H., Adachi, H., Hakoshima, M., & Katsuyama, H. (2021). Molecular biological and clinical understanding of the pathophysiology and treatments of hyperuricemia and its association with metabolic syndrome, cardiovascular diseases and chronic kidney disease. *International Journal of Molecular Sciences*, 22(17). <https://doi.org/10.3390/ijms22179221>
- Zhang, M., Viennois, E., Prasad, M., Zhang, Y., Wang, L., Zhang, Z., Han, M. K., Xiao, B., Xu, C., Srinivasan, S., & Merlin, D. (2016). Edible ginger-derived nanoparticles: A novel therapeutic approach for the prevention and treatment of inflammatory bowel disease and colitis-associated cancer. *Biomaterials*, 101. <https://doi.org/10.1016/j.biomaterials.2016.06.018>
- Zhang, Y., Zhang, M., Yu, X., Wei, F., Chen, C., Zhang, K., Feng, S., Wang, Y., & Li, W. D. (2020). Association of hypertension and hypertriglyceridemia on incident hyperuricemia: an 8-year prospective cohort study. *Journal of Translational Medicine*, 18(1), 1–8. <https://doi.org/10.1186/s12967-020-02590-8>
- Ziga-Smajic, N., Skrbo, S., Muratovic, S., Pehlivanovic, B., Lagumdzija, D., & Omerovic, N. (2020). Comparison of the Effects of Allopurinol and Febuxostat on the Values of Triglycerides in Hyperuricemic Patients. *Medical Archives (Sarajevo, Bosnia and Herzegovina)*, 74(3), 172–176. <https://doi.org/10.5455/medarh.2020.74.172-176>