

ABSTRAK

Latar Belakang: Gangguan Jiwa merupakan masalah kesehatan yang jumlah penyakitnya terus meningkat. Gangguan Jiwa yang berbahaya dan tidak terkendali adalah *Skizofrenia*. *Skizofrenia* memiliki tanda gejala positif dan gejala negatif yaitu Isolasi Sosial. Isolasi Sosial adalah upaya klien untuk menghindari berinteraksi atau berkomunikasi dengan orang lain. Pada pasien dengan isolasi sosial mengalami perilaku tidak ingin berkomunikasi dengan orang lain, lebih menyukai berdiam diri, menghindar dari orang lain, jika hal ini dibiarkan terus menerus dan tidak ditangani dengan baik akan menyebabkan terjadinya gangguan persepsi sensori Halusinasi, Risiko perilaku kekerasan, kurangnya perawatan diri. **Metode:** Studi Kasus yaitu untuk mengeksplorasi suatu masalah atau fenomena dengan batasan terperinci, memiliki pengambilan data yang mendalam dan menyertakan berbagai sumber informasi. Studi Kasus ini dilakukan pada dua orang pasien Isolasi Sosial dengan masalah keperawatan. **Hasil:** setelah dilakukan asuhan keperawatan dengan memberikan intervensi keperawatan, masalah keperawatan Isolasi Sosial pada pasien 1 dapat teratasi pada hari ketiga sedangkan pada pasien ke 2 sampai hari ke tiga masalah belum teratasi karena pada pasien ke 2 belum mau berinteraksi dengan orang yang baru. **Diskusi:** pasien dengan masalah keperawatan Isolasi Sosial tidak selalu memiliki respon yang sama pada setiap *Pasien Skizofrenia* hal ini di pengaruhi oleh kondisi atau status kesehatan klien sebelumnya. Sehingga perawat harus melakukan asuhan yang komprehensif untuk menangani masalah keperawatan pada setiap pasien.

Kata Kunci: *skizofrenia*, isolasi sosial, asuhan keperawatan

ABSTRACT

Background: Mental disorders are a health problem whose number of illnesses continues to increase. A dangerous and uncontrollable mental disorder is schizophrenia. Schizophrenia has positive symptoms and negative symptoms, namely social isolation. Social isolation is a client's attempt to avoid interacting or communicating with other people. In patients with social isolation, they experience behavior that does not want to communicate with others, prefers silence, avoids other people, if this is allowed to continue and is not handled properly it will cause sensory perception disorders. Hallucinations, risk of violent behavior, lack of self-care . **Method:** Case study is to investigate a problem or phenomenon with detailed boundaries, has in-depth data collection and includes various sources of information. This case study was conducted on two Social Isolation patients with engagement problems. **Results:** after nursing care was carried out by providing interventions, the fellowship problem of Social Isolation in patient 1 could be resolved on the third day, while in patients 2 to 3 the problem was partially resolved, because patient 2 did not want to interact with new people. **Discussion:** patients with social isolation involvement problems do not always have the same response in every schizophrenia patient, this is influenced by the client's previous condition or health status. So nurses must carry out comprehensive care to deal with damage problems in each patient.

Keywords: schizophrenia, social isolation, nursing care