

DAFTAR PUSTAKA

- Abdullah, Mustafa. 2010. (2010). Pengaruh Kualitas Pelayanan dan Bauran Promosi Terhadap loyalitas Konsumen. Skripsi Universitas Pendidikan Indonesia.
- Abdul-Rahman, A. M., 2023. (n.d.).
- Alatas, H. (2021). PENATALAKSANAAN HIPERURISEMIA PADA PENYAKIT GINJAL KRONIK (CKD) (Vol. 4, Issue 1).
- Ali, H., Yesmin, R., Satter, M. A., Habib, R., & Yeasmin, T. (2018). Antioxidant and antineoplastic activities of methanolic extract of *Kaempferia galanga* Linn. Rhizome against Ehrlich ascites carcinoma cells. *Journal of King Saud University - Science*, 30(3), 386–392. <https://doi.org/10.1016/j.jksus.2017.05.009>
- Andriyono, R. I. (2019a). *Kaempferia galanga* L. sebagai Anti-Inflamasi dan Analgetik. In *Jurnal Kesehatan* (Vol. 10, Issue 3). Online. <http://ejurnal.poltekkes-tjk.ac.id/index.php/JK>
- Aprilita Rina Yanti Effl, S. T. R. 5HVWD 'ZL 6\DFK₂WUL2. (2016). (Eff et al., 2016). Original Article, 3(1).
- Apriliyani, S. A., Martono, Y., Riyanto, C. A., Mutmainah, M., & Kusmita, K. (2018). Validation of UV-VIS Spectrophotometric Methods for Determination of Inulin Levels from Lesser Yam (*Dioscorea esculenta* L.). *Jurnal Kimia Sains Dan Aplikasi*, 21(4), 161–165. <https://doi.org/10.14710/jksa.21.4.161-165>
- Arifin, B., Ibrahim, S., Kimia, J., Matematika, F., Ilmu, D., & Alam, P. (2018). STRUKTUR, BIOAKTIVITAS DAN ANTIOKSIDAN FLAVONOID STRUCTURE, BIOACTIVITY AND ANTIOXIDAN OF FLAVONOID. *Jurnal Zarah*, 6(1), 21–29.
- Ashley, N. T. , W. Z. M. , & N. R. J. (2012). Inflammation: Mechanisms, Costs, and Natural Variation. *Annual Review Evol. Syst.*, 12(43), 385–406.
- Bae, J., Park, K. Y., Son, S., Huh, Y., & Nam, G. E. (2023). Associations between obesity parameters and hyperuricemia by sex, age, and diabetes mellitus: A nationwide study in Korea. *Obesity Research and Clinical Practice*, 17(5), 405–410. <https://doi.org/10.1016/j.orcp.2023.09.007>
- Battelli, M. G., Bortolotti, M., Polito, L., & Bolognesi, A. (2018). The role of xanthine oxidoreductase and uric acid in metabolic syndrome. In *Biochimica et Biophysica Acta - Molecular Basis of Disease* (Vol. 1864, Issue 8, pp. 2557–2565). Elsevier B.V. <https://doi.org/10.1016/j.bbadis.2018.05.003>
- Benn, C. L., Dua, P., Gurrell, R., Loudon, P., Pike, A., Ian Storer, R., & Vangjeli, C. (2018). Physiology of hyperuricemia and urate-lowering

- treatments. In *Frontiers in Medicine* (Vol. 5, Issue MAY). Frontiers Media S.A. <https://doi.org/10.3389/fmed.2018.00160>
- Bove, M., Cicero, A. F. G., & Borghi, C. (2017). The Effect of Xanthine Oxidase Inhibitors on Blood Pressure and Renal Function. In *Current Hypertension Reports* (Vol. 19, Issue 12). Current Medicine Group LLC 1. <https://doi.org/10.1007/s11906-017-0793-3>
- Buku Spektro. (n.d.).
- Chan, S. M. H., Selemidis, S., Bozinovski, S., & Vlahos, R. (2019). Pathobiological mechanisms underlying metabolic syndrome (MetS) in chronic obstructive pulmonary disease (COPD): clinical significance and therapeutic strategies. *Pharmacology and Therapeutics*, 198, 160–188. <https://doi.org/10.1016/j.pharmthera.2019.02.013>
- Chang, Y. H., Chiang, Y. F., Chen, H. Y., Huang, Y. J., Wang, K. L., Hong, Y. H., Ali, M., Shieh, T. M., & Hsia, S. M. (2021). Anti-inflammatory and anti-hyperuricemic effects of chrysin on a high fructose corn syrup-induced hyperuricemia rat model via the amelioration of urate transporters and inhibition of nlrp3 inflammasome signaling pathway. *Antioxidants*, 10(4). <https://doi.org/10.3390/antiox10040564>
- Chen, M., Luo, J., Ji, H., Song, W., Zhang, D., Su, W., & Liu, S. (2023). Carnosine reduces serum uric acid in hyperuricemia rats via restoring hepatorenal dysfunction and enhancing uric acid excretion by inhibiting inflammation. *Journal of Functional Foods*, 110. <https://doi.org/10.1016/j.jff.2023.105863>
- Chen, Y., Li, C., Duan, S., Yuan, X., Liang, J., & Hou, S. (2019). Curcumin attenuates potassium oxonate-induced hyperuricemia and kidney inflammation in mice. *Biomedicine and Pharmacotherapy*, 118. <https://doi.org/10.1016/j.biopha.2019.109195>
- Choo, V. L. , V. E. , B. M. S. , C. A. I. , K. T. A. , H. V. , ... & S. J. L. (2018). Food sources of fructose-containing sugars and glycaemic control: systematic review and meta-analysis of controlled intervention studies. *BMJ*, k4644, 363.
- Desideri, G., & Borghi, C. (2023). Xanthine oxidase inhibition and cardiovascular protection: Don't shoot in the dark. *European Journal of Internal Medicine*, 113, 10–12. <https://doi.org/10.1016/j.ejim.2023.04.006>
- Dianati, N. A. (2015). Gout and Hyperuricemia. In *J MAJORITY* | , 4.
- Diniz, Y. S. , C. A. C. , P. C. R. , S. L. S. , F. L. A. , & N. E. L. B. (2021). Diets rich in saturated and polyunsaturated fatty acids: metabolic shifting and cardiac health. *Antioxidants*, 10(3), 454.
- Djumidar, Razak, Abd. R., Ridhay, A., Sumarni, N. K., Syamsuddin, Jusman, Nurhaeni, & Rahim, E. A. (2022). Aktivitas Antibakteri Ekstrak Kulit Batang Tumbuhan Johar (*Senna siamea* Lam) pada Berbagai Polaritas

- Pelarut. KOVALEN: Jurnal Riset Kimia, 8(2), 184–195.
<https://doi.org/10.22487/kovalen.2022.v8.i2.15970>
- Duong, N. T., Vinh, P. D., Thuong, P. T., Hoai, N. T., Thanh, L. N., Bach, T. T., Nam, N. H., & Anh, N. H. (2017). Xanthine oxidase inhibitors from *Archidendron clypearia* (Jack.) I.C. Nielsen: Results from systematic screening of Vietnamese medicinal plants. *Asian Pacific Journal of Tropical Medicine*, 10(6), 549–556.
<https://doi.org/10.1016/j.apjtm.2017.06.002>
- Egea, J., Fabregat, I., Frapart, Y. M., Ghezzi, P., Görlach, A., Kietzmann, T., Kubaichuk, K., Knaus, U. G., Lopez, M. G., Olaso-Gonzalez, G., Petry, A., Schulz, R., Vina, J., Winyard, P., Abbas, K., Ademowo, O. S., Afonso, C. B., Andreadou, I., Antelmann, H., ... Daiber, A. (2017). European contribution to the study of ROS: A summary of the findings and prospects for the future from the COST action BM1203 (EU-ROS). In *Redox Biology* (Vol. 13, pp. 94–162). Elsevier B.V.
<https://doi.org/10.1016/j.redox.2017.05.007>
- El Ridi, R., & Tallima, H. (2017). Physiological functions and pathogenic potential of uric acid: A review. In *Journal of Advanced Research* (Vol. 8, Issue 5, pp. 487–493). Elsevier B.V.
<https://doi.org/10.1016/j.jare.2017.03.003>
- Essawy, S. S. , A.-S. Khaled. , E. A. A. (2014). Comparing the effects of inorganic nitrate and allopurinol in renovascular complications of metabolic syndrome in rats: role of nitric oxide and uric acid. *Arch Med Sci*, 10(3), 537–545.
- Gherghina, M. E., Peride, I., Tiglis, M., Neagu, T. P., Niculae, A., & Checherita, I. A. (2022). Uric Acid and Oxidative Stress—Relationship with Cardiovascular, Metabolic, and Renal Impairment. In *International Journal of Molecular Sciences* (Vol. 23, Issue 6). MDPI.
<https://doi.org/10.3390/ijms23063188>
- Gong M, W. J. C. L. (2013). Effect of allopurinol on insulin resistance and adipocytokine levels in metabolic syndrome patients: a randomized controlled trial. *JAMA*, 24(310), 2583–2591.
- Gurung, G. & B. K. (2021). High-fructose diet induces endothelial dysfunction and hypertension through increased reactive oxygen species production and nitric oxide synthase uncoupling. *Journal of Hypertension*, 39(10), 2010–2019.
- Hadi, K., Permatasari, I., Pendidikan, J., Fakltas, K., Dan, T., Uin, K., & Riau, S. (n.d.). UJI FITOKIMIA KERSEN (*Muntingia calabura* .L) DAN PEMANFAATANYA SEBAGAI ALTERNATIF PENYEMBUHAN LUKA.
- Han, Q. X., Zhang, D., Zhao, Y. L., Liu, L., Li, J., Zhang, F., Luan, F. X., Liu, D. W., Liu, Z. S., Cai, G. Y., Chen, X. M., & Zhu, H. Y. (2019). Risk factors for hyperuricemia in Chinese centenarians and near-centenarians.

- Clinical Interventions in Aging, 14, 2239–2247. <https://doi.org/10.2147/CIA.S223048>
- Haryudin, W., Rostiana, O., Penelitian, B., Obat, T., & Aromatik, D. (2008). KARAKTERISTIK MORFOLOGI BUNGA KENCUR (*Kaempferia galanga* L.). In *Bul. Littro* (Vol. 2).
- Hasimun, P., & Zakaria, H. (2020). PENGARUH KADAR TRIGLISERIDA TERHADAP KEKAKUAN ARTERI PADA MODEL HEWAN TIKUS WISTAR JANTAN. *Kartika: Jurnal Ilmiah Farmasi*, 7(2), 102. <https://doi.org/10.26874/kjif.v7i2.307>
- Hayes, P. E., Matzke, G. R., & Talbert, R. L. (n.d.-a). PAST EDITORS OF PHARMACOTHERAPY Editions 2-10.
- Hidayah, H., Sri Gunarti, N., Pajri Rizki, H., Amal Fakultas Farmasi, S., Buana Perjuangan Jl Ronggowaluyo Sirnabaya, U. H., & Timur, T. (n.d.). Jurnal Ilmiah Farmako Bahari THE POTENTIAL OF THE SAMBUNG NYAWA PLANT (*Gynura procumbens*) AS AN ANTIHIPERURISEMIA BASED ON THE CONTENT OF ACTIVE SUBSTANCES: LITERATURE REVIEW ARTICLE. www.journal.uniga.ac.id
- Immanuel Jabriel Rambli, C., de Queljoe, E., & Simbala, H. E. (2019). UJI AKTIVITAS PENURUNAN KADAR ASAM URAT EKSTRAK ETANOL BUAH PINANG YAKI (*Areca vestiaria*) PADA TIKUS PUTIH GALUR WISTAR (*Rattus norvegicus*) YANG DIINDUKSI KALIUM OKSONAT (Vol. 8).
- Jahromy, M. H., Baghchesara, B., & Javanshir, S. (2022). Effects of Allopurinol as a xanthine oxidase inhibitor on depressive-like behavior of rats and changes in serum BDNF level. *IBRO Neuroscience Reports*, 13, 373–377. <https://doi.org/10.1016/j.ibneur.2022.10.004>
- James Veldman. (1994). *Anatomy and Physiology An Easy Learner* (Widyastuti Palupi, Ed.; III, Vol. 1). ECG.
- Janaszak-Jasiecka, A., Płoska, A., Wierońska, J. M., Dobrucki, L. W., & Kalinowski, L. (2023). Endothelial dysfunction due to eNOS uncoupling: molecular mechanisms as potential therapeutic targets. *Cellular and Molecular Biology Letters*, 28(1). <https://doi.org/10.1186/s11658-023-00423-2>
- Johnson, R. J., S. M. S., S. Y., N. T., F. D. I., K. D. H. & S.-L. L. G. (2007). Potential role of sugar (fructose) in the epidemic of hypertension, obesity and the metabolic syndrome, diabetes, kidney disease, and cardiovascular disease. *American Journal of Clinical Nutrition*, 86(4), 899–906.
- Juanda, D., Fidrianny, I., Wirasutisna, K. R., & Insanu, M. (2021). Evaluation of xanthine oxidase inhibitory and antioxidant activities of three organs of idat (*Cratoxylum glaucum korth.*) and correlation with phytochemical content. *Pharmacognosy Journal*, 13(4), 971–976. <https://doi.org/10.5530/pj.2021.13.125>

- Julianti, T. B., Bakar, M. F. A., & Wikantyasning, E. R. (2022). Phytochemical, Antioxidant Analysis and In Vitro Xanthine Oxidase Inhibitory Activity of *Kaempferia parviflora* and *Kaempferia galanga*. *Tropical Journal of Natural Product Research*, 6(12), 1981–1985. <https://doi.org/10.26538/tjnpr/v6i12.14>
- Kamilah Hayati, E., & Ningsih, R. (2015). Antioxidant Activity of Flavonoid from Rhizome *Kaempferia galanga* L. Extract. In *ALCHEMY: Journal of Chemistry* (Vol. 4, Issue Oktober).
- Kojima, S., Matsui, K., Ogawa, H., Jinnouchi, H., Hiramitsu, S., Hayashi, T., Yokota, N., Kawai, N., Tokutake, E., Uchiyama, K., Sugawara, M., Kakuda, H., Wakasa, Y., Mori, H., Hisatome, I., Waki, M., Ohya, Y., Kimura, K., & Saito, Y. (2017). Rationale, design, and baseline characteristics of a study to evaluate the effect of febuxostat in preventing cerebral, cardiovascular, and renal events in patients with hyperuricemia. *Journal of Cardiology*, 69(1), 169–175. <https://doi.org/10.1016/j.jjcc.2016.02.015>
- Krause, M. , R.-K. J. , O. C. , de V. G. , B. C. , M. C. , & N. P. (2020). The effects of fructose consumption on oxidative stress and inflammation in the liver and kidney in rats. . *Nutrition Research*, 76, 85–92.
- Kuate, D. , K. A. P. N. , B. C. P. N. et al. (2015). *Tetrapleura tetraptera* spice attenuates high-carbohydrate, high-fat diet-induced obese and type 2 diabetic rats with metabolic syndrome features. *Ipids Health Dis*, 14(50).
- Laporan Riskesdas 2018 Nasional. (n.d.).
- Li. L., Zhang, Y., & Zeng, C. 2020. (n.d.).
- Lin, L. , L. X. , & Z. M. (2018). Screening of xanthine oxidase inhibitor from selected edible plants and hypouricemic effect of *Rhizoma Alpiniae Officinarum* extract on hyperuricemic rats. *Journal of Functional Foods*, 50, 26–36.
- Liu J., L. Q. , L. X. , J. X. (2018). Fructose and potassium oxonate were used to establish the rat model of hyperuricemia. . *Genomics Appl. Biol*, 37(2), 667–674.
- Liu, N., Xu, H., Sun, Q., Yu, X., Chen, W., Wei, H., Jiang, J., Xu, Y., & Lu, W. (2021). The role of oxidative stress in hyperuricemia and xanthine oxidoreductase (XOR) inhibitors. In *Oxidative Medicine and Cellular Longevity* (Vol. 2021). Hindawi Limited. <https://doi.org/10.1155/2021/1470380>
- Lusis, A. J. (2000). Atherosclerosis. *Nature*, 407(6801), 233–241.
- Meng, W., Chen, L., Ouyang, K., Lin, S., Zhang, Y., He, J., & Wang, W. (2023). *Chimonanthus nitens* Oliv. leaves flavonoids alleviate hyperuricemia by regulating uric acid metabolism and intestinal homeostasis in mice. *Food Science and Human Wellness*, 12(6), 2440–2450. <https://doi.org/10.1016/j.fshw.2023.03.011>

- Metias, Y. M., Hosny, M. M., Ayad, M. M., & Kaji, N. (2022). High - throughput spectrofluorimetric approach for one-step, sensitive, and green assays of alfuzosin hydrochloride using a 96-well microplate reader: Application to tablet formulations and human urine. *Talanta Open*, 6. <https://doi.org/10.1016/j.talo.2022.100139>
- Nasir, M., Analis, J., Poltekkes, K., & Makassar, K. (2017). GAMBARAN ASAM URAT PADA LANSIA DI WILAYAH KAMPUNG SELAYAR KOTA MAKASSAR. *Jurnal Media Analis Kesehatan*, 8(2). <http://journal.poltekkes-mks.ac.id/ojs2/index.php/mediaanalis>
- Ndrepepa Gjin. (2018). Uric acid and cardiovascular disease. *Clinica Chimica Acta*, Volume 484, 150–163.
- Nguyen, T. D., Thuong, P. T., Hwang, I. H., Hoang, T. K. H., Nguyen, M. K., Nguyen, H. A., & Na, M. K. (2017). Anti-Hyperuricemic, Anti-Inflammatory and Analgesic Effects of *Siegesbeckia orientalis* L. Resulting from the Fraction with High Phenolic Content. *BMC Complementary and Alternative Medicine*, 17(1). <https://doi.org/10.1186/s12906-017-1698-z>
- Nile, S. H. , & P. S. W. (2015). Chromatographic analysis, antioxidant, anti-inflammatory, and xanthine oxidase inhibitory activities of ginger extracts and its reference compounds. *Industrial Crops and Products*, 70, 238–244.
- Noor Fajeriyati, Andika, 2017. (n.d.).
- Nornaimah Asem, N. A. A. G. N. H. A. H. E. A. O. (2019). Correlation between total phenolic and flavonoid contents with antioxidant activity of Malaysian stingless bee propolis extract. *Journal of Apicultural Research*, 59(4), 437–442.
- Nurjanah, A., Candra, N., & Setiawan, E. (n.d.-a). INHIBISI XANTIN OKSIDASE OLEH EKSTRAK DAUN SALAM (*Syzygium polyanthum*) XANTHINE OXIDASE INHIBITORY OF BAY (*Syzygium polyanthum*) LEAF.
- Nurjanah Fitri, Sumiwi Sri Adi, 2020. (n.d.).
- Nurmala, S., Rahminiwati, M., Sholehah, A. N., & Zaddana, C. (2024). THE EFFECT OF GALANGA RHIZOME (*Kaempferia galanga* L) EXTRACT ON THE MICE's MAMMARY GLANDS. In *Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage* (Issue 1). <http://jurnal.unpad.ac.id/ijpst/>
- Nurul, N., Fakultas, F., & Kesehatan, I. (n.d.). Efek Penghambatan Enzim Xantin Oxidase Kombinasi Ekstrak Kumis Kucing (*Orthosiphon aristatus* L.) dan Sidaguri Extract (*Sida rhombifolia* L.) Xanthine Oxidase Enzyme Inhibitory Effects of Combination Kumis Kucing (*Orthosiphon aristatus* L.) and Sidaguri Extract (*Sida rhombifolia* L.). *Jurnal Farmasi Indonesia*, 18(2).

- Othman, R. , I. H. , M. M. A. , M. M. R. , & A. K. (2006). Bioassay-guided isolation of a vasorelaxant active compound from *Kaempferia galanga* L. *Phytomedicine*, Volume 13(Issues 1–2), 61–66.
- Ou, R. , L. L. , Z. M. , & X. Z. (2020). Action mechanisms and interaction of two key xanthine oxidase inhibitors in galangal: Combination of in vitro and in silico molecular docking studies. *International Journal of Biological Macromolecules*, 162, 1526–1535.
- Pan, M. H. , H. M. C. , H. P. C. , H. S. Y. , L. C. S. , W. H. , & H. C. T. (2011). 6-Shogaol induces apoptosis in human colorectal carcinoma cells via ROS production, caspase activation, and GADD 153 expression. *Molecular Nutrition & Food Research*, 52(5), 527–537.
- Patel, C. , G. H. , R. S. , D.-J. S. , S. C. L. , & D. P. (2021). Prolonged reactive oxygen species generation and nuclear factor- κ B activation after a high-fat, high-carbohydrate meal in the obese. . *Journal of Clinical Endocrinology & Metabolism*, 106(2), 444–453.
- Peredo-Lovillo, A. , G.-C. A. F. , H.-M. A. , & V.-C. B. (2021). Xanthine oxidase inhibitory activity and antioxidant capacity of postbiotics from *Lactobacillus casei*. *Journal of Dairy Science*, 104(4), 3720–3731.
- Pereira, T. C. C. dan J. Cardoso. (2015). Novel methods for pulse wave velocity measurement. *Journal of Medical and Biological Engineering*, 35(5), 555–565.
- Perhimpunan Reumatologi Indonesia. (2018).
- Putri Nurul Eka, Rissyelly, Mauldina Marista Gilang, 2016. (n.d.).
- Qazi, S. U. , Q. U. , M. M. T. (2023). Efficacy of Allopurinol in Improving Endothelial Dysfunction: A Systematic Review and Meta-Analysis. *High Blood Pressure & Cardiovascular Prevention*, 30, 539–550.
- Rahmawati, F., Kurniaty, L., & Bintang, M. (n.d.). SKRINING GOLONGAN SENYAWA AKTIF DAN ANALISIS TOKSISITAS EKTRAKS BIJI KABAU (*Archidendron Bubalinum*).
- Raina, A. P. , A. Z. , & S. N. (2015). Diversity analysis of *Kaempferia galanga* L. germplasm from South India using DIVA-GIS approach. *Industrial Crops and Products*, Volume 69, 433–439.
- Ranasinghe, P., Mathangasinghe, Y., Jayawardena, R., Hills, A. P., & Misra, A. (2017). Prevalence and trends of metabolic syndrome among adults in the Asia-Pacific region: A systematic review. *BMC Public Health*, 17(1). <https://doi.org/10.1186/s12889-017-4041-1>
- Retraction: Research Progress on the Relationship between Dietary Patterns and Hyperuricemia (*Applied Bionics and Biomechanics* (2022) 2022 (5658423) DOI: 10.1155/2022/5658423). (2023). In *Applied Bionics and Biomechanics* (Vol. 2023). Hindawi Limited. <https://doi.org/10.1155/2023/9795149>

- Riasari, H., Rachmaniar, R., & Wahyuni, S. (2019). Evaluation Patch of Rhizoma Extract Kencur (*Kaempferia galanga* L.) as Anti-Inflammatory with Enhancer. In Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage (Issue 2). <http://jurnal.unpad.ac.id/ijpst/>
- Riswana, I., & Mulyani, N. S. (2022). Faktor risiko yang mempengaruhi kadar asam urat pada penderita hiperurisemia di wilayah kerja Puskesmas Muara Satu Kota Lhokseumawe. *Darussalam Nutrition Journal*, 6(1), 29. <https://doi.org/10.21111/dnj.v6i1.6909>
- Roy, R., Wilcox, J., Webb, A. J., & O’Gallagher, K. (2023). Dysfunctional and Dysregulated Nitric Oxide Synthases in Cardiovascular Disease: Mechanisms and Therapeutic Potential. In *International Journal of Molecular Sciences* (Vol. 24, Issue 20). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/ijms242015200>
- Rukmana, R. (1994). Kencur Rahmat Rukmana. Yogyakarta Kanisius 1994.
- Russo, E., Viazzi, F., Pontremoli, R., Barbagallo, C. M., Bombelli, M., Casiglia, E., Cicero, A. F. G., Cirillo, M., Cirillo, P., Desideri, G., D’Elia, L., Ferri, C., Galletti, F., Gesualdo, L., Giannattasio, C., Iaccarino, G., Leoncini, G., Mallamaci, F., Maloberti, A., ... Borghi, C. (2022). Association of uric acid with kidney function and albuminuria: the Uric Acid Right for heArt Health (URRAH) Project. *Journal of Nephrology*, 35(1), 211–221. <https://doi.org/10.1007/s40620-021-00985-4>
- Selvam, R. , K. T. B. (1987). Induction of lipid peroxidation by oxalate in experimental rat urolithiasis. *Journal of Biosciences*, Volume 12, 367–373.
- Shetu, H. J., Taskina Trisha, K., Sikta, S. A., Anwar, R., Sakib, S., Rashed, B., & Dash, R. (2018). Pharmacological importance of *Kaempferia galanga* (Zingiberaceae): A mini review. In *International Journal of Research in Pharmacy and Pharmaceutical Sciences* (Vol. 32). www.pharmacyjournal.in
- Simão, T. N. C. , L. M. A. B. , S. A. N. C. , & O. S. R. (2020). Effects of fructose and fish oil consumption on oxidative stress and nitric oxide production in rats. *Nutrition*, 71, 110–631.
- Softic, S. , G. M. K. , W. G. X. , F. S. , O. B. T. , R. T. N. , W. J. , H. C. , F. K. , I. O. , N. C. B. , C. D. E. , & K. C. R. (2017). Divergent effects of glucose and fructose on hepatic lipogenesis and insulin signaling. *The Journal of Clinical Investigation*, 127(11), 4059–4074.
- Soniman, M., Syaputra, D., Kurniawan Jurusan Akuakultur, A., Pertanian Perikanan dan Biologi, F., Bangka Belitung, U., Balun ijuk Sungailiat, J., & Bangka, K. (n.d.). EFEKTIVITAS SENYAWA AKTIF KOMBINASI KENCUR *Kaempferia galanga* DAN ILALANG *Imperata cylindrica* SECARA IN VITRO TERHADAP BAKTERI GRAM POSITIF DAN BAKTERI GRAM NEGATIF EFFECTIVITY OF KENCUR COMBINATION ACTIVE COMPOUNDS *Kaempferia galanga* DAN

AND ILALANG *Imperata cylindrica* IN VITRO AGAINST POSITIVE GRAM BACTERIA AND NEGATIVE GRAM BACTERIA.

- Stanhope, K. L. , S. J. M. , K. N. L. , G. S. C. , B. A. A. , G. J. L. , & H. P. J. (2019). Consuming fructose-sweetened, not glucose-sweetened, beverages increases visceral adiposity and lipids and decreases insulin sensitivity in overweight/obese humans. . *Journal of Clinical Investigation*, 119(5), 1322–1334.
- Suhardiman, A., Dadang, J., Sekolah, T., & Farmasi, B. (2019). PENGEMBANGAN OBAT HERBAL FRAKSI DAUN GAHARU (*Aquilaria malaccensis* Lam) DALAM BENTUK GEL UNTUK PENYEMBUHAN LUKA BAKAR. In *JSTFI Jurnal Sains dan Teknologi Farmasi Indonesia: Vol. VIII (Issue 1)*.
- SUNITA ALMATSIER. (2008). PENUNTUN DIET INSTALANSI GIZI PERJAN RS DR. CIPTO MANGUNKUSUMO DAN ASOSIASI DIETISIEN INDONESIA.
- Sya'diyah, Hidayatus, 2018. (n.d.).
- Tang. (2020). Fructose-induced hepatocyte oxidative stress mediated by nicotinamide adenine dinucleotide phosphate oxidase: Role of antioxidants. Tang, C., Ye, S., Zhang, W., Liu, F., Gao, X., & Liu, S., 82, 108–385.
- Tang, X. , L. R. , Y. L. , J. Z. , Z. Y. dan L. S. (2014). Ferronickel enrichment by fine particle reduction and magnetic separation from nickel laterite ore. *International Journal of Minerals, Metallurgy, and Materials*, Volume 21, 955–961.
- Tappy, L. , & L. K. A. (2010). Metabolic effects of fructose and the worldwide increase in obesity. *Physiological Reviews*, 90(1), 23–46.
- Tateya, S. , K. F. , & T. Y. (2020). Recent advances in obesity-induced inflammation and insulin resistance. *Frontiers in Endocrinology*, 11, 594041.
- Tumbuhan Bermanfaat Di Pekarangan Oleh Etnis Sunda Di Desa Sindang Jaya, K., & Silalahi, M. (2019). Marina Silalahi KEANEKARAGAMAN TUMBUHAN BERMANFAAT DI PEKARANGAN OLEH ETNIS SUNDA DI DESA SINDANG JAYA KABUPATEN CIANJUR JAWA BARAT. In *Jurnal Pendidikan Matematika dan IPA (Vol. 10, Issue 1)*. <http://jurnal.untan.ac.id/index.php/PMP>
- Umar, M. I., Asmawi, M. Z., Sadikun, A., Atangwho, I. J., Yam, M. F., Altaf, R., & Ahmed, A. (2012). Bioactivity-guided isolation of ethyl-p-methoxycinnamate, an anti-inflammatory constituent, from *Kaempferia galanga* L. extracts. In *Molecules (Vol. 17, Issue 7, pp. 8720–8734)*. <https://doi.org/10.3390/molecules17078720>
- Wahyu, F., Rumah, W., & Aminah Blitar, S. (n.d.). ARTRITIS GOUT DAN PERKEMBANGANNYA.

- Wang, J. , C. Y. , Z. H. , C. F. , R. J. , H. X. , C. L. , & F. F. (2022). The gut microbiota as a target to control hyperuricemia pathogenesis: Potential mechanisms and therapeutic strategies. *Critical Reviews in Food Science and Nutrition*, Volume 62(issue 14), 3979–3989.
- Wang, X. , S. Z. , & C. Y. (2019). High fructose diet-induced metabolic syndrome: Pathophysiological mechanisms and therapeutic strategies. *Asia Pacific Journal of Clinical Nutrition*, 28(3), 484–493.
- Waring, W. S. , W. D. J. , & M. S. R. J. (2019). Effect of allopurinol on endothelium-dependent vasodilation in hypercholesterolaemic patients. *Clinical Science*, 128(3), 243–251.
- Wu, J. J. R. F. Z. W. Z. & X. C. (2019). Allopurinol improves oxidative stress and endoplasmic reticulum stress in the liver of rats fed with high-fructose diet. *Ioachimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1865(9), 1787–1795.
- Wu, X. H. , W. C. Z. , W. S. Q. , M. C. , H. Y. , Z. J. , Z. Y. W. , A. S. , & Y. C. S. (2015). Anti-hyperuricemia effects of allopurinol are improved by *Smilax riparia*, a traditional Chinese herbal medicine. *Journal of Ethnopharmacology*, Volume 162, 362–368.
- Xu, J., Tu, M., Fan, X., Guo, Y., Zhang, T., Zeng, X., Cai, Z., Wu, Z., & Pan, D. D. (2024). A novel strain of *Levilactobacillus brevis* PDD-5 isolated from salty vegetables has beneficial effects on hyperuricemia through anti-inflammation and improvement of kidney damage. *Food Science and Human Wellness*, 13(2), 898–908. <https://doi.org/10.26599/FSHW.2022.9250077>
- Xu, Y., Gong, H., Zou, Y., & Mao, X. (2023). Antihyperuricemic activity and inhibition mechanism of xanthine oxidase inhibitory peptides derived from whey protein by virtual screening. *Journal of Dairy Science*. <https://doi.org/10.3168/jds.2023-24028>
- Xueqin Wang, Z. C. Y. L. Y. H. X. Y. (2023). In vitro xanthine oxidase inhibitory and in vivo anti-hyperuricemic properties of sodium kaempferol-3'-sulfonate. *Food and Chemical Toxicology*, Volume 177, 113854.
- Yeti, A., & Yuniarti, R. (2021). PENETAPAN KADAR FLAVONOID TOTAL EKSTRAK ETANOL HERBA RUMPUT BAMBU (*Lopatherum gracile* Brongn.) DENGAN METODE SPEKTROFOTOMETRI VISIBLE DETERMINATION OF TOTAL FLAVONOID ETHANOL EXTRACT OF BAMBOO GRASS HERBA (*Lopatherum gracile* Brongn.) USING VISIBLE SPECTROPHOTOMETRY METHOD. In *Agustus* (Vol. 1, Issue 1).
- Yu, Z., Cao, Y., Kan, R., Ji, H., Zhao, W., Wu, S., Liu, J., & Shiuan, D. (2022). Identification of egg protein-derived peptides as xanthine oxidase inhibitors: virtual hydrolysis, molecular docking, and in vitro activity

- evaluation. *Food Science and Human Wellness*, 11(6), 1591–1597.
<https://doi.org/10.1016/j.fshw.2022.06.017>
- Yuan Li, A. K. S. & M. B. A.-S. (2023). Nitric Oxide and Cardiovascular Health. *SPRINGER LINK*, 22, 15–39.
- Yunita, E. P., Fitriana, D. I., & Gunawan, A. (2018). Associations between Obesity, High Purine Consumptions, and Medications on Uric Acid Level with the Use of Allopurinol in Hyperuricemia Patients. *Indonesian Journal of Clinical Pharmacy*, 7(1), 1–9.
<https://doi.org/10.15416/ijcp.2018.7.1.1>
- Zaetun, S., Budi, L., Dewi, K., Bagus, I., Wiadnya, R., Srigede, L., Jurusan, A., Kesehatan, K., & Mataram, I. (2017). PROFIL KADAR MDA (MALONDIALDEHIDE) SEBAGAI PENANDA KERUSAKAN SELULER AKIBAT RADIKAL BEBAS PADA TIKUS YANG DIBERIKAN AIR BEROKSIGEN. *Jurnal Analis Medika Bio Sains*, 4(2), 63–68.
- Zeng, N. , Z. G. , H. X. , P. J. , Z. Z. , & G. D. (2018). Inhibition mechanism of baicalein and baicalin on xanthine oxidase and their synergistic effect with allopurinol. *Journal of Functional Foods*, Volume 50, 172–182.
- Zhou, Hongyan. , Y. Jingyi. , X. Yuan. , X. Z. (2024). Hyperuricemia research progress in model construction and traditional Chinese medicine interventions. *Front Pharmacol*, 15(1294755).
- Zou, Y. , Y. R. , H. W. , H. X. , C. H. , & Y. K. (2021). Fructose-induced mitochondrial dysfunction and oxidative stress in skeletal muscle: role of inflammatory pathways. *Redox Biology*, 46, 102–124.