

DAFTAR PUSTAKA

- Abdel Azeem, S. M., Al Mohesen, I. A., & Ibrahim, A. M. H. (2020). Analysis of total phenolic compounds in tea and fruits using diazotized aminobenzenes colorimetric spots. *Food Chemistry*, 332, 127392. <https://doi.org/10.1016/J.FOODCHEM.2020.127392>
- Annuryanti, F., Zahroh, M., & Purwanto, D. A. (2018). Pengaruh Suhu dan Jumlah Penyeduhan terhadap Kadar Kafein Terlarut dalam Produk Teh Hijau Kering dengan Metode KCKT. *Jurnal Farmasi Dan Ilmu Kefarmasian Indonesia*, 5(1), 30.
- Aqel, A., Alothman, A. A., Alghamdi, W. J., Alkatheri, N., Al-Mohaimeed, A. M., Ghfar, A., ALOthman, Z. A., & Badjah-Hadj-Ahmed, A. Y. (2021). Synthesis of value-added MIL-53(Cr) from waste polyethylene terephthalate bottles for the high-performance liquid chromatographic determination of methylxanthines in tea. *Microchemical Journal*, 167. <https://doi.org/10.1016/j.microc.2021.106294>
- Arroyave-Ospina, J. C., Buist-Homan, M., Schmidt, M., & Moshage, H. (2023). Protective effects of caffeine against palmitate-induced lipid toxicity in primary rat hepatocytes is associated with modulation of adenosine receptor A1 signaling. *Biomedicine and Pharmacotherapy*, 165. <https://doi.org/10.1016/j.biopha.2023.114884>
- Azevedo, R. S. A., Teixeira, B. S., Sauthier, M. C. da S., Santana, M. V. A., dos Santos, W. N. L., & Santana, D. de A. (2019). Multivariate analysis of the composition of bioactive in tea of the species *Camellia sinensis*. *Food Chemistry*, 273, 39–44. <https://doi.org/10.1016/j.foodchem.2018.04.030>
- Bae, I. K., Ham, H. M., Jeong, M. H., Kim, D. H., & Kim, H. J. (2015). Simultaneous determination of 15 phenolic compounds and caffeine in teas and mate using RP-HPLC/UV detection: Method development and optimization of extraction process. *Food Chemistry*, 172, 469–475. <https://doi.org/10.1016/j.foodchem.2014.09.050>
- Baek, G. H., Yang, S. W., Yun, C. I., Lee, J. G., & Kim, Y. J. (2022). Determination of methylxanthine contents and risk characterisation for various types of tea in Korea. *Food Control*, 132. <https://doi.org/10.1016/j.foodcont.2021.108543>
- Bakhriansyah, M., Sulaiman, S. N., & Fauzia, R. (2022). The effect of *Camellia sinensis* tea on a decreased risk of anxiety for medical students at Universitas Lambung Mangkurat Indonesia. *Clinical Epidemiology and Global Health*, 17. <https://doi.org/10.1016/j.cegh.2022.101114>
- Cai, C., Li, F., Liu, L., & Tan, Z. (2019). Deep eutectic solvents used as the green media for the efficient extraction of caffeine from Chinese dark tea. *Separation and Purification Technology*, 227. <https://doi.org/10.1016/j.seppur.2019.115723>
- CDER. (1994). *Center for Drug Evaluation and Research (CDER) Reviewer Guidance' Validation of Chromatographic Methods*.
- Chen, D., Ding, Y., Chen, G., Sun, Y., Zeng, X., & Ye, H. (2020). Components identification and nutritional value exploration of tea (*Camellia sinensis* L.) flower extract: Evidence for functional food. *Food Research International*, 132, 109100. <https://doi.org/10.1016/J.FOODRES.2020.109100>

- Chen, Q., Zhu, Y., Dai, W., Lv, H., Mu, B., Li, P., Tan, J., Ni, D., & Lin, Z. (2019). Aroma formation and dynamic changes during white tea processing. *Food Chemistry*, 274, 915–924. <https://doi.org/10.1016/J.FOODCHEM.2018.09.072>
- Chen, S., Wang, C. Y., Tsai, C. Y., Yang, I. C., Luo, S. J., & Chuang, Y. K. (2021). Fermentation quality evaluation of tea by estimating total catechins and theanine using near-infrared spectroscopy. *Vibrational Spectroscopy*, 115, 103278. <https://doi.org/10.1016/J.VIBSPEC.2021.103278>
- Choque-Quispe, D., Herbas-De la Cruz, R. K., Ligarda-Samanez, C. A., Solano-Reynoso, A. M., Buleje-Campos, D., Choque-Quispe, Y., Muñoz-Saenz, J. C., Pumacayo-Sanchez, Z. O., Sumarriva-Bustinza, L. A., & Silvera Ticona, N. A. (2024). Caffeine, surfactants and organic matter in a high Andean River: Chumbao River case, Apurimac, Peru. *Case Studies in Chemical and Environmental Engineering*, 9, 100548. <https://doi.org/10.1016/j.cscee.2023.100548>
- Dadan Rohdiana. (2015). Teh: Proses, Karakteristik & Komponen Fungsionalnya . *Universitas Al-Ghifari*.
- Donlao, N., & Ogawa, Y. (2019). The influence of processing conditions on catechin, caffeine and chlorophyll contents of green tea (*Camelia sinensis*) leaves and infusions. *LWT*, 116. <https://doi.org/10.1016/j.lwt.2019.108567>
- Dybowski, M. P., Dawidowicz, A. L., Rombel, M., & Typek, R. (2023). GC vs. HPLC in quantitation of CBD, CBG, Δ^9 -THC and CBN in plasma using different sample preparation methods. *Journal of Pharmaceutical and Biomedical Analysis*, 234, 115563. <https://doi.org/10.1016/J.JPBA.2023.115563>
- Fang, R., Redfern, S. P., Kirkup, D., Porter, E. A., Kite, G. C., Terry, L. A., Berry, M. J., & Simmonds, M. S. J. (2017). Variation of theanine, phenolic, and methylxanthine compounds in 21 cultivars of *Camellia sinensis* harvested in different seasons. *Food Chemistry*, 220, 517–526. <https://doi.org/10.1016/J.FOODCHEM.2016.09.047>
- Gaspar, C., Rocha, C., Balteiro, J., & Santos, H. (2023). Effects of caffeine on cerebral blood flow. *Nutrition*, 112217. <https://doi.org/10.1016/j.nut.2023.112217>
- Gaspar, C., Rocha, C., Balteiro, J., & Santos, H. (2024). Effects of caffeine on cerebral blood flow. *Nutrition*, 117. <https://doi.org/10.1016/j.nut.2023.112217>
- Gonçalves Bortolini, D., Windson Isidoro Haminiuk, C., Cristina Pedro, A., de Andrade Arruda Fernandes, I., & Maria Maciel, G. (2021). Processing, chemical signature and food industry applications of *Camellia sinensis* teas: An overview. *Food Chemistry: X*, 12. <https://doi.org/10.1016/j.fochx.2021.100160>
- Gu, H. W., Yin, X. L., Ma, Y. X., Wang, J., Yang, F., Sun, W., Ding, B., Chen, Y., & Liu, Z. (2020). Differentiating grades of Xihu Longjing teas according to the contents of ten major components based on HPLC-DAD in combination with chemometrics. *LWT*, 130. <https://doi.org/10.1016/j.lwt.2020.109688>
- Guo, X., Long, P., Meng, Q., Ho, C. T., & Zhang, L. (2018). An emerging strategy for evaluating the grades of Keemun black tea by combinatory liquid chromatography-Orbitrap mass spectrometry-based untargeted metabolomics and inhibition effects on α -glucosidase and α -amylase. *Food Chemistry*, 246, 74–81. <https://doi.org/10.1016/j.foodchem.2017.10.148>

- Hadad, G. M., Abdel Salam, R. A., Soliman, R. M., & Mesbah, M. K. (2012). Rapid and simultaneous determination of antioxidant markers and caffeine in commercial teas and dietary supplements by HPLC-DAD. *Talanta*, 101, 38–44. <https://doi.org/10.1016/j.talanta.2012.08.025>
- Harmita, H. (2004). PETUNJUK PELAKSANAAN VALIDASI METODE DAN CARA PERHITUNGANNYA. *Majalah Ilmu Kefarmasian*, 1(3), 117–135. <https://doi.org/10.7454/psr.v1i3.3375>
- Huang, Y., Shi, T., Luo, X., Xiong, H., Min, F., Chen, Y., Nie, S., & Xie, M. (2019). Determination of multi-pesticide residues in green tea with a modified QuEChERS protocol coupled to HPLC-MS/MS. *Food Chemistry*, 275, 255–264. <https://doi.org/10.1016/j.foodchem.2018.09.094>
- Jeon, D. B., Hong, Y. S., Lee, G. H., Park, Y. M., Lee, C. M., Nho, E. Y., Choi, J. Y., Jamila, N., Khan, N., & Kim, K. S. (2017). Determination of volatile organic compounds, catechins, caffeine and theanine in Jukro tea at three growth stages by chromatographic and spectrometric methods. *Food Chemistry*, 219, 443–452. <https://doi.org/10.1016/j.foodchem.2016.09.184>
- Kanlaya, R., Subkod, C., Nanthawuttiaphan, S., & Thongboonkerd, V. (2023). Caffeine causes cell cycle arrest at G0/G1 and increases of ubiquitinated proteins, ATP and mitochondrial membrane potential in renal cells. *Computational and Structural Biotechnology Journal*, 21, 4552–4566. <https://doi.org/10.1016/j.csbj.2023.09.023>
- Kottawa-Arachchi, J. D., Ranatunga, M. A. B., Amarakoon, A. M. T., Gunasekare, M. T. K., Attanayake, R. N., Sharma, R. K., Chaudhary, H. K., Sood, V. K., Katoch, R., Banyal, D. K., Piyasena, K. G. N. P., & Edirisinghe, E. N. U. (2022). Variation of catechin and caffeine content in exotic collection of tea [*Camellia sinensis* (L.) O. Kuntze] in Sri Lanka and potential implication in breeding cultivars with enhanced quality and medicinal properties. *Food Chemistry Advances*, 1. <https://doi.org/10.1016/j.focha.2022.100108>
- Li, M. M., Meegahakumbura, M. K., Wambulwa, M. C., Burgess, K. S., Möller, M., Shen, Z. F., Li, D. Z., & Gao, L. M. (2023). Genetic analyses of ancient tea trees provide insights into the breeding history and dissemination of Chinese Assam tea (*Camellia sinensis* var. *assamica*). *Plant Diversity*. <https://doi.org/10.1016/j.pld.2023.06.002>
- Ma, B., Wang, J., Zhou, B., Wang, Z., Huang, Y., Ma, C., & Li, X. (2022). Impact of harvest season on bioactive compounds, amino acids and in vitro antioxidant capacity of white tea through multivariate statistical analysis. *LWT*, 164. <https://doi.org/10.1016/j.lwt.2022.113655>
- Ma, C., Ma, B., Wang, J., Wang, Z., Chen, X., Zhou, B., & Li, X. (2022). Geographical origin identification of Chinese white teas, and their differences in tastes, chemical compositions and antioxidant activities among three production regions. *Food Chemistry: X*, 16. <https://doi.org/10.1016/j.fochx.2022.100504>
- Nishitani, E., & Sagesaka, Y. M. (2004). Simultaneous determination of catechins, caffeine and other phenolic compounds in tea using new HPLC method. *Journal of Food Composition and Analysis*, 17(5), 675–685. <https://doi.org/10.1016/j.jfca.2003.09.009>

- Nurul Mutmainnah, Sitti Chadijah, & Muh. Qaddafi. (2018). PENENTUAN SUHU DAN WAKTU OPTIMUM PENYEDUHAN BATANG TEH HIJAU (*Camelia Sinensis* L.) TERHADAP KANDUNGAN ANTIOKSIDAN KAFEIN, TANIN DAN KATEKIN. *Lantanida Journal*, 6.
- Paiva, L., Lima, E., Marcone, M., & Baptista, J. (2023). Angiotensin I-converting enzyme (ACE) inhibition and biological activities of green and black tea samples from Azorean *Camellia sinensis*. *Journal of Functional Foods*, 107. <https://doi.org/10.1016/j.jff.2023.105701>
- Paiva, L., Lima, E., Motta, M., Marcone, M., & Baptista, J. (2020). Variability of antioxidant properties, catechins, caffeine, L-theanine and other amino acids in different plant parts of Azorean *Camellia sinensis*. In *Current Research in Food Science* (Vol. 3, pp. 227–234). Elsevier B.V. <https://doi.org/10.1016/j.crfs.2020.07.004>
- Peng, T. Q., Yin, X. L., Gu, H. W., Sun, W., Ding, B., Hu, X. C., Ma, L. A., Wei, S. D., Liu, Z., & Ye, S. Y. (2021). HPLC-DAD fingerprints combined with chemometric techniques for the authentication of plucking seasons of Laoshan green tea. *Food Chemistry*, 347. <https://doi.org/10.1016/j.foodchem.2020.128959>
- Rahim, A. A., Nofrizal, S., & Saad, B. (2014). Rapid tea catechins and caffeine determination by HPLC using microwave-assisted extraction and silica monolithic column. *Food Chemistry*, 147, 262–268. <https://doi.org/10.1016/j.foodchem.2013.09.131>
- Ratna Somantri, & Tanti. (2013). *Kisah Dan Khasiat Teh*. Gramedia Pustaka Utama.
- Rohman, A. (2014). *VALIDASI DAN PENJAMINAN MUTU METODE ANALISIS KIMIA* (Siti, Ed.). Gadjah Mada University Press.
- Sakiroh, S., Dewi Sasmita, K., & Astutik, D. (2021). *Pengaruh Naungan dan Ketinggian Tempat terhadap Produksi Pucuk Teh (Camellia sinensis L.) The Impact of Shade and Altitude on Tea Shoots Production (Camellia sinensis L.)*.
- Shang, A., Li, J., Zhou, D. D., Gan, R. Y., & Li, H. Bin. (2021). Molecular mechanisms underlying health benefits of tea compounds. *Free Radical Biology and Medicine*, 172, 181–200. <https://doi.org/10.1016/J.FREERADBIOMED.2021.06.006>
- Sharma, R., Verma, S., & Kumar, D. (2021). Polyphenolics and therapeutic insights in different tissues extract and fractions of *Camellia sinensis* (L.) Kuntze (Kangra Tea). *Food Bioscience*, 42, 101164. <https://doi.org/10.1016/J.FBIO.2021.101164>
- Shishov, A., Volodina, N., Nechaeva, D., Gagarinova, S., & Bulatov, A. (2019). An automated homogeneous liquid-liquid microextraction based on deep eutectic solvent for the HPLC-UV determination of caffeine in beverages. *Microchemical Journal*, 144, 469–473. <https://doi.org/10.1016/j.microc.2018.10.014>
- Suhartati, T. (2017). *Dasar-dasar spektrofotometri Uv-Vis dan Spektrofotometri Massa untuk Penentuan Struktur Senyawa Organik*.
- Sun, L., Xu, H., Ye, J., & Gaikwad, N. W. (2019). Comparative effect of black, green, oolong, and white tea intake on weight gain and bile acid metabolism. *Nutrition*, 65, 208–215. <https://doi.org/10.1016/J.NUT.2019.02.006>

- Teng, J., Yan, C., Zeng, W., Zhang, Y., Zeng, Z., & Huang, Y. (2020). Purification and characterization of theobromine synthase in a Theobromine-Enriched wild tea plant (*Camellia gymnogyna* Chang) from Dayao Mountain, China. *Food Chemistry*, 311, 125875. <https://doi.org/10.1016/J.FOODCHEM.2019.125875>
- Viana, C., Zemolin, G. M., Dal Molin, T. R., Gobo, L., Ribeiro, S. M., Leal, G. C., Marcon, G. Z., & de Carvalho, L. M. (2018). Detection and determination of undeclared synthetic caffeine in weight loss formulations using HPLC-DAD and UHPLC-MS/MS. *Journal of Pharmaceutical Analysis*, 8(6), 366–372. <https://doi.org/10.1016/j.jpha.2017.12.004>
- Wang, H., Helliwell, K., & You, X. (2000). *Analytical, Nutritional and Clinical Methods Section Isocratic elution system for the determination of catechins, caffeine and gallic acid in green tea using HPLC*. www.elsevier.com/locate/foodchem
- Wang, H., Shen, S., Wang, J., Jiang, Y., Li, J., Yang, Y., Hua, J., & Yuan, H. (2022). Novel insight into the effect of fermentation time on quality of Yunnan Congou black tea. *LWT*, 155. <https://doi.org/10.1016/j.lwt.2021.112939>
- Weston, A., & Brown, P. R. (1997). *HPLC and CE*. Elsevier. <https://doi.org/10.1016/B978-0-12-136640-7.X5000-4>
- Xu, C., Liang, L., Li, Y., Yang, T., Fan, Y., Mao, X., & Wang, Y. (2021). Studies of quality development and major chemical composition of green tea processed from tea with different shoot maturity. *LWT*, 142. <https://doi.org/10.1016/j.lwt.2021.111055>
- Yang, B., Jiang, J., Zhang, H., Han, Z., Lei, X., Chen, X., Xiao, Y., Njeri Ndombi, S., Zhu, X., & Fang, W. (2023). Tea quality estimation based on multi-source information from leaf and soil using machine learning algorithm. *Food Chemistry: X*, 20. <https://doi.org/10.1016/j.fochx.2023.100975>
- Yoon, S., Lee, B. K., & Kim, K. P. (2023). Caffeine enhances chemosensitivity to irinotecan in the treatment of colorectal cancer. *Phytomedicine*, 121. <https://doi.org/10.1016/j.phymed.2023.155120>
- Zapata, F. J., Rebollo-Hernanz, M., Novakofski, J. E., Nakamura, M. T., & Gonzalez de Mejia, E. (2020). Caffeine, but not other phytochemicals, in mate tea (*Ilex paraguariensis* St. Hilaire) attenuates high-fat-high-sucrose-diet-driven lipogenesis and body fat accumulation. *Journal of Functional Foods*, 64. <https://doi.org/10.1016/j.jff.2019.103646>
- Zhang, L., Ho, C., Zhou, J., Santos, J. S., Armstrong, L., & Granato, D. (2019). Chemistry and Biological Activities of Processed *Camellia sinensis* Teas: A Comprehensive Review. *Comprehensive Reviews in Food Science and Food Safety*, 18(5), 1474–1495. <https://doi.org/10.1111/1541-4337.12479>
- Zhang, X. H., Liu, R. J., Zheng, J. J., Qing, X. D., Yang, K. L., Zhang, Y. Q., Pan, L. Y., & Nie, J. F. (2023). Authentication of the production season of Xinyang Maojian green tea using two-dimensional fingerprints coupled with chemometric multivariate calibration and pattern recognition analysis. *LWT*, 176. <https://doi.org/10.1016/j.lwt.2023.114556>
- Zhang, Y., Wei, K., Li, H., Wang, L., Ruan, L., Pang, D., & Cheng, H. (2018). Identification of key genes involved in catechin metabolism in tea seedlings based on

transcriptomic and HPLC analysis. *Plant Physiology and Biochemistry*, 133, 107–115. <https://doi.org/10.1016/j.plaphy.2018.10.029>

Zhou, B., Wang, Z., Yin, P., Ma, B., Ma, C., Xu, C., Wang, J., Wang, Z., Yin, D., & Xia, T. (2022). Impact of prolonged withering on phenolic compounds and antioxidant capability in white tea using LC-MS-based metabolomics and HPLC analysis: Comparison with green tea. *Food Chemistry*, 368. <https://doi.org/10.1016/j.foodchem.2021.130855>

Zia, H., Fischbach, N., Hofsommer, M., & Slatnar, A. (2023). Development and validation of HPLC-MS/MS method for simultaneous analysis of B vitamins present naturally or after fortification in fruit juices. *LWT*, 184. <https://doi.org/10.1016/j.lwt.2023.115103>

Zuo, Y., Chen, H., & Deng, Y. (2002). Simultaneous determination of catechins, caffeine and gallic acids in green, Oolong, black and pu-erh teas using HPLC with a photodiode array detector. In *Talanta* (Vol. 57). www.elsevier.com/locate/talanta