

**ASUHAN KEPERAWATAN PADA PASIEN *CONGESTIVE HEART FAILURE* (CHF) DENGAN PENURUNAN CURAH JANTUNG
DI RUANG DAHLIA RSUD MAJALAYA**

**NENG WULAN NURAIDAH
211FK01014**

Program Studi DIII Keperawatan, Fakultas Keperawatan
Universitas Bhakti Kencana

ABSTRAK

Latar Belakang: *Congestive Heart Failure* (CHF) merupakan kondisi yang terjadi ketika jantung seseorang sudah tidak bisa lagi memompa darah yang dibutuhkan oleh tubuh, organ maupun jaringan di dalamnya. *Congestive Heart Failure* (CHF) bukan berarti jantung berhenti bekerja akan tetapi sebaliknya, jantung bekerja secara kurang efisien dari biasanya dikarenakan berbagai kemungkinan penyebabnya, darah bergerak melalui jantung secara lambat, dan tekanan di jantung meningkat, sehingga jantung tidak bisa memompa cukup oksigen dan nutrisi untuk memenuhi kebutuhan tubuh. *Congestive Heart Failure* (CHF) merupakan penyakit jantung yang menjadi penyebab kematian tertinggi di dunia sejak 20 tahun terakhir dengan jumlah 64,34 juta kasus. **Metode:** Rancangan penelitian yang digunakan adalah deskriptif dengan pendekatan studi kasus untuk mengeksplorasi masalah Asuhan Keperawatan Pada Pasien *Congestive Heart Failure* (CHF) dengan Penurunan Curah Jantung di Ruang Dahlia RSUD Majalaya dengan pendekatan yang digunakan untuk asuhan keperawatan yang meliputi pengkajian, diagnosa keperawatan, intervensi, implementasi, dan evaluasi. **Hasil:** Berdasarkan hasil yang didapatkan pada pasien 1 dan 2 setelah diberikan tindakan keperawatan selama 3x24jam dengan masalah penurunan curah jantung didapatkan data kedua pasien mengalami penurunan sesak napas, edema pada ekstremitas menurun dengan grade 1 kedalaman 2mm, suara ronchi menurun, suara jantung mur-mur menurun, CRT < 3detik, dan saturasi oksigen mengalami peningkatan sekitar 3-4% sehingga masalah pada pasien 1 dan 2 teratasi sebagian. **Dikusi:** Pada pasien *Congestive Heart Failure* (CHF) dengan masalah penurunan curah jantung tidak semua pasien memiliki respon yang sama terhadap kondisi pasien, namun pasien dengan sesak napas dapat dilakukan posisi semi *fowler*.

Kata Kunci: Asuhan Keperawatan, *Congestive Heart Failure*, Penurunan Curah Jantung

**NURSING CARE FOR CONGESTIVE HEART FAILURE (CHF) WITH
DECREASED CARDIAC OUTPUT IN THE DAHLIA ROOM AT
MAJALAYA HOSPITAL**

NENG WULAN NURAIDAH

211FK01014

DIII Nursing Study Program, Faculty of Nursing

Bhakti Kencana University

ABSTRACT

Background: Congestive Heart Failure (CHF) is a condition that occurs when a person's heart is no longer able to pump the blood needed by the body, organs and tissues within it. Congestive Heart Failure (CHF) does not mean the heart stops working, but on the contrary, the heart works less efficiently than usual due to various possible causes, blood moves through the heart slowly, and pressure in the heart increases, so the heart cannot work. pumps enough oxygen and nutrients to meet the body's needs. Congestive Heart Failure (CHF) is a heart disease that has been the highest cause of death in the world over the last 20 years with 64.34 million cases. **Method:** The research design used was descriptive with a case study approach to explore the problem of Nursing Care for Congestive Heart Failure (CHF) Patients with Decreased Cardiac Output in the Dahlia Room at Majalaya Regional Hospital with the approach used for nursing care which includes assessment, nursing diagnosis, intervention, implementation, and evaluation. **Results:** Based on the results obtained in patients 1 and 2 after being given nursing care for 3x24 hours with the problem of decreased cardiac output, the results showed that both patients experienced a decrease in shortness of breath, edema in the extremities decreased along with a decrease in cardiac output. grade 1 depth 2 mm, decreased crackles, heart murmurs. decreased, CRT < 3 seconds, and oxygen saturation increased by around 3-4% so that the problem in patients 1 and 2 was partially resolved. **Discussion:** In Congestive Heart Failure (CHF) patients with problems of decreased cardiac output, not all patients have the same response to the patient's condition, but patients with shortness of breath can be placed in the semi-Fowler position.

Keywords: Nursing Care, Congestive Heart Failure, Decreased Cardiac Output.

