

ABSTRAK

Analisis Asuhan Keperawatan Pada Masalah Nyeri Persalinan Pada Ny. I G1P0A0 Inpartu Kala I Fase Laten Dengan Intervensi *Effleurage Massage* Di Ruang Bersalin Rsud Al-Ihsan Provinsi Jawa Barat

Sri Dewi Mey Andriani¹, Tri Nur Jayanti²

¹ Mahasiswa Profesi Ners, Fakultas Keperawatan Universitas Bhakti Kencana Bandung

² Dosen, Fakultas Keperawatan Universitas Bhakti Kencana Bandung

Nyeri pada kala I fase laten akan terasa semakin lama karena pembukaan persalinan dari 0 sampai 3 cm berlangsung lama sekitar 8 jam. Nyeri yang tidak terkontrol dapat mengakibatkan persalinan lama bahkan komplikasi lainnya sehingga perlu penatalaksanaan untuk mengurangi nyeri persalinan yang dapat dilakukan dengan *effleurage massage*. Tujuan dari penelitian ini adalah untuk menganalisa asuhan keperawatan pada klien dengan *effleurage massage* untuk mengatasi masalah nyeri persalinan dengan kala I fase laten dan KPD di ruang bersalin RSUD Al-Ihsan Provinsi Jawa Barat. Metode penelitian yang digunakan adalah studi kasus, subyek pada Ny.I di ruang bersalin RSUD Al-Ihsan. Penerapan *effleurage massage*. Hasil pada diagnosa utama nyeri melahirkan teratasi sebagian sesuai dengan kriteria berdasarkan SOAP yaitu klien mengatakan masih merasakan nyeri, tetapi lebih nyaman dan rileks, skala nyeri berkurang dari 7 menjadi 5, klien tampak lebih tenang, dan intervensi dilanjutkan dengan teknik *effleurage massage* sampai persalinan. Pemberian *effleurage massage* dapat mengurangi nyeri persalinan, sehingga dapat menjadi salah satu asuhan keperawatan non farmakologis yang diterapkan dalam mengatasi permasalahan nyeri pada ibu bersalin.

Kata kunci : *Effleurage Massage*, Kala I Fase Laten, Nyeri Persalinan

Kepustakaan : 10 Buku (2016-2020)
14 Jurnal (2019-2022)

ABSTRACT

Analysis of Nursing Care in the Problem of Childbirth Pain in Mrs. I G1P0A0 Inpartu Kala I Latent Phase with Effleurage Massage Intervention in the Maternity Room of Al-Ihsan Hospital West Java Province

Sri Dewi Mey Andriani¹, Tri Nur Jayanti²

¹ Nursing Profession Student, Faculty of Nursing, Bhakti Kencana University, Bandung

² Lecturers, Faculty of Nursing, Bhakti Kencana University, Bandung

Pain in the first phase of the latent phase will be felt for a longer time because the opening of labor from 0 to 3 cm lasts for about 8 hours. Uncontrolled pain can result in prolonged labor and even other complications so management is needed to reduce labor pain that can be done with effleurage massage. The purpose of this study is to analyze nursing care in clients with effleurage massage to overcome the problem of labor pain with phase I of the latent phase and KPD in the delivery room of Al-Ihsan Hospital, West Java Province. The research method used was a case study, the subject of Mrs. I in the delivery room of Al-Ihsan Hospital. Application of effleurage massage. The results of the main diagnosis of labor pain were partially resolved according to the criteria based on SOAP, namely the client said he still felt pain, but was more comfortable and relaxed, the pain scale was reduced from 7 to 5, the client seemed calmer, and the intervention was continued with effleurage massage techniques until delivery. The provision of effleurage massage can reduce labor pain, so it can be one of the non-pharmacological nursing care applied in overcoming pain problems in pregnant women.

Keywords : Effleurage Massage, Latent Phase I, Labor Pain

Bibliography: 10 Books (2016-2020)

14 Journals (2019-2022)