

DAFTAR PUSTAKA

- Abraham, M. J., Murtola, T., Schulz, R., Páll, S., Smith, J. C., Hess, B., & Lindahl, E. (2015). GROMACS: High performance molecular simulations through multi-level parallelism from laptops to supercomputers. *SoftwareX*, 1, 19–25.
- Arwansyah, A., Ambarsari, L., & Sumaryada, T. I. (2014). Simulasi docking senyawa kurkumin dan analognya sebagai inhibitor reseptor androgen pada kanker prostat. *Current Biochemistry*, 1(1), 11–19.
- Asnawi, A., Febrina, E., Aligita, W., Yuliantini, A., & Arfan, A. (2023). Penambatan Molekul dan Dinamika Molekul beberapa Fitokimia dari *Acalypha Indica* L. sebagai Inhibitor Matriks Metalloproteinase9. *JSFK (Jurnal Sains Farmasi & Klinis)*, 10(1), 62–70.
- Aulia, A., Kurnia, S. K., & Mulyana, D. (2021). Identifikasi Morfologi Beberapa Jenis Anggota Phaeophyta di Pantai Palem Cibeureum, Anyer, Banten. *Tropical Bioscience: Journal of Biological Science*, 1(1), 21–28.
- Badar, M. S., Shamsi, S., Ahmed, J., & Alam, M. A. (2022). Molecular dynamics simulations: Concept, methods, and applications. Dalam *Transdisciplinarity* (hlm. 131–151). Springer.
- Bissantz, C., Folkers, G., & Rognan, D. (2000). Protein-based virtual screening of chemical databases. 1. Evaluation of different docking/scoring combinations. *Journal of medicinal chemistry*, 43(25), 4759–4767.
- Buana, I., & Harahap, D. A. (2022). Asbestos, Radon Dan Polusi Udara Sebagai Faktor Resiko Kanker Paru Pada Perempuan Bukan Perokok. *AVERROUS: Jurnal Kedokteran dan Kesehatan Malikussaleh*, 8(1), 1–16.
- Cao, Y., Hao, Y., Li, Z., Liu, S., & Wang, L. (2016). Antiviral activity of polysaccharide extract from *Laminaria japonica* against respiratory syncytial virus. *Biomedicine & Pharmacotherapy*, 84, 1705–1710.
- Case, D. A., Aktulga, H. M., Belfon, K., Ben-Shalom, I., Brozell, S. R., Cerutti, D. S., Cheatham III, T. E., Cruzeiro, V. W. D., Darden, T. A., & Duke, R. E. (2021). *Amber 2021*. University of California, San Francisco.
- Chagas, C. M., Moss, S., & Alisaraie, L. (2018). Drug metabolites and their effects on the development of adverse reactions: Revisiting Lipinski's Rule of Five. *International journal of pharmaceuticals*, 549(1–2), 133–149.
- Cui, J. J., Tran-Dubé, M., Shen, H., Nambu, M., Kung, P.-P., Pairish, M., Jia, L., Meng, J., Funk, L., & Botrous, I. (2011). Structure based drug design of crizotinib (PF-02341066), a potent and selective dual inhibitor of mesenchymal–epithelial transition factor (c-MET) kinase and anaplastic lymphoma kinase (ALK). *Journal of medicinal chemistry*, 54(18), 6342–6363.
- Dinata1, D. I., Peni1, M. I., Asnawi1, A., (2023). Identification Of Angiotensin Receptor Blocker Ii Ligands From Gotu Kola (*Centella Asiatica* L.) Extract: An In Silico Study. *Dalam Indonesian Journal Of Pharmaceutical Science And Technology Journal Homepage*, 5, 02.

- DiPiro, J. T., DiPiro, C. V., Schwinghammer, T. L., & Wells, B. G. (2015). *Pharmacotherapy handbook*. McGraw-hill.
- Dodson, C., Richards, T. J., Smith, D. A., & Ramaiya, N. H. (2020). Tyrosine Kinase Inhibitor Therapy for Brain Metastases in Non-Small-Cell Lung Cancer: A Primer for Radiologists. *American Journal of Neuroradiology*, 41(5), 738–750. <https://doi.org/10.3174/ajnr.A6477>
- Ekawasti, F., Sa'diah, S., Cahyaningsih, U., Dharmayanti, N. L. P. I., & Subekti, D. T. (2021). Molecular Docking Senyawa Jahe Merah dan Kunyit pada Dense Granules Protein-1 Toxoplasma gondii dengan Metode In Silico. *Jurnal Veteriner Desember*, 22(4), 474–484.
- Elsayed, M., & Christopoulos, P. (2021). Therapeutic sequencing in ALK+ NSCLC. *Pharmaceuticals*, 14(2), 80.
- Fajri, M. I., & Anifah, L. (2018). Deteksi Status Kanker Paru-Paru Pada Citra Ct Scan Menggunakan Metode Fuzzy Logic. *Tek. Elektro*, 7(3), 121–126.
- FAO. (2009). Laminaria Japonica. In Cultured Aquatic Species Fact Sheets.
- Febriani, A., & Furqon, A. (2018). Metastasis Kanker Paru. *Jurnal Respirasi*, 4(3), 94–101.
- Ferreira, L. G., Dos Santos, R. N., Oliva, G., & Andricopulo, A. D. (2015). Molecular docking and structure-based drug design strategies. Dalam *Molecules* (Vol. 20, Nomor 7). <https://doi.org/10.3390/molecules200713384>
- Ferwadi, S. (2017). *Studi Docking Molekular Senyawa Asam Sinamat Dan Derivatnya Sebagai Inhibitor Protein Ij4x Pada Sel Kanker Serviks*. 14.
- Forli, S., Huey, R., Pique, M. E., Sanner, M. F., Goodsell, D. S., & Olson, A. J. (2016). Computational protein–ligand docking and virtual drug screening with the AutoDock suite. *Nature protocols*, 11(5), 905–919.
- Forli, W., Halliday, S., Belew, R., & Olson, A. (2012). *AutoDock Version 4.2* (Citeseer).
- Frimayanti, N. (2020). Simulasi Molecular Dynamic (MD) Senyawa Analog Kalkon Sebagai Inhibitor Untuk Sel Kanker Paru A549. *Jurnal Penelitian Farmasi Indonesia*, 9(2), 56–60.
- Frimayanti, N., Djohari, M., & Khusnah, A. N. (2021). Molekular Docking Senyawa Analog Kalkon sebagai Inhibitor untuk Sel Kanker Paru-Paru A549. *Jurnal Ilmu Kefarmasian Indonesia*, 19(1), 87–95.
- Hashemi, A., Pilevar, A. H., & Rafeh, R. (2013). Mass detection in lung CT images using region growing segmentation and decision making based on fuzzy inference system and artificial neural network. *International Journal of Image, Graphics and Signal Processing*, 5(6), 16.
- Histo, D. M., Utomo, E. P., & Himawan, T. (2014). *Kajian secara in silico terhadap potensi eugenol dan sitronelal sebagai pestisida nabati untuk pengendalian serangga Helopeltis antonii*.
- Hollingsworth, S. A., & Dror, R. O. (2018). Molecular Dynamics Simulation for All. *Neuron*, 99(6), 1129–1143. <https://doi.org/10.1016/j.neuron.2018.08.011>

- Huang, H. (2018). Anaplastic lymphoma kinase (ALK) receptor tyrosine kinase: A catalytic receptor with many faces. *International journal of molecular sciences*, 19(11), 3448.
- Huang, S. Y., Grinter, S. Z., & Zou, X. (2010). Scoring functions and their evaluation methods for protein-ligand docking: Recent advances and future directions. *Physical Chemistry Chemical Physics*, 12(40), 12899–12908. <https://doi.org/10.1039/c0cp00151a>
- Hutskalov, I., Linden, A., & Čorić, I. (2023). Directional Ionic Bonds. *Journal of the American Chemical Society*, 145(15), 8291–8298.
- Iswandoko, A. (2023). *Simulasi dinamika molekuler kompleks FGF2-FGFR1 heparin 8 dan 12 sakarida dengan pola sulfasi 2SNS dan konformasi iduronat IC4 sebagai antikanker.*
- Jasmine, R., & Sherlin Rosita, A. (2021). Regeneration of Beta Cells by Inhibition of pro-Apoptotic Proteins through Phytocompound in STZ Induced Diabetic Albino Wistar Rats: In Vivo and In Silico Approach. *Structure and Health Effects of Natural Products on Diabetes Mellitus*, 219–234.
- Joseph, J., & Rotty, L. W. (2020). Kanker paru: Laporan kasus. *Medical Scope Journal*, 2(1).
- Kusuma, A. T., & Hadi, D. (2019). Virtual Screening Natural Compounds from Plants as Inhibitor of Estrogen Receptor Alpha I (ESR1). *Indonesian Journal of Pharmaceutical Science and Technology Journal Homepage*, 1(1), 30–41.
- Li, H.-Y., Yi, Y.-L., Guo, S., Zhang, F., Yan, H., Zhan, Z.-L., Zhu, Y., & Duan, J.-A. (2022). Isolation, structural characterization and bioactivities of polysaccharides from *Laminaria japonica*: A review. *Food Chemistry*, 370, 131010.
- Lin, J. J., & Gainor, J. F. (2024). Current opportunities and challenges in ALK-positive lung cancer. *Translational Lung Cancer Research*, 13(1), 1.
- Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, P. J. (1997). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced drug delivery reviews*, 23(1–3), 3–25.
- Liu, X., Liu, H., Zhai, Y., Li, Y., Zhu, X., & Zhang, W. (2017). Laminarin protects against hydrogen peroxide-induced oxidative damage in MRC-5 cells possibly via regulating NRF2. *PeerJ*, 5, e3642.
- Maruyama, I. (2014). Mechanisms of Activation of Receptor Tyrosine Kinases: Monomers or Dimers. *Cells*, 3(2), 304–330. <https://doi.org/10.3390/cells3020304>
- Nazir, H. A., Shafiq, N., Arshad, U., Zameer, R., Yasmin, F., Imtiaz, F., Rashid, M., Parveen, S., Nisar, B., & Khan, J. (2022). *In silico screening of Daphne tangutica Maxim plant for their bio-active phytochemicals as type 2 diabetes potential inhibitors.*
- Nurfadhila, L., Utami, M. R., Pratiwi, D., Qhoirul, D., Martia, E., Jana, I. I., & Lamsar, A. (2022). Potensi Senyawa Turunan Xanton dari Kulit Buah Manggis (*Garcinia mangostana* L.) Sebagai Inhibitor Protein

- Mycobacterium tuberculosis: Studi In Silico. *PharmaCine: Journal of Pharmacy, Medical and Health Science*, 3(2), 55–63.
- Oh, J. H., Kim, J., & Lee, Y. (2016). Anti-inflammatory and anti-diabetic effects of brown seaweeds in high-fat diet-induced obese mice. *Nutrition Research and Practice*, 10(1), 42–48. <https://doi.org/10.4162/nrp.2016.10.1.42>
- Oh, J.-H., Kim, J., & Lee, Y. (2016). Anti-inflammatory and anti-diabetic effects of brown seaweeds in high-fat diet-induced obese mice. *Nutrition research and practice*, 10(1), 42–48.
- Ononamadu, C., & Ibrahim, A. (2021). Molecular docking and prediction of ADME/drug-likeness properties of potentially active antidiabetic compounds isolated from aqueous-methanol extracts of *Gymnema sylvestre* and *Combretum micranthum*. *BioTechnologia*, 102(1), 85–99.
- Páll, S., Zhmurov, A., Bauer, P., Abraham, M., Lundborg, M., Gray, A., Hess, B., & Lindahl, E. (2020). Heterogeneous parallelization and acceleration of molecular dynamics simulations in GROMACS. *The Journal of Chemical Physics*, 153(13).
- Pratama, M. R. F. (2016). Studi Docking Molekular Senyawa Turunan Kuinolin Terhadap Reseptor Estrogen-A: Study of Molecular Docking of Quinoline Derivative Compounds against Estrogen-A Receptors. *Jurnal Surya Medika (JSM)*, 2(1), 1–7.
- Rachmania, R. A., Supandi, S., & Larasati, O. A. (2015). Analisis In-Silico Senyawa Diterpenoid Lakton Herba Sambiloto (*Andrographis paniculata* Nees) Pada Reseptor Alpha-Glucosidase Sebagai Antidiabetes Tipe II. *PHARMACY: Jurnal Farmasi Indonesia (Pharmaceutical Journal of Indonesia)*, 12(2), 210–222.
- Ramírez-Salinas, G. L., García-Machorro, J., Rojas-Hernández, S., Campos-Rodríguez, R., de Oca, A. C. M., Gomez, M. M., Luciano, R., Zimic, M., & Correa-Basurto, J. (2020). Bioinformatics design and experimental validation of influenza A virus multi-epitopes that induce neutralizing antibodies. *Archives of Virology*, 165(4), 891–911. <https://doi.org/10.1007/s00705-020-04537-2>
- Robot, R. Y., Durry, M. F., & Kairupan, C. F. (2021). Morfologi, Patogenesis, dan Imunoterapi Kanker Paru Tipe Adenokarsinoma. *Medical Scope Journal*, 3(1), 74–82.
- Rollando, S. (2017). *1.1. Rollando Buku Referensi Pengantar Kimia Medisinal*.
- Roskoski Jr, R. (2023). Rule of five violations among the FDA-approved small molecule protein kinase inhibitors. *Pharmacological Research*, 106774.
- Ruswanto, R., Ratnasari, A., & Tuslinah, L. (2015). Sintesis Senyawa N'-(3, 5-Dinitrobenzoyl)-Isonicotinohydrazide Dan Studi Interaksinya Pada Mycobacterium Tuberculosis Enoyl Acyl Carrier Protein Reductase (INHA). *Jurnal Kesehatan Bakti Tunas Husada: Jurnal Ilmu-ilmu Keperawatan, Analis Kesehatan dan Farmasi*, 14(1), 63–73.
- Salahuddin, S. (2021). Penambatan Molekul Senyawa Turunan Beta Asaron Sebagai Antimalaria: Molecular Docking of Derivated Compounds of Asaron Beta as an Antimalaria. 13, 261–268.

- Sari, I. W., Junaidin, J., & Pratiwi, D. (2020). Studi Molecular Docking Senyawa Flavonoid Herba Kumis Kucing (*Orthosiphon Stamineus* B.) Pada Reseptor A-Glukosidase Sebagai Antidiabetes Tipe 2. *Jurnal Farmagazine*, 7(2), 54–60.
- Sen, D. J., Nandi, K., & Saha, D. (2021). Rule of five: The five men army to cross the blood brain barrier for therapeutically potent. *World J Adv Healthc Res*, 5(3), 206–211.
- Singh, S., Bani Baker, Q., & Singh, D. B. (2021). Molecular docking and molecular dynamics simulation. *Bioinformatics: Methods and Applications*, 291–304. <https://doi.org/10.1016/B978-0-323-89775-4.00014-6>
- Stanzione, F., Giangreco, I., & Cole, J. C. (2021). Use of molecular docking computational tools in drug discovery. Dalam *Progress in Medicinal Chemistry* (1 ed., Vol. 60). Elsevier B.V. <https://doi.org/10.1016/bs.pmch.2021.01.004>
- Susilawati, D., & Ruswanto. (2019). *Simulasi Dinamika Molekular Senyawa Turunan 4-Thiazolidinone (C18h18fn3os) Terhadap Protein 4kp7 Sebagai Anti-Infeksi Menggunakan Aplikasi Gromacs*. 4694–4694.
- Syahputra, G. (2014). Simulasi docking kurkumin enol, bisdemetoksikurkumin dan analognya sebagai inhibitor enzim 12-lipoksigenase. *Jurnal Biofisika*, 10(1).
- Syahputra, G., Ambarsari L, & T, S. (2014). Simulasi docking kurkumin enol, bisdemetoksikurkumin dan analognya sebagai inhibitor enzim 12-lipoksigenase. *Journal Biofisika*, 10(1), 55–67.
- Wang, X., Zhang, L., Qin, L., Wang, Y., Chen, F., Qu, C., & Miao, J. (2022). Physicochemical properties of the soluble dietary fiber from *Laminaria japonica* and its role in the regulation of type 2 diabetes mice. *Nutrients*, 14(2), 329.
- WHO. (2020). The Global Cancer Observatory - All cancers. International Agency for Research on Cancer - WHO, 419, 199–200. <https://gco.iarc.fr/today/home>
- Wulandari, L. (2022). *Terapi Personal sebagai Upaya Terobosan dalam Pengobatan Kanker Paru*. Airlangga University Press.
- Xie, H., Li, Y., Yu, F., Xie, X., Qiu, K., & Fu, J. (2015). An investigation of molecular docking and molecular dynamic simulation on imidazopyridines as B-Raf kinase inhibitors. *International Journal of Molecular Sciences*, 16(11), 27350–27361.
- Xuan-Yu Meng, Hong-Xing Zhang, Mihaly Mezei, and M. C. (2011). Over View on Molecular Docking: A Powerful Approach for Structure Based Drug Discovery. *International Journal of Pharmaceutical Sciences Review and Research*, 77(2), 146–157. <https://doi.org/10.47583/ijpsrr.2022.v77i02.029>
- Yao, M., Qian, X., & Qin, H. (2019). Effects of *Laminaria japonica* polysaccharides on the survival of non-small-cell lung cancer A549 cells. *International Journal of Polymer Science*, 2019, 1–9.
- Yuanita, E., Sudirman, S., Ulfa, M., Dharmayani, N. K. T., Sumarlan, I., & Sudarma, I. M. (2018). Aplikasi Chemdraw Dan Avogadro Untuk

- Meningkatkan Pemahaman Dan Minat Dalam Bidang Kimia. *Jurnal Pendidikan dan Pengabdian Masyarakat*, 1(2).
- Zhang, Y., Yang, L., Zhao, N., Hong, Z., Cai, B., Le, Q., Yang, T., Shi, L., & He, J. (2021). Soluble polysaccharide derived from *Laminaria japonica* attenuates obesity-related nonalcoholic fatty liver disease associated with gut microbiota regulation. *Marine Drugs*, 19(12), 699.
- Zheng, X., & Polli, J. (2010). Identification of inhibitor concentrations to efficiently screen and measure inhibition K_i values against solute carrier transporters. *European Journal of Pharmaceutical Sciences*, 41(1), 43–52.
- Zubair, M. S., Maulana, S., & Mukaddas, A. (2020). Penambatan molekuler dan simulasi dinamika molekuler senyawa dari genus *nigella* terhadap penghambatan aktivitas enzim protease HIV-1. *Jurnal Farmasi Galenika (Galenika Journal of Pharmacy)(E-Journal)*, 6(1), 132–140.