

ABSTRAK

Keberhasilan atau kegagalan terapi tuberkulosis dipengaruhi oleh pengetahuan pasien. Pengetahuan menjadi faktor penting dalam mendukung alannya pengobatan. Kurangnya pengetahuan penderita tentang minum obat bisa menjadi faktor terjadinya MDR-TB atau kekebalan kuman *Mycobacterium tuberculosis* terhadap OAT. Ketidakpatuhan pengobatan berakibat tingginya angka kegagalan terapi sehingga dapat meningkatkan angka kesakitan dan kematian. Tujuan penelitian ini untuk mengetahui Pengetahuan Tentang Kepatuhan Minum Obat Pada Penderita TBC Di Wilayah Kerja PKM Cileunyi. Metode Penelitian ini menggunakan desain penelitian deskriptif kuantitatif. Penelitian ini menggunakan kuesioner sebagai alat pengumpulan data dengan sampel pasien tuberkulosis yang tercatat tengah menjalani pengobatan di Puskesmas Cileunyi yaitu sebanyak 33 responden. Teknik pengambilan sampel menggunakan total sampling. Data yang diperoleh diolah menggunakan bantuan *software* komputer. Hasil penelitian menunjukkan sebagian besar pasien Tuberkulosis yaitu 17 responden (51,5%)

baik dan sangat sedikit dari responden yaitu 7 responden (21,2%) kurang dalam pengetahuan kepatuhan minum obat. Dapat disimpulkan bahwa dalam pengetahuan kepatuhan minum obat pasien Tuberkulosis di Puskesmas Cileunyi sebagian besar termasuk dalam kategori baik. Kesimpulan pengetahuan penderita TBC tentang kepatuhan minum obat di wilayah kerja puskesmas Cileunyi yaitu berada pada kategori baik yaitu sebanyak 17 orang dengan persentase (51,5%). Disarankan kepada pihak puskesmas agar dapat meningkatkan penyampaian informasi dengan berbagai upaya, seperti memasang poster mengenai kepatuhan pengobatan Tuberkulosis, resiko tidak teraturnya pengobatan Tuberkulosis dan MDR-TB atau menayangkan video selama pelayanan berlangsung. Disamping itu diharapkan puskesmas dapat meningkatkan pendidikan kesehatan dan program kerja kepada pasien Tuberkulosis.

Kata kunci :Kepatuhan, Minum Obat, Pengetahuan, Tuberkulosis

Daftar Pustaka :3 buku (2015-2022)
9 Website (2016-2021)
26 Jurnal (2016-2022)



ABSTRACT

The success or failure of tuberculosis therapy is influenced by the patient's knowledge. Knowledge is an important factor in supporting the course of treatment. The patient's lack of knowledge about taking medication can be a factor in the occurrence of MDR-TB or Mycobacterium tuberculosis's immunity to OAT. Non-adherence to treatment results in a high rate of therapy failure so that it can increase morbidity and mortality. The purpose of this study was to determine knowledge about adherence to medication in TB patients in the Cileunyi PKM work area. **Methods** This research uses a quantitative descriptive research design. This study uses a questionnaire as a data collection tool. The sample in this study were tuberculosis patients who were recorded to be undergoing treatment at the Cileunyi Health Center as many as 33 respondents. The sampling technique used was total sampling. The data obtained were processed using the help of computer software. The results showed that most of the Tuberculosis patients, namely 17 respondents (51.5%) were good and very few of the respondents, namely 7 respondents (21.2%) lacked knowledge of medication adherence. It can be concluded that the knowledge of adherence to medication for Tuberculosis patients at the Cileunyi Health Center is mostly in the good category. The conclusion of TB patient knowledge about medication adherence in the working area of the Cileunyi health center is in the good category, namely 17 people with a percentage (51.5%). It is recommended to the puskesmas to improve the delivery of information with various efforts, such as placing posters regarding Tuberculosis treatment adherence, the risk of irregular Tuberculosis and MDR-TB treatment or showing videos during the service. Besides that, it is also hoped that the puskesmas can improve health education and work programs for Tuberculosis patients.

Keyword : Compliance, Take Medicine, Knowledge, Tuberculosis

Bibliography: 3 book (2015-2022)

9 Website (2016-2021)

26 Journal (2016-2022)