

Perbedaan Tingkat Kecemasan Berdasarkan Faktor Usia Jenis Kelamin Dan Tingkat Pendidikan Pasien Pre Operasi Dengan *General Anestesi* Di RSUD Kota Bandung

**Oleh :
Zulia Nurfauziah
191FI03032**

ABSTRAK

Kecemasan pre operasi yaitu suatu keadaan dimana seseorang yang sebelumnya tidak pernah dilakukan tindakan operasi seseorang yang belum dilakukan tindakan operasi sebelumnya akan mengalami perasaan cemas dan khawatir yang berlebihan untuk dilakukan tindakan operasi karena munculnya perasaan bahwa dirinya sedang terancam bahaya. Tujuan dari penelitian ini yaitu perbedaan tingkat kecemasan pada pre operasi dengan general anestesi berdasarkan faktor yaitu usia, jenis kelamin dan tingkat pendidikan. Metode yang digunakan yaitu kuantitatif dengan desain penelitian cross sectional dan penelitian ini telah diuji normalitas menggunakan uji mann whitney dan hasilnya data berdistribusi tidak normal sehingga analisis bivariat menggunakan uji kruskal wallis. Sampel dalam penelitian ini adalah pasien pre operasi di ruangan rawat inap bedah, sebanyak 140 responden, dan instrument yang digunakan yaitu kuisioner APAIS. Penelitian ini telah uji etik dengan hasil 032/09.KEPK/UBK/V/2023. Pada hasil penelitian ini menunjukkan bahwa tingkat kecemasan pada pre operasi hampir sebagian mengalami cemas sedang (46,4%) dan hasil dari karakteristik jenis kelamin menunjukkan hasil perempuan mengalami tingkat kecemasan yang signifikan, Sebagian kecil mengalami cemas berat (24,3%) nilai $p = 0,136$. Pada karakteristik usia terdapat hasil Sebagian kecil mengalami cemas berat (24,3%) nilai $p = 0,348$. Dalam hal pendidikan, responden dengan tingkat sarjana memiliki tingkat kecemasan yang lebih tinggi, yaitu cemas berat (20%) $p = 0,083$. Kesimpulan yang dapat diambil dari penelitian ini yaitu tidak ada perbedaan dalam perbedaan antara usia, jenis kelamin dan tingkat pendidikan dengan kecemasan pre operasi pada pasien di Ruang Rawat Inap RSUD Kota Bandung. Diharapkan untuk peneliti selanjutnya meneliti lebih lanjut untuk faktor faktor yang mempengaruhi kecemasan pada pasien pre operasi.

Kata Kunci : Apais, Pre Operasi, Tingkat Kecemasan

Differences In Anxiety Levels Based On Age, Gender, And Education Levels Of Preoperative Patients With General Anesthesia at RSUD Kota Bandung

By:

Zulia Nurfauziah

191FI03032

ABSTRACT

Preoperative anxiety is a condition where someone who has never had surgery before, someone who has not had surgery before will experience excessive feelings of anxiety and worry about surgery because of the feeling that he is in danger. The purpose of this study is the difference in anxiety levels in preoperative with general anesthesia based on factors namely age, sex and education level. The method used is quantitative with a cross-sectional research design and this study has been tested for normality using the Mann Whitney test and the results are abnormally distributed data so that bivariate analysis uses the Kruskal Wallis test. The samples in this study were preoperative patients in the surgical inpatient room, as many as 140 respondents, and the instrument used was the APAIS questionnaire. This research has been ethically tested with the results of 032/09.KEPK/UBK/V/2023. The results of this study showed that even the level of anxiety in preoperative almost as long as experiencing moderate anxiety (46.4%) and the results of sex characteristics showed the results of women experiencing significant levels of anxiety, a small number experienced severe anxiety (24.3%) p value = 0.136. In age characteristics, there are results A small percentage experienced severe anxiety (24.3%) p value = 0.348. In terms of education, respondents with undergraduate level had higher levels of anxiety, namely severe anxiety (20%) p = 0.083. The conclusion that can be drawn from this study is that there is no difference in differences between age, sex and education level with preoperative anxiety in patients in the Inpatient Room of Bandung City Hospital. It is expected that researchers will further examine the factors that influence anxiety in preoperative patients.

Keywords: apathy, preoperative, anxiety level