

**ANALISIS ASUHAN KEPERAWATAN PADA TN. Y DENGAN
DIAGNOSA MEDIS *SKIZOFRENIA* DAN MASALAH KEPERAWATAN
RESIKO PERILAKU KEKERASAN MENGGUNAKAN PENERAPAN
INTERVENSI GENERALIS DI RUANG KAKAK TUA RUMAH SAKIT
JIWA PROVINSI JAWA BARAT**

Regi Bayu Anggara¹, Andri Nurmansyah²

ABSTRAK

Resiko perilaku kekerasan pada pasien dapat menyebabkan kehilangan kontrol diri, berisiko melukai diri sendiri, orang lain, dan lingkungan. Jika tidak ditangani, risiko ini meningkat. Penanganan yang tepat diperlukan untuk mengurangi risiko perilaku kekerasan pada pasien *skizofrenia*. Penelitian ini bertujuan untuk memahami bagaimana intervensi generalis dapat mengurangi risiko perilaku kekerasan pada pasien *skizofrenia* di Rumah Sakit Jiwa Provinsi Jawa Barat. Penelitian ini menggunakan pendekatan studi kasus dengan melakukan pengkajian mendalam terhadap pasien Tn. Y yang didiagnosis dengan *skizofrenia* dan berisiko perilaku kekerasan. Data dikumpulkan melalui wawancara, observasi, dan rekam medis pasien. Intervensi yang diberikan meliputi teknik relaksasi fisik, komunikasi verbal, dan latihan spiritual. Hasil penelitian menunjukkan bahwa setelah diberikan asuhan keperawatan selama satu minggu, Tn. Y mampu mengendalikan amarah dan perilaku kekerasannya melalui terapi fisik, komunikasi asertif, dan kegiatan spiritual. Pengkajian awal menunjukkan Tn. Y mengalami gejala perilaku kekerasan. Diagnosa utama adalah risiko perilaku kekerasan, defisit perawatan diri, dan harga diri rendah. Intervensi generalis yang diterapkan berhasil membantu Tn.Y mengontrol amarahnya. Hasil evaluasi menunjukkan bahwa Tn. Y mampu mengenali tanda-tanda amarah, penyebabnya, dan menggunakan teknik generalis yang diajarkan untuk mengendalikannya. Dengan demikian, intervensi generalis terbukti efektif dalam mengurangi risiko perilaku kekerasan pada pasien *skizofrenia*. Penerapan teknik relaksasi fisik, komunikasi asertif, dan latihan spiritual dapat membantu pasien mengelola amarah dan meningkatkan kualitas hidup mereka.

Kata Kunci : Intervensi generalis, Perilaku kekerasan, *Skizofrenia*

Referensi : Buku : 10 (2014 - 2020)
Jurnal : 10 (2019 - 2022)
Artikel Disertasi : 2 (2016 - 2022)
Artikel Laporan : 2 (2018-2019)

Analysis of Nursing Care for Mr. Y with a Medical Diagnosis of Schizophrenia and Nursing Problems of Risk of Violent Behavior Using Generalist Interventions in the Elder Sibling Ward at the West Java Provincial Mental Hospital

Regi Bayu Anggara¹, Andri Nurmansyah²

ABSTRACT

The risk of violent behavior in patients can lead to a loss of self-control, posing a risk of harming themselves, others, and the environment. If left unaddressed, this risk increases. Appropriate management is necessary to reduce the risk of violent behavior in patients with schizophrenia. This study aims to understand how generalist interventions can reduce the risk of violent behavior in schizophrenia patients at the West Java Provincial Mental Hospital. The study employs a case study approach by conducting an in-depth assessment of patient Mr. Y, who has been diagnosed with schizophrenia and is at risk of violent behavior. Data were collected through interviews, observations, and the patient's medical records. The interventions provided included physical relaxation techniques, verbal communication, and spiritual exercises. The results showed that after receiving nursing care for one week, Mr. Y was able to control his anger and violent behavior through physical therapy, assertive communication, and spiritual activities. Initial assessment indicated that Mr. Y exhibited symptoms of violent behavior. The primary diagnoses were the risk of violent behavior, self-care deficits, and low self-esteem. The generalist interventions applied successfully helped Mr. Y control his anger. Evaluation results indicated that Mr. Y was able to recognize the signs of anger, its causes, and use the generalist techniques taught to manage it. Therefore, generalist interventions have proven effective in reducing the risk of violent behavior in patients with schizophrenia. The application of physical relaxation techniques, assertive communication, and spiritual exercises can help patients manage their anger and improve their quality of life.

Keywords: Generalist interventions, Violent behavior, Schizophrenia

References : Books : 10 (2014-2020)
Journals : 10 (2019-2022)
Dissertation Articles : 2 (2016-2022)
Reports Articles : 2 (2018-2019)