

DAFTAR PUSTAKA

- Abbas, P., Hashim, Y. Z. H. Y., & Salleh, H. M. (2019). Uninfected agarwood branch extract possess cytotoxic and inhibitory effects on mcf-7 breast cancer cells. *Marmara Pharmaceutical Journal*, 23(1), 120–129. <https://doi.org/10.12991/jrp.2018.116>
- Ahmed, J., Khan, M. M. H., Kashem, M. A., Ahmed, S. R., & Hossain, M. J. (2019). Evaluation of density metric grading of agarwood, antioxidant potentiality in agar oil and prevalence of unknown bacteria in agarwood soaking water. *Journal of Advanced Biotechnology and Experimental Therapeutics*, 2(2), 44–50. <https://doi.org/10.5455/jabet.2019.d24>
- Akib, N. I., Hendra, N. S., Purnama Putri, A. E., Armadhani, I., Tendri Adjeng, A. N., & Mahmudah, R. (2022). PREPARATION OF PHYTOSOME OF KERSEN LEAVES (*Muntingia calabura* L.) ETHANOL EXTRACT AS ANTIOXIDANT. *Jurnal Farmasi Sains Dan Praktis*, 199–211. <https://doi.org/10.31603/pharmacy.v0i0.6206>
- Alhakamy, N. A., Badr-Eldin, S. M., Fahmy, U. A., Alruwaili, N. K., Awan, Z. A., Caruso, G., Alfaleh, M. A., Alaofi, A. L., Arif, F. O., Ahmed, O. A. A., & Alghaith, A. F. (2020). RETRACTED: Thymoquinone-Loaded Soy-Phospholipid-Based Phytosomes Exhibit Anticancer Potential against Human Lung Cancer Cells. In *Pharmaceutics* (Vol. 12, Issue 8, pp. 1–17). Multidisciplinary Digital Publishing Institute (MDPI). <https://doi.org/10.3390/pharmaceutics12080761>
- Amit, M. P. (n.d.). *Phytosome: Phytolipid Drug Delivery System for Improving Bioavailability of Herbal Drug*. 3(2), 51–57. www.jpsbr.org
- Chawla, G., & Ranjan, C. (2016). Principle, Instrumentation, and Applications of UPLC: A Novel Technique of Liquid Chromatography. *Open Chemistry Journal*, 3(1), 1–16. <https://doi.org/10.2174/1874842201603010001>
- Damayanti, H., Wikarsa, S., Jafar, G., Bhakti, U., & Bandung, K. (2019). *FORMULASI NANOEMULGEL EKSTRAK KULIT MANGGIS (Garcinia Mangostana L.)* (Vol. 1, Issue 3).
- Danaei, M., Dehghankhold, M., Ataei, S., Hasan-zadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. In *Pharmaceutics* (Vol. 10, Issue 2). MDPI AG. <https://doi.org/10.3390/pharmaceutics10020057>
- DepKes. (2000). *PARAMETER STANDAR UMUM EKSTRAK TUMBUHAN OBAT*. <https://akfarstfransiskusxaverius.ac.id/wp->

content/uploads/2023/08/51_Parameter-standar-umum-ekstrak-tumbuhan-obat-1.pdf

- Eka Widiadnyani, N. K., Astawa, I. N. M., Yasa, I. W. P. S., & Sukrama, I. D. M. (2021). Phytochemical test and identification of active compounds with LC-MS/MS in green Meniran leaf (*Phyllanthus niruri* Linn). *Bali Medical Journal*, 10(1), 132–136. <https://doi.org/10.15562/bmj.v10i1.2208>
- Gaikwad, S. S., Morade, Y. Y., Kothule, A. M., Kshirsagar, S. J., Laddha, U. D., & Salunkhe, K. S. (2023). Overview of phytosomes in treating cancer: Advancement, challenges, and future outlook. In *Heliyon* (Vol. 9, Issue 6). Elsevier Ltd. <https://doi.org/10.1016/j.heliyon.2023.e16561>
- Ghanbarzadeh, B., Babazadeh, A., & Hamishehkar, H. (2016). Nano-phytosome as a potential food-grade delivery system. In *Food Bioscience* (Vol. 15, pp. 126–135). Elsevier Ltd. <https://doi.org/10.1016/j.fbio.2016.07.006>
- Haripriyaa, M., & Suthindhiran, K. (2023). Pharmacokinetics of nanoparticles: current knowledge, future directions and its implications in drug delivery. *Future Journal of Pharmaceutical Sciences*, 9(1). <https://doi.org/10.1186/s43094-023-00569-y>
- Honary, S., & Zahir, F. (2013). Effect of zeta potential on the properties of nano-drug delivery systems - A review (Part 2). *Tropical Journal of Pharmaceutical Research*, 12(2), 265–273. <https://doi.org/10.4314/tjpr.v12i2.20>
- Imran, Nurlian, Kadir, L. A., Agus, L., & Ruslan. (2021). Penyarian Konstituen Organik Daging Buah Gaharu (*Aquilaria malaccensis* Lamk.) dengan Metode Maserasi Berbantu Microwave dan Uji Aktivitas Sebagai Antioksidan. *KOVALEN: Jurnal Riset Kimia*, 7(1), 42–50. <https://doi.org/10.22487/kovalen.2021.v7.i1.15478>
- Jafar, G., Abdassah, M., Rusdiana, T., & Khairunisa, R. (2021). Development and characterization of precinol at 88 base in nanostructured lipid carriers (NLC) formulation with the probe sonication method. *International Journal of Applied Pharmaceutics*, 13(special issue 3), 43–46. <https://doi.org/10.22159/IJAP.2021.V13S3.08>
- Jafar, G., Awaludin Nazal, R., & Sutrisno, E. (2024). REVIEW: ARTIKEL ULASAN TEKNOLOGI NANO BERBASIS LIPID. In *Medical Sains : Jurnal Ilmiah Kefarmasian* (Vol. 9, Issue 1). www.DeepL.com/pro
- Kamonwannasit, S., Nantapong, N., Kumkrai, P., Luecha, P., Kupittayanant, S., & Chudapongse, N. (2013). Antibacterial activity of *Aquilaria crassna* leaf extract against *Staphylococcus epidermidis* by disruption of cell wall. *Annals of Clinical Microbiology and Antimicrobials*, 12(1). <https://doi.org/10.1186/1476-0711-12-20>

- KemenKes RI. (2017). *FARMAKOPE HERBAL INDONESIA EDISI II 2017 KEMENTERIAN KESEHATAN REPUBLIK INDONESIA 615.1 Ind f*.
- Khanmohammadi, M., Elmizadeh, H., & Ghasemi, K. (2015). Investigation of Size and Morphology of Chitosan Nanoparticles Used in Drug Delivery System Employing Chemometric Technique. In *Shaheed Beheshti University of Medical Sciences and Health Services Iranian Journal of Pharmaceutical Research* (Vol. 14, Issue 3).
- Kusnadi dan Devi. (2017). *ISOLASI DAN IDENTIFIKASI SENYAWA FLAVANOID PADA EKSTRAK DAUN SELEDRI (Apium graveolens L.) DENGAN METODE REFLUKS*. <http://e-journal.ups.ac.id/index.php/psej>
- Lu, M., Qiu, Q., Luo, X., Liu, X., Sun, J., Wang, C., Lin, X., Deng, Y., & Song, Y. (2019). Phyto-phospholipid complexes (phytosomes): A novel strategy to improve the bioavailability of active constituents. In *Asian Journal of Pharmaceutical Sciences* (Vol. 14, Issue 3, pp. 265–274). Shenyang Pharmaceutical University. <https://doi.org/10.1016/j.ajps.2018.05.011>
- Malay K Das, & Bhupen Kalita. (2014). Design and Evaluation of Phyto-Phospholipid Complexes (Phytosomes) of Rutin for Transdermal Application. *Journal of Applied Pharmaceutical Science*, 4(1), 61–65. <https://doi.org/10.7324/JAPS.2014.40110>
- Mangurana, W. O. I., Yusnaini, Y., & Sahidin, S. (2019a). ANALISIS LC-MS/MS (Liquid Chromatograph Mass Spectrometry) DAN METABOLIT SEKUNDER SERTA POTENSI ANTIBAKTERI EKSTRAK n-HEKSANA SPONG Callyspongia aerizusa YANG DIAMBIL PADA KONDISI TUTUPAN TERUMBU KARANG YANG BERBEDA DI PERAIRAN TELUK STARING. *Jurnal Biologi Tropis*, 19(2), 131–141. <https://doi.org/10.29303/jbt.v19i2.1126>
- Mangurana, W. O. I., Yusnaini, Y., & Sahidin, S. (2019b). ANALISIS LC-MS/MS (Liquid Chromatograph Mass Spectrometry) DAN METABOLIT SEKUNDER SERTA POTENSI ANTIBAKTERI EKSTRAK n-HEKSANA SPONG Callyspongia aerizusa YANG DIAMBIL PADA KONDISI TUTUPAN TERUMBU KARANG YANG BERBEDA DI PERAIRAN TELUK STARING. *Jurnal Biologi Tropis*, 19(2), 131–141. <https://doi.org/10.29303/jbt.v19i2.1126>
- Manurung, D. I., Hidayati, L., Wijayanti, N., & Nuringtyas, T. R. (2021). Metabolite profiling of agarwood (*Gyrinops versteegii* (Gilg.) Domke) leaves from difference growth locations using Thin Layer Chromatography. *Jurnal Biologi Tropis*, 21(2), 615–623. <https://doi.org/10.29303/jbt.v21i2.2710>
- Mudalige, T., Qu, H., Van Haute, D., Ansar, S. M., Paredes, A., & Ingle, T. (2018). Characterization of Nanomaterials: Tools and Challenges. In *Nanomaterials for*

- Food Applications* (pp. 313–353). Elsevier. <https://doi.org/10.1016/B978-0-12-814130-4.00011-7>
- Pal PB, Sinha K, & Sil. (2014). Mangiferin attenuates diabetic nephropathy by inhibiting oxidative stress mediated signaling cascade, TNF α related and mitochondrial dependent apoptotic pathways in streptozotocin-induced diabetic rats. *Molecules*, 18(3), 3086–3106. <https://doi.org/10.3390/molecules18033086>
- Ramadon, D., & Mun'im, A. (2015a). Pemanfaatan Nanoteknologi dalam Sistem Penghantaran Obat Baru untuk Produk Bahan Alam (Utilization of Nanotechnology in Drug Delivery System for Natural Products). *JURNAL ILMU KEFARMASIAN INDONESIA*, 14(2), 118–127.
- Ramadon, D., & Mun'im, A. (2015b). Pemanfaatan Nanoteknologi dalam Sistem Penghantaran Obat Baru untuk Produk Bahan Alam (Utilization of Nanotechnology in Drug Delivery System for Natural Products). *JURNAL ILMU KEFARMASIAN INDONESIA*, 14(2), 118–127.
- Samadi, M., Abidin, Z. Z., Yunus, R., Awang Biak, D. R., Yoshida, H., & Lok, E. H. (2017). Assessing the kinetic model of hydro-distillation and chemical composition of *Aquilaria malaccensis* leaves essential oil. *Chinese Journal of Chemical Engineering*, 25(2), 216–222. <https://doi.org/10.1016/j.cjche.2016.09.006>
- Santoso, B., Ginting, B. S. K., Widowati, T. W., & Pangawikan, A. D. (2022). Kandungan Senyawa Fungsional Daun Tanaman Gaharu (*Aquilaria malaccensis*) Berdasarkan Posisi Daun pada Cabang. *Jurnal Ilmu Kehutanan*, 16(1), 22–29. <https://doi.org/10.22146/jik.v16i1.1808>
- Saparinto, H. D. S. dan C. (2014). *Panduan Lengkap Gaharu*.
- Saputra, Y. E., Dzakwan, M., & Dewi, N. A. (2020). *Evaluation Nano-Phytosome of Myricetin with Thin Layer Film Hydration-Sonication Method*.
- Saputra, Y. E., Purnamasari, N. A. D., & Palupi, G. O. (2023). FORMULASI DAN EVALUASI MUTU FISIK SERUM FITOSOM MYRICETIN. *Jurnal Ilmiah Farmasi Farmasyifa*, 6(1), 85–92. <https://doi.org/10.29313/jiff.v6i1.10253>
- Satria, R., Hakim, A. R., & Darsono, P. V. (2022). Penetapan Kadar Flavonoid Total Dari Fraksi n-Heksana Ekstrak Daun Gelinggang dengan Metode Spektrofotometri UV-Vis. *Journal of Engineering, Technology, and Applied Science*, 4(1), 33–46. <https://doi.org/10.36079/lamintang.jetas-0401.353>
- Suhardiman, A., & Budiana, W. (2020). AKTIVITAS FRAKSI DAUN GAHARU (*Aquilaria malaccensis* Lam) SEBAGAI ANTIJERAWAT DAN UJI BIOAUTOGRAFI. *JSTFI Jurnal Sains Dan Teknologi Farmasi Indonesia*, IX(1).

- Suhardiman, A., Dadang. (2019). PENGEMBANGAN OBAT HERBAL FRAKSI DAUN GAHARU (*Aquilaria malaccensis* Lam) DALAM BENTUK GEL UNTUK PENYEMBUHAN LUKA BAKAR. In *JSTFI Jurnal Sains dan Teknologi Farmasi Indonesia: Vol. VIII* (Issue 1).
- Suhardiman, A dan Budiana, W. (2023). Pengaruh Tempat Tumbuh Tanaman Daun Gaharu (*Aquilaria malaccensis* Lam) dari Dua Daerah yang Berbeda terhadap Aktivitas Antioksidan. *Jurnal Kartika Kimia*, 6(1), 8–16. <https://doi.org/10.26874/jkk.v6i1.172>
- Suhardiman et al. (2022). Activity of Gaharu (*Aquilaria malaccensis* Lam) Leaves Extract and Fraction as Herbal Drug Against α -Glucosidase Inhibition. In *International Journal of Research in Pharmaceutical Sciences* (Vol. 13, Issue 1, pp. 35–41). <https://doi.org/10.26452/ijrps.v13i1.17>
- Suhardiman, Asep Ramdani, Dewi Kurnia, & Aiyi Asnawi. (2021). Cytotoxic Test of Fraction of Gaharu Leaves (*Aquilaria Malaccensis*) on Cervic Cancer Cells (Hela Cells) Using MTT Assay Method. *International Journal of Research in Pharmaceutical Sciences*, 12(2), 1624–1631. <https://doi.org/10.26452/ijrps.v12i2.4750>
- Suhardiman, Hana Hanifah, Asep Roni, & Aiyi Asnawi. (2020). Cytotoxic activities of extract and fraction of agarwood leaves (*aquaria malaccensis* Lam) as herbal medicine on MCF-7 cancer cells. *International Journal of Research in Pharmaceutical Sciences*, 11(SPL4), 1012–1018. <https://doi.org/10.26452/ijrps.v11ispl4.4237>
- Syamsul, E. S., Ajrina Amanda, N., Lestari, D., & Samarinda, S. (n.d.). PERBANDINGAN EKSTRAK LAMUR *Aquilaria malaccensis* DENGAN METODE MASERASI DAN REFLUKS (Vol. 2, Issue 2).
- Telange, D. R., Patil, A. T., Pethe, A. M., Fegade, H., Anand, S., Dave, V. S., Kumar, S., Baldi, A., Sharma, D. K., Lu, M., Qiu, Q., Luo, X., Liu, X., Sun, J., Wang, C., Lin, X., Deng, Y., Song, Y., Amit, P., ... Rakesh, S. (2017). Formulation and characterization of an apigenin-phospholipid phytosome (APLC) for improved solubility, in vivo bioavailability, and antioxidant potential. *Journal of Pharmaceutical Science and Bioscientific Research*, 14(November 2020), 51–57. <https://doi.org/10.1016/j.ajps.2018.05.011>
- Tiara Puteri, I., Jayuska, A., Hairil Alimuddin, A., & Hadari Nawawi, J. H. (2016). Aktivitas Antirayap Daun Gaharu (*Aquilaria malaccensis* Lam.) Terhadap Rayap Tanah *Coptotermes* sp. 5(2), 6–14.
- Wahyuni, R., & Rivai, H. (2014). PENGARUH CARA PENGERINGAN DENGAN OVEN, KERING ANGIN DAN CAHAYA MATAHARI LANGSUNG

- TERHADAP MUTU SIMPLISIA HERBA SAMBILOTO. In *Jurnal Farmasi Higea* (Vol. 6, Issue 2).
- Wang, S., Yu, Z., Wang, C., Wu, C., Guo, P., & Wei, J. (2018). Chemical constituents and pharmacological activity of agarwood and aquilaria plants. In *Molecules* (Vol. 23, Issue 2). MDPI AG. <https://doi.org/10.3390/molecules23020342>
- Wanjiru, J., Gathirwa, J., Sauli, E., & Swai, H. S. (2022). Formulation, Optimization, and Evaluation of Moringa oleifera Leaf Polyphenol-Loaded Phytosome Delivery System against Breast Cancer Cell Lines. *Molecules*, 27(14). <https://doi.org/10.3390/molecules27144430>
- Yang, M. X., Liang, Y. G., Chen, H. R., Huang, Y. F., Gong, H. G., Zhang, T. Y., & Ito, Y. (2018). Isolation of Flavonoids From Wild Aquilaria sinensis Leaves by an Improved Preparative High-Speed Counter-Current Chromatography Apparatus. *Journal of Chromatographic Science*, 56(1), 18–24. <https://doi.org/10.1093/chromsci/bmx076>
- Yasmin Ramadania Burhanudin, Sani Ega Priani, & Gita Cahya Eka Darma. (2022). Formulasi dan Karakterisasi Fitosom Mengandung Ekstrak Etanol Kulit Kayu Secang (Caesalpinia sappan L.). *Bandung Conference Series: Pharmacy*, 2(2), 438–444. <https://doi.org/10.29313/bcsp.v2i2.4259>
- Yohannes Alen, Fitria Lavita Agresa, & Yori Yuliandra. (2017). (Thin layer chromatography (TLC) analysis and antihyperuricemic activity of bamboo shoots extract {Schizostachyum brachycladum Kurz (Kurz)} in male white mice. *Jurnal Sains Farmasi & Klinis*, 3(2), 146–152.
- Yu, Q., Qi, J., Yu, H. X., Chen, L. L., Kou, J. P., Liu, S. J., & Yu, B. Y. (2013). Qualitative and quantitative analysis of phenolic compounds in the leaves of aquilaria sinensis using liquid chromatography-mass spectrometry. *Phytochemical Analysis*, 24(4), 349–356. <https://doi.org/10.1002/pca.2416>
- Yulina. (2017). BACK TO NATURE: KEMAJUAN ATAU KEMUNDURAN. *Jurnal Mangifera Edu Biologi and Pendidikan Biologi*, 2(1), 43–49.