

## Daftar Pustaka

- Anam, K. dan Diponegoro, U. (2015) “Antimicrobial Activities of Terminalia muelleri Benth . Leaves and its active Aktivitas Antimikroba Daun Terminalia muelleri Benth ., Combretaceae , dan Senyawa Aktifnya,” (January 2010).
- Anggara, R. ; M. ; E. (2017) “Antibacterial Activity Study of Active Fraction from Chick Weed Plants (*Ageratum Conyzoides* L.) Against *Bacillus subtilis* and *Vibrio cholerae*,” 3(1), hal. 36–44.
- CLSI (2012) “Methods for Dilution Antimicrobial Susceptibility Tests for Bacteria That Grow Aerobically; Approved Standard—Ninth Edition,” in. Clinical and Laboratory Standards Institute.
- Dalimartha, S. (2006) “Atlas tumbuhan obat Indonesia Jilid 4” Jakarta:Puspa Swara
- Dwi Dinni Aulia Bakhtra (2018) “Uji Aktivitas Fraksi Dari Ekstrak Daun Sambung Nyawa (*Gynura procumbens* (Lour)Merr.) Terhadap Bakteri *Shigella dysenteriae* Dwi,” *Jurnal Farmasi Higea*, 10(1), hal. 2–3.
- Dye, C. (2014) “After 2015: Infectious diseases in a new era of health and development,” *Philosophical Transactions of the Royal Society B: Biological Sciences*, 369(1645). doi: 10.1098/rstb.2013.0426
- Erasto, P., Grierson, D. S. dan Afolayan, A. J. (2017) “Bioactive sesquiterpene lactones from the leaves of *Vernonia amygdalina*

Bioactive sesquiterpene lactones from the leaves of *Vernonia amygdalina*,” (July 2006). doi: 10.1016/j.jep.2005.12.016.

FARNSWORTH, N. R. (1966) “Biological and Phytochemical Screening of Plants,” *Pharmaceutical Sciences*.

Funk, V. A. *et al.* (2005) *Everywhere but Antarctica: Using a supertree to understand the diversity and distribution of the Compositae*, *Biologiske Skrifter*. doi: 10.1007/s00281-013-0386-4.

Guntina, R. K. dan Kusuma, S. A. F. (2016) “Deteksi Bakteri *Vibrio cholerae*,” *Fakultas Farmasi, Universitas Padjajaran*, 4, hal. 1–13. doi: 10.24198/JF.V15I2.13366.

Hariati, S. *et al.* (2018) “Aktivitas Antibakteri Ekstrak Kapang Laut *Nodulisporium* sp. KT29 Terhadap *Vibrio harveyi*,” *Jphpi*, 21(2), hal. 250–257.

Holetz, F. B. *et al.* (2002) “Screening of some plants used in the Brazilian folk medicine for the treatment of infectious diseases,” *Memorias do Instituto Oswaldo Cruz*, 97(7), hal. 1027–1031. doi: 10.1590/S0074-02762002000700017.

Ijeh, I. I. I. I. dan Ejike, C. E. C. C. C. E. C. C. (2011) “Current perspectives on the medicinal potentials of *Vernonia amygdalina* Del.,” *Journal of Medicinal Plants Research*, 5(7), hal. 1051–1061. Tersedia pada: <http://www.academicjournals.org/JMPR>.

Isnawati, A., Alegantina, S., Raini, M., & B., N. (2012) “KARAKTERISASI SIMPLISIA DAN EKSTRAK DAUN

STROBILANTHUS CRISPUS,” *Media Penelitian dan Pengembangan Kesehatan*.

Kaewseejan N , D Puanpronpitag, N. M. (2012) “Evaluation of Phytochemical Composition and pAntibacterial Property of Gynura Procumbens Extract,” 11, hal. 77–82.

Kementerian Kesehatan Republik Indonesia (2013) *Farmakope Herbal Indonesia Suplemen III*. Edisi Pert. Jakarta: Kementerian Kesehatan Republik Indonesia.

Kementerian Kesehatan RI (2018) “Profil Kesehatan Indonesia 2017,” *Profil Kesehatan Indonesia 2017*, hal. 100. doi: 10.1037/0022-3514.51.6.1173.

Kharimah, N. Z. Y. L. L. S. (2015) “Identifikasi Senyawa Flavonoid pada Ekstrak dan Fraksi Daun Afrika (*Vernonia amygdalina* Del.),” *Prodi Farmasi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Islam Bandung*, hal. 703–709. doi: 10.1016/j.iheduc.2015.02.002.

Mabou Tagne, A., Marino, F. dan Cosentino, M. (2018) “*Tithonia diversifolia* (Hemsl.) A. Gray as a medicinal plant: A comprehensive review of its ethnopharmacology, phytochemistry, pharmacotoxicology and clinical relevance,” *Journal of Ethnopharmacology*. Elsevier Ireland Ltd, 220, hal. 94–116. doi: 10.1016/j.jep.2018.03.025.

Muoghalu, J. I. dan Chuba, D. K. (2005) “Seed germination and reproductive strategies of *Tithonia diversifolia* (Hemsl.) gray

- and *Tithonia rotundifolia* (P.M) blake,” *Applied Ecology and Environmental Research*, 3(1), hal. 39–46. doi: 10.15666/aeer/0301\_039046.
- Nurjanah, S. (2018) “Ekstrak Daun Kembang Bulan (*Tithonia diversifolia* (Hemsl.) A. Gray) Sebagai Antibakteri Terhadap *Streptococcus mutans* dan *Streptococcus sanguinis*,” 7(1), hal. 33–40.
- Pang, Y. *et al.* (2014) “*Blumea balsamifera*- A phytochemical and pharmacological review,” *Molecules*, 19(7), hal. 9453–9477. doi: 10.3390/molecules19079453.
- Obafemi, C. A. *et al.* (2006) “Antimicrobial activity of extracts and a germacranolide- type sesquiterpene lactone from *Tithonia diversifolia* leaf extract,” 5(June), hal. 1254–1258.
- Ongsakul, M., Jindarat, A. dan Rojanaworarit, C. (2009) “ANTIBACTERIAL EFFECT OF CRUDE ALCOHOLIC AND AQUEOUS EXTRACTS OF SIX MEDICINAL PLANTS AGAINST *STAPHYLOCOCCUS AUREUS* AND *ESCHERICHIA COLI*,” 23(3), hal. 153–156.
- Pratiwi, S. T. (2008) *Mikrobiologi Farmasi*. Jakarta: Erlangga.
- Puji, L. (2016) “ *Studi tanaman khas sumatera utara yang berkhasiat obat*” 1(1), hal. 31–48.
- Setiabudy R (2007) *Antimikroba Dalam Farmakologi dan Terapi Edisi V (Cetak Ulang Dengan Perbaikan 2008)*. Jakarta: Balai Penerbit FKUI.

- STOUT, W. W. D. A. T. R. (1971) "Disc Plate Method of Microbiological Antibiotic Assay," 22(4), hal. 659–665.
- Sugara, T. H. *et al.* (2016) "Uji Aktivitas Antibakteri Fraksi Etil Asetat Daun Tanaman Bandotan ( *Ageratum conyzoides* L ) Anti Bacteria Activity of Ethyl Acetate Fraction Bandotan leaf ( *Ageratum conyzoides* L )," *Jurnal Ilmiah Ibnu Sina*, 1(1), hal. 88–96. doi: 10.1016/S1754-3207(10)70421-1.
- Wegiera, M. *et al.* (2012) "Cytotoxic effect of some medicinal plants from Asteraceae family on J-45.01 leukemic cell line - Pilot study," *Acta Poloniae Pharmaceutica - Drug Research*, 69(2), hal. 263–268.