

DAFTAR PUSTAKA

- Anchala R, Kannuri NK, Pant H, Khan H, Franco OH, Di Angelantonio E, et al. 2014. Hypertension in India: A systematic review and meta-analysis of prevalence, awareness, and control of hypertension. *J Hypertens*.32:1170–7.
- Afriyie DK, Raymond T. 2014. A description of the pattern of rational drug use in Ghana Police Hospital. *Int J Pharm Pharmacol*. 3(1):143-8
- Andriana S, Djoko W, Budi R. 2012. Identifikasi potensi interaksi obat pada pasien rawat inap penyakit dalam di RSUP Prof. dr.Margono Soekarjo Purwokerto dengan metode observasional retrospektif periode November 2009–Januari 2010. *Jurnal Ilmiah Kefarmasian*. Vol. 2(2):195–203.
- Anggraini. 2012. Jenis Kelamin Penderita Hipertensi. Bandung: PT Remaja Rosida Karya.
- Annisa N, Abdulah R. 2012. Potensi interaksi obat resep pasien geriatri: studi retrospektif pada apotek di Bandung. *Indonesian J Clin Pharm*. 1(3): 96-101.
- Aparasu R, R Baer dan A Aparasu. 2007. Clinically important potential drug-drug interactions in outpatient settings. *Res Social Admin Pharm*. 3: 426.

- Aslam, Moh, et al. 2004. Farmasi klinis – menuju pengobatan rasional dan penghargaan pilihan pasien. Jakarta : PT. Alex Media Komputindo.
- Baharuddin. 2013. Perbandingan efektivitas dan efek samping obat antihipertensi terhadap penurunan tekanan darah pasien hipertensi di Puskesmas Baranti kabupaten Sidenreng rappang. Tesis. Universitas Hasanuddin. Makassar.
- Bailie GR, Johnson CA, Mason NA. 2004. Medfacts pocket guide of drug interaction. Nephrology pharmacy association.
- Balushi KAA, Shibli SA, Zakwani IA. 2014. Drug utilization patterns in the emergency department: a retrospective study. J Basic Clin Pharm. 5(1):1-6. doi: 10.4103/0976-0105.128226
- Baxter, Editor, 2008. Stockley's Drug Interactions. Eighth Edition. London: Pharmaceutical Press, 1, 9, 10, 11.
- Bista D, Palaian S, Shankar PR, Prabhu MM, Paudel R, Mishra P. 2007. Understanding the essentials of drug interactions: A potential need for safe and effective use of drugs. Kathmandu Univ Med J (KUMJ). 5: 421-30.
- Demeke B, Molla F, Assen A, Melkam W, Abrha S, et al. 2015. Evaluation of drugs utilization pattern using WHO prescribing indicators in AYder Referral Hospital, Northern Ethiopia. 6(2):343-7.

- Destiani DP, Rina S, Eli H, Ellin F, Syahrul N. 2015. Evaluasi Penggunaan Obat Antihipertensi pada Pasien Rawat Jalan di Fasilitas Kesehatan Rawat Jalan pada Tahun 2015 dengan Metode ATC-DDD. *Jurnal Farmaka*, Vol.14 nomor 2 hal 19-25.
- Destiani DP, Syahrul N, Aminah N, Eli H, Ellin F. 2016. Pola persepsian rawat jalan: studi observasional menggunakan kriteria prescribing indicator WHO di salah satu fasilitas kesehatan Bandung. *Jurnal Farmasi Klinik Indonesia*, Vol.5 nomor 3 hal 225-31. doi: 10.15416/ijcp.2016.5.3.225.
- Dipiro JT., 2009, *Pharmacotherapy Handbook* 7th edition, Mc Graw Hill, New York.
- Feinstein, J., Dai, D., Zhong, W., Freedman, J., Feudtner, C., 2014. Potential Drug-Drug Interactions in Infant, Child, and Adolescent Patients in Children's Hospitals. *Pediatrics*, 135(1), pp. 99–108. <http://doi.org/10.1542/peds.2014-2015>
- Fujii H, Nakahama H, Yoshihara F, et al. 2005. Life-Threatening Hyperkalemia During a Combined Therapy with the Angiotensin Receptor Blocker Candesartan and Spironolactone. *Kobe J Med Sci*. 51(1-2):1-6.
- Hajebi G, Mortazavi SA. 2002. An Investigation of drug interactions in hospital pharmacy prescriptions. *Iranian J. Pharm. Res*. 1:15-19.

- Halim MC, Andrajati R, Supardi S. 2015. Risiko penggunaan ACEi terhadap Kejadian Batuk Kering pada Pasien Hipertensi di RSUD Cengkareng dan RSUD Tarakan DKI Jakarta. *Jurnal Kefarmasian Indonesia*. 5(2):113-122
- Harahap H, Hardinsyah, Budi S, Imam E. 2008. Hubungan Indeks Massa Tubuh, Jenis Kelamin, Usia, Golongan Darah dan Riwayat Keturunan dengan Tekanan Darah pada Pegawai Negeri Sipil di Pekanbaru.. *PGM*, 31(2): 51-58.
- Helms RA, Quan DJ, Herfindal ET. 2006. *Textbook of therapeutics: Drug and disease management*. 8th ed. Lippincott Williams and Wilkins. p. 47-49.
- Herdaningsih S, Muhtadi A, Lestari K, Annisa N. 2016. Potensi interaksi obat-obat pada resep polifarmasi: studi retrospektif pada salah satu apotek di kota Bandung. *Indonesian J Clin Pharm*. 5(4): 288-292. Doi: 10.15416/ijcp.2016.5.4.288
- <https://www.who.int/news-room/factsheets/detail/noncommunicable-diseases>. Diakses tanggal 23 Desember 2018.
- Imam Ghozali. 2011. *Aplikasi Analisis Multivariate dengan Program IBM SPSS 19*. Semarang: Badan Penerbit Universitas Diponegoro.
- Irawan A. 2014. Peningkatan Serum Kratinin Akibat Penggunaan ACEi atau ARB pada Pasien Hipertensi. *Jurnal Farmasi Klinik Indonesia*. 3(3):82-87. Doi:10.15416/ijcp.2014.3.3.82

- Jankel CA and Speedie SM. 1990. Detecting drug interactions: a review of the literature. DICP. 24: 982-89.
- Kaplan, N.M. 2010. Clinical Hypertension. 11th ed. Lippincott: Williams & Wilkins.
- Kemenkes RI. 2013. Riset Kesehatan Dasar (Riskesdas). Jakarta ; Badan penelitian dan pengembangan.
- Kheshti R, M Aalipour, S Namazi. 2016. A comparison of five common drug-drug interaction software programs regarding accuracy and comprehensiveness. J Res Pharm Pract. 5:257-63. Doi: 10.4103/2279-042X.192461.
- Ko Y, D Malone, J D'Agostino, G Skrepnek, E Armstrong, M Brown, et al. 2008. Potential determinants of prescribers drug-drug interaction knowledge. Res Social Admin Pharm. 4:355-366.
- Lexi-Interact. 2019. Wolters Kluwer Clinical Drug Information, Inc. Version 4.5.1
- Lindblad CI, Artz, Pieper, Sloane, Hajjar, Ruby, et al. 2005. Potential drug-disease interactions in frail, hospitalized elderly veterans. Ann Pharmacother. 39:412-17.
- Londhe, SP., Abraham Joseph., Jose John., Kiran Philip., Lithin Philip. 2015. To Identify, Evaluate, and Analyze The Possible Drug-Drug Interactions in Patients Diagnosed as Type 2 Diabetes Mellitus with Hypertension in A Tertiary Care

Teaching Hospital. Asian J Pharm Clin Res, Vol 8, Issue 6, p. 169-174.

Lubinga SJ, E Uwiduhaye. 2011. Potential drug-drug interactions on in-patient medication prescriptions at Mbarara Regional Referral Hospital(MRRH) in western Uganda: Prevalence, clinical importance and associated factors. Afr Health Sci. 11: 499-507.

Mahamudu YS, Gayatri C, Henki R. 2017. Kajian Potensi Interaksi Obat Antihipertensi pada Pasien Hipertensi Primer di Instalasi Rawat Jalan RSUD Luwuk Periode Januari-Maret 2016. Pharmacon, 6(3): 1-9.

Maindoka FS, Deby M, Gayatri C. 2017. Kajian Interaksi Obat pada Pasien Geriatri Rawat Inap di RSUP Prof.dr.R.D. Kandou Manado. Pharmacon, 6(3): 240-250

Merle L, Laroche ML, Dantoine T, Charmes JP. 2005. Predicting and preventing adverse drug reaction in the very old. Drugs and Aging. 22(5): 375-392.

Moscou, Snipe, 2009. Pharmacology For Pharmacy Technicians, Kanada: Mosby Elsevier, 54.

Nafrialdi, 2007, Antihipertensi. In: Gunawan SG, Setiabudy R, Nafrialdi, Elysabeth, editor. Farmakologi dan terapi (Edisi Kelima). Jakarta: Gaya baru,p.342

Piscitelli SC, Rodvold KA. 2005. Drug interaction in infection disease second edition. New jersey: Humana press.

Prasetyo, Eko., Detari, Wijayanti, 2015. Evaluasi Penggunaan Obat Antihipertensi pada Penyakit Hipertensi Disertai Gagal Ginjal Kronik (ICD I12,0) Pasien Geriatri Rawat Inap di RSUD A. W. Sjahranie Samarinda pada Tahun 2012 dan 2013 dengan Metode ATC/DDD, Jurnal Farmasi Indonesia, Vol.12 hal 23-32.

Preskorn SH, Silkey B, Shah R et al. 2005. Complexity of Medication Use in the Veterans Affairs Healthcare System: Part I: Outpatient Use in Relation to Age and Number of Prescribers. J Psychiaty Pract. 11:5-14.

Rahmawati F, Handayani R, Gosal V. 2006. Kajian restropektif interaksi obat di Rumah Sakit Pendidikan Dr. Sardjito Yogyakarta. Majalah Farmasi Indonesia. 17(4):177–83

Rahmawati F, Pramantara DP, Rohmah W, Sulaiman SA. 2009. Polypharmacy and unnecessary drug therapy on geriatric hospitalized patients in Yogyakarta Hospitals, Indonesia. Int J Pharm Pharmaceu Scie.1(1):6-11.

Rambadhe S, Chakarborty A, Shrivastava A, Ptail UK. 2012. A survey on polypharmacy and use of inappropriate medications. Toxicol Int. 19(1):68-73. Doi: 10.4103/0971-6580.94506

Rayhani. 2013. Hubungan Jenis Kelamin dengan Kejadian Hipertensi pada Pasien yang Berobat di Poliklinik Dewasa

Puskesmas Bangkinang. Pekanbaru Riau: Faculty of Medicine
– University of Riau.

Reamer LB, Massey EB, Simpson TW, Simpson KN, 2008.,
Polypharmacy: misleading, but manageable. *Clinical
Interventions in Aging*, 3(2) : 383- 389.

Redondo A, Caliston PA, Banegas JR, Artalejo FR. 2006. Gender
differences in the utilization of health-care services among the
older adult population of Spain. *BMC Public Health*. 6:155.

Rosendorff C, Black HR, Cannon CP, Gersh BJ, Gore J, Izzo JL, Jr,
et al. 2007. Treatment of hypertension in the prevention and
management of ischemic heart disease: A scientific statement
from the American Heart Association council for high blood
pressure research and the councils on clinical cardiology and
epidemiology and prevention. *Circulation*. 115:2761–88.

Seo KD, Kim YD, Yoon YW, Kim JY, Lee KY. 2014. Antiplatelet
effect of clopidogrel can be reduced by calcium-channel
blockers. *Yonsei Med J*. 55(3):683-688. [PubMed 24719135]

Setiawati, 2007. Interaksi Obat. Dalam Buku: Sulistia Gan Gunawan,
Rianto Setiabudy, Nafriadi, Elysabeth, Editor, *Farmakologi dan
Terapi* Edisi 5. Jakarta : Departemen Farmakologi dan
Terapeutik FKUI, 862,863,866,872.

Siregar, Kumolosasi, 2006. *Farmasi Klinik Teori dan Penerapan*.
Jakarta: Penerbit Buku Kedokteran EGC, 120.

- Sivva D, Mateti UV, Neerati VM, Thiruthopu NS, Martha S. 2015. Assessment of drug-drug interactions in hypertensive patients at a superspeciality hospital. *Avicenna J Med.* 5:29–35.
- Soherwardi, Shahabudin, et al. 2012. Surveillance of potential drug – drug interactions in the Medicine Department of a Tertiary Care Hospital. India : *Journal of Clinical and Diagnostic Research.* (Suppl), Vol-6(7): 1258-1261.
- Subramanian A, Adhimoolam M, Kannan S. 2018. Study of drug-drug interactions among the hypertensive patients in a tertiary care teaching hospital. *Perfect Clin Res.* 9: 9-14. Doi: 10.4103/PICR_145_16.
- Syamsudin. 2011. *Interaksi Obat Konsep Dasar dan Klinis.* Jakarta : UI Press.
- Tatro DS, 2009. *Drugs Interaction Facts.* Fifth Edition. United States of America: Wolters Kluwer Company.
- Thanacoody, 2012. Drug Interactions. Dalam Buku: Walker R dan Whittlesea, Editor. *Clinical Pharmacy and Therapeutics.* Fifth Edition. London: Churchill Livingstone Elsevier, 50, 51, 57, 58, 59, 119-131.
- Venturini CD, Engroff P, Ely LS, Zago LFA, Schoeter G, Gomes I, dkk. 2011. Gender differences, polypharmacy, and potential pharmacological interactions in the elderly. *Clinics.* 66(11):1867–72.

Viktil KK, Blix HS, Moger TA, Reikvarn A. 2006. Polypharmacy as Commonly Defined is an Indicator of Limited Value in the Assessment of Drug-Related Problems. *British Journal of Clinical Pharmacology*.(63)2. Pp.187-192.

WHO. 1993. How to investigate drug use in health facilities: selected drug use indicators. World Health Organization

Yeh YT, Hsu MH, Chen CY, Lo YS, Liu CT. 2014. Detection of potential drug-drug interactions for outpatients across hospitals. *Int J Environ Res Public Health*. 11(2): 1369-83. Doi: 10.3390/ijerph110201369.