

PENGETAHUAN PENGOBATAN SENDIRI MENGGUNAKAN ANALGETIK DAN ANTIPIRETIK

ABSTRAK

Pengobatan sendiri adalah penggunaan obat oleh masyarakat untuk tujuan pengobatan sakit tanpa perlu adanya resep dokter atau nasehat dokter. Obat yang paling banyak menyembuhkan demam, sakit kepala, nyeri otot dan sakit gigi adalah golongan-golongan analgetik antipiretik. Penelitian ini dilakukan untuk mengetahui pengetahuan dan gambaran pada pengobatan sendiri menggunakan analgetik dan antipiretik

Jenis penelitian ini dilakukan secara non eksperimental dengan metode survei, atau data dianalisis secara deskriptif, subjek dalam penelitian ini adalah pasien di Apotek Eltiana yang bersedia menjadi responden, responden yang di lakukan dalam penelitian ini adalah sebanyak 50

Pengetahuan Pengobatan Sendiri Menggunakan Analgetik dan Antipiretik di peroleh hasil dari data dengan pengetahuan baik sebanyak 46 responden (92%), cukup baik sebanyak 2 responden (4%) dan dengan pengetahuan kurang baik yaitu sebanyak 2 responden (4%). Berdasarkan hasil dari data tersebut memperlihatkan bahwa mayoritas responden memiliki tingkat pengetahuan yang baik.

Pemilihan obat demam dan nyeri oleh responden sudah benar yaitu paracetamol dengan jumlah 50 responden (100%) karena paracetamol adalah salah satu obat yang paling sering di konsumsi ketika sakit ringan seperti demam dan nyeri kepala.

Demam menjadi alasan responden dalam penggunaan obat analgetik dan antipiretik sebanyak 50 responden (100%). Itu di karenakan dari semua responden pernah mengalami demam.

Apotek jadi tempat pemilihan terbanyak oleh responden dalam cara mendapatkan obat analgetik dan antipiretik hal itu berdasarkan karena obat di apotek lebih lengkap di bandingkan dengan warung dan puskesmas

Kata kunci : analgetik, antipiretik, pengetahuan, gambaran swamedikasi

ABSTRACT

Self-medication is the use of drugs by the community for the purpose of treating illness without the need for a doctor's prescription or doctor's advice. The most common drugs for treating fever, headache, muscle aches and toothaches are antipyretic analgesics. This study was conducted to determine the knowledge and description of self-medication using analgesics and antipyretics

This type of research was conducted non-experimentally with a survey method, or the data were analyzed descriptively, the subjects in this study were patients at the Eltiana Pharmacy who were willing to become respondents, the respondents in this study were 50

Knowledge of Self-Medication Using Analgesics and Antipyretics was obtained from data with good knowledge as many as 46 respondents (92%), quite good as many as 2 respondents (4%) and with poor knowledge as many as 2 respondents (4%). This shows that the majority of respondents have a good level of knowledge.

The choice of fever and pain medication by the respondents was correct, namely paracetamol with a total of 50 respondents (100%) because paracetamol is one of the drugs most often consumed when mild pain such as fever and headache.

Fever was the reason respondents used analgesic and antipyretic drugs as many as 50 respondents (100%). That's because of all the respondents had experienced a fever.

Pharmacies are the places where respondents choose the most in how to get analgesic and antipyretic drugs, this is based on the fact that drugs in pharmacies are more complete compared to stalls and puskesmas.

Keywords : analgesic, antipyretic, knowledge, self-medication descriptio