

DAFTAR PUSTAKA

- Abdullahi, S. H., Uzairu, A., Shallangwa, G. A., Uba, S., & Umar, A. B. (2022). Molecular Docking, ADMET and Pharmacokinetic properties predictions of some di-aryl Pyridinamine derivatives as Estrogen Receptor (Er+) Kinase Inhibitors. *Egyptian Journal of Basic and Applied Sciences*, 9(1), 180–204. <https://doi.org/10.1080/2314808X.2022.2050115>
- Amalia, R., & Ruswanto. (2019). Molecular Dinamik Senyawa Turunan Benzimidazol Sebagai Inhibitor Kolinestrase. *Researchgate*.
- Aminah, N. S., Abdjan, M. I., Wardana, A. P., Kristanti, A. N., Siswanto, I., Rakhman, K. A., & Takaya, Y. (2021). The dolabellane diterpenes as potential inhibitors of the SARS-CoV-2 main protease: molecular insight of the inhibitory mechanism through computational studies. *RSC Advances*, 11(62), 39455–39466. <https://doi.org/10.1039/d1ra07584e>
- Amna, O. F., Nooraain, H., Noriham, A., Azizah, A. H., & Husna, R. N. (2013). Acute and Oral Subacute Toxicity Study of Ethanolic Extract of Cosmos Caudatus Leaf in Sprague Dawley Rats. *International Journal of Bioscience, Biochemistry and Bioinformatics*, 3(4), 301–305. <https://doi.org/10.7763/IJBBB.2013.V3.218>
- Arthur, D. E., Uzairu, A., Abechi, S. E., & Shallangwa, G. A. (2019). Molecular docking studies on the interaction of NCI anticancer analogues with human Phosphatidylinositol 4,5-bisphosphate 3-kinase catalytic subunit. *Journal of King Saud University - Science*, 31(4), 1151–1166. <https://doi.org/10.1016/j.jksus.2019.01.011>
- Arwansyah, Ambarsari, L., & Sumaryada, T. I. (2014). *Simulasi Docking Senyawa Kurkumin dan Analognya Sebagai Inhibitor Reseptor Androgen pada Kanker Prostat ---*. 1(1), 11–19.
- Azwanida, Z. N., Jonathan, O. E., & Melanie-Jaynes, H. (2020). Antioxidant, anti-collagenase, anti-elastase and anti-tyrosinase activities of an aqueous cosmos caudatus kunth (Asteraceae) leaf extract. *Tropical Journal of Natural Product Research*, 4(12), 1124–1130. <https://doi.org/10.26538/tjnpr/v4i12.15>
- Bunawan, H., Baharum, S. N., Bunawan, S. N., Amin, N. M., & Noor, N. M. (2014). Cosmos Caudatus Kunth: A Traditional Medicinal Herb. *Global Journal of Pharmacology*, 8(3), 420–426. <https://doi.org/10.5829/idosi.gjp.2014.8.3.8424>

- Cerf, M. E. (2013). *Beta cell dysfunction and insulin resistance*. 4(March), 1–13.
<https://doi.org/10.3389/fendo.2013.00037>
- Coumar, M. S. (2021). Molecular Docking for Computer-Aided Drug Design: Fundamentals, Techniques, Resources and Applications. In *Molecular Docking for Computer-Aided Drug Design: Fundamentals, Techniques, Resources and Applications*. <https://doi.org/10.1016/B978-0-12-822312-3.01001-8>
- de Sales, P. M., de Souza, P. M., Simeoni, L. A., Magalhães, P. de O., & Silveira, D. (2012). α -amylase inhibitors: A review of raw material and isolated compounds from plant source. *Journal of Pharmacy and Pharmaceutical Sciences*, 15(1), 141–183. <https://doi.org/10.18433/j35s3k>
- Departemen Kesehatan RI. (2001). *Inventaris tanaman obat jilid 1 edisi 2* (pp. 1–363).
- Derosa, G., & Maffioli, P. (2012). α -Glucosidase inhibitors and their use in clinical practice. *Archives of Medical Science*, 8(5), 899–906.
<https://doi.org/10.5114/aoms.2012.31621>
- Desheng, L., Jian, G., Yuanhua, C., Wei, C., Huai, Z., & Mingjuan, J. (2011). Molecular dynamics simulations and MM/GBSA methods to investigate binding mechanisms of aminomethylpyrimidine inhibitors with DPP-IV. *Bioorganic and Medicinal Chemistry Letters*, 21(22), 6630–6635.
<https://doi.org/10.1016/j.bmcl.2011.09.093>
- DiPiro, J. T., Yee, G. C., Posey, L. M., Haines, S. T., Nolin, T. D., & Ellingrod, V. (2020). Pharmacotherapy: A Pathophysiologic Approach, 11th Edition. In *McGraw Hill*. <https://doi.org/10.1345/aph.1h160>
- Ferrari, I. V., & Patrizio, P. (2021). *Development and Validation Molecular Docking Analysis of Human serum albumin (HSA) Ivan*.
- Firdaus, M. D., Artanti, N., Hanafi, M., & Rosmalena. (2021). Phytochemical constituents, and in vitro antidiabetic and antioxidant properties of various extracts of kenikir (*cosmos caudatus*) leaves. *Pharmacognosy Journal*, 13(4), 890–895.
<https://doi.org/10.5530/pj.2021.13.114>
- Garber, A. J., Abrahamson, M. J., Barzilay, J. I., Blonde, L., Bloomgarden, Z. T., Bush, M. A., Dagogo-Jack, S., Davidson, M. B., Einhorn, D., Garvey, W. T., Grunberger, G., Handelsman, Y., Hirsch, I. B., Jellinger, P. S., McGill, J. B., Mechanick, J. I.,

- Rosenblit, P. D., Umpierrez, G., Davidson, M. H., & American Association of Clinical Endocrinologists. (2013). AACE comprehensive diabetes management algorithm 2013. *Endocrine Practice : Official Journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists*, 19(2), 327–336. <https://doi.org/10.4158/endp.19.2.a38267720403k242>
- Godschalk, F., Samuel, G., Söderhjelm, P., & Ryde, U. (2014). *Comparison of MM / GBSA calculations based on explicit and implicit solvent simulations*. 0–18. <https://doi.org/10.1039/c3cp00116d>
- Göke, B., Fuder, H., Wieckhorst, G., Theiss, U., Stridde, E., Littke, T., Kleist, P., Arnold, R., & Lückner, P. (1995). Voglibose (AO-128) is an efficient alpha-glucosidase inhibitor and mobilizes the endogenous GLP-1 reserve. *Digestion*. <https://www.ptonline.com/articles/how-to-get-better-mfi-results>
- Histo, D. M., Utomo, E. P., & Himawan, T. (2014). Kajian Secara in Silico Terhadap Potensi Eugenol Dan Sitronelal Sebagai Pestisida Nabati Untuk Pengendalian Serangga *Helopeltis Antonii*. *Kimia Student Journal*, 2(2), 562–568.
- Hiyoshi, T., Fujiwara, M., & Yao, Z. (2019). Postprandial hyperglycemia and postprandial hypertriglyceridemia in type 2 diabetes. *Journal of Biomedical Research*, 33(1), 1–16. <https://doi.org/10.7555/JBR.31.20160164>
- Hou, T., Wang, J., Li, Y., & Wang, W. (2011). Assessing the performance of the MM/PBSA and MM/GBSA methods: II. The accuracy of ranking poses generated from docking. *J Comput Chem*, 23(1), 1–7. <https://doi.org/10.1002/jcc.21666>.Assessing
- IDF. (2021). International Diabetes Federation. In *International Diabetes Federation Diabetes Atlas 10th Edition*. <https://doi.org/10.1016/j.diabres.2013.10.013>
- Javadi, N., Abas, F., Hamid, A. A., Simoh, S., Shaari, K., Ismail, I. S., Mediani, A., & Khatib, A. (2014). GC-MS-Based Metabolite Profiling of *Cosmos caudatus* Leaves Possessing Alpha-Glucosidase Inhibitory Activity. *Journal of Food Science*, 79(6), 1130–1136. <https://doi.org/10.1111/1750-3841.12491>
- Joshi, S. R., Standl, E., Tong, N., Shah, P., Kalra, S., & Rathod, R. (2015). Therapeutic potential of α -glucosidase inhibitors in type 2 diabetes mellitus: An evidence-based review. *Expert Opinion on Pharmacotherapy*, 16(13), 1959–1981. <https://doi.org/10.1517/14656566.2015.1070827>

- Junaid, M., Muhseen, Z. T., Ullah, A., Wadood, A., Liu, J., & Zhang, H. (2014). Molecular modeling and molecular dynamics simulation study of the human Rab9 and RhoBTB3 C-terminus complex. *Bioinformation*, 10(12), 757–763. <https://doi.org/10.6026/97320630010757>
- Karyawati, T., & Ruswanto. (2014). Simulasi Dinamika Molekular Senyawa 2,6-Dimethyl-4. *Paper Knowledge . Toward a Media History of Documents*.
- Kementerian Kesehatan RI. (2020). Infodatin tetap produktif, cegah, dan atasi Diabetes Melitus 2020. In *Pusat Data dan Informasi Kementerian Kesehatan RI* (pp. 1–10). <https://pusdatin.kemkes.go.id/resources/download/pusdatin/infodatin/Infodatin-2020-Diabetes-Melitus.pdf>
- Kumar, S., Narwal, S., Kumar, V., & Prakash, O. (2011). α -glucosidase inhibitors from plants: A natural approach to treat diabetes. *Pharmacognosy Reviews*, 5(9), 19–29. <https://doi.org/10.4103/0973-7847.79096>
- Listyani, T. A., Herowati, R., & Djaliasrin Djalil, A. (2019). *Analisis Docking Molekuler Senyawa Derivat Phthalimide sebagai Inhibitor Non-Nukleosida HIV-1 Reverse Transcriptase Molecular Docking Analysis of Derivate Phthalimide Compounds as Non-Nucleosida HIV-1 Reverse Transcriptase Inhibitor*. 15(2), 123–134. <http://ejurnal.setiabudi.ac.id/ojs/index.php/farmasi-indonesia>
- Liu, Z., & Ma, S. (2017). Recent Advances in Synthetic α -Glucosidase Inhibitors. *ChemMedChem*, 12(11), 819–829. <https://doi.org/10.1002/cmdc.201700216>
- Loh, S. P., & Hadira, O. (2011). In vitro inhibitory potential of selected Malaysian plants against key enzymes involved in hyperglycemia and hypertension. *Malaysian Journal of Nutrition*, 17(1), 77–86.
- Mardiana, M., & Ruswanto. (2019). *SIMULASI DINAMIKA MOLEKULAR SENYAWA PYRIDIN PADA PROTEIN 2XNB SEBAGAI ANTIKANKER MENGGUNAKAN APLIKASI GROMAS* Maya. 47(4), 124–134. <https://doi.org/10.31857/s013116462104007x>
- Mardianingrum, R., Bachtiar, K. R., Susanti, S., Aas Nuraisah, A. N., & Ruswanto, R. (2021). Studi In Silico Senyawa 1,4-Naphthalenedione-2-Ethyl-3-Hydroxy sebagai Antiinflamasi dan Antikanker Payudara. *ALCHEMY Jurnal Penelitian Kimia*, 17(1), 83. <https://doi.org/10.20961/alchemy.17.1.43979.83-95>

- Mardianingruma, R., Herlina, T., & Supratman, U. (2015). ISOLASI DAN MOLECULAR DOCKING SENYAWA 6,7-DIHIDRO-17-HIDROKSIERISOTRIN DARI DAUN DADAP BELENDUNG (*Erythrina poeppigiana*) TERHADAP AKTIVITAS SITOTOKSIK ANTIKANKER PAYUDARA MCF-7. *Chimica et Natura Acta*, 3.
- Men, L. K., & Setianto. (2019). Konduktivitas molekuler sistem biphenyl. *JIIF (Jurnal Ilmu Dan Inovasi Fisika)*, 03(01), 57–61.
- Morris, G. M., Goodsell, D. S., Huey, R., Hart, W. E., Halliday, S., Belew, R., & Olson, A. J. (2001). User's Guide Autodock 3.0.5. *Methodology*, 86.
- Moshawih, S., Cheema, Z. A., & Zakaria, Z. A. (2017). A Comprehensive Review on *Cosmos caudatus* (Ulam Raja): Pharmacology, Ethnopharmacology, and Phytochemistry Health Sciences Education View project Mechanism of anti-colon cancer activity of plant-based extracts View project Said Moshawih. *International Research Journal of Education and Sciences (IRJES)*, 1(1), 14–31.
www.Theplantlist.org
- Murugesu, S., Perumal, V., Balan, T., Fatinathan, S., Selvarajoo, P. D., Rozali, M. A. B., & Aziz, N. I. A. (2020). A review of *cosmos caudatus* as a promising antidiabetic plant. *Malaysian Journal of Medicine and Health Sciences*, 16(4), 333–343.
- Muttaqin, F. Z., Pratama, M. F., & Kurniawan, F. (2019). Molecular Docking and Molecular Dynamic Studies of Stilbene Derivative Compounds As Sirtuin-3 (Sirt3) Histone Deacetylase Inhibitor on Melanoma Skin Cancer and Their Toxicities Prediction. *Journal of Pharmacopolium*, 2(2), 112–121.
<https://doi.org/10.36465/jop.v2i2.489>
- Naufa, F., Mutiah, R., & Indrawijaya, Y. Y. A. (2022). Studi in silico potensi senyawa katekin teh hijau (*Camellia sinensis*) sebagai antivirus SARS CoV-2 terhadap spike glycoprotein (6LZG) dan main protease (5R7Y). *J.Food Pharm.Sci*, 10(1), 584–596. www.journal.ugm.ac.id/v3/JFPA
- Piela, L. (2020). Chasing the Correlation Dragon: Density Functional Theory (DFT). In *Ideas of Quantum Chemistry*. <https://doi.org/10.1016/b978-0-44-464248-6.00011-9>
- Pratama, R. (2020). Studi in silico potensi senyawa turunan kortikosteroid sebagai obat covid-19. *Jurnal Veteriner Nusantara*, 3(2), 176–185.

<http://ejurnal.undana.ac.id/jvn>

- Pratapa, S. (2009). Difraksi Sinar-X untuk Sidikjari dalam Analisis Nanostruktur. *Prosiding Seminar Nasional Hamburan Neutron Dan Sinar-X Ke 7, 1*, 1–19.
- Putri, D., Sofyan, P., Imaduddin, F. I., Aini, R., Zahro, M., & Juhaeri, S. (2022). *Studi Stabilitas Termal Mutan Phytase Q168R Menggunakan Simulasi Studi Stabilitas Termal Mutan Phytase Q168R Menggunakan Simulasi Dinamika Molekul*. May, 1–12.
- Radman, H. M., Yusof, K., Saad, Q. H. M., Ngah, W. Z. W., & Abdullah, A. (2014). The effect of Ulam raja (*Cosmos Caudatus*) on Drugmetabolizing Enzymes, Lipid Peroxidation and Antioxidant status in mice liver. *International Journal of PharmTech Research*, 6(4), 1213–1225.
- Rahman, A. Z., & Sanjaya, I. G. M. (2012). Rasionalisasi Jalur Sintesis Laevifonol dari Trans-Resveratrol dengan Menggunakan Teori Fungsional Kerapatan (DFT). *UNESA Journal of Chemistry*, 1(1), 1–9.
- Rahman, H. A., Sahib, N. G., Saari, N., Abas, F., Ismail, A., Mumtaz, M. W., & Hamid, A. A. (2017). Anti-obesity effect of ethanolic extract from *Cosmos caudatus* Kunth leaf in lean rats fed a high fat diet. *BMC Complementary and Alternative Medicine*, 17(1), 1–17. <https://doi.org/10.1186/s12906-017-1640-4>
- Rose, D. R., Chaudet, M. M., & Jones, K. (2018). Structural Studies of the Intestinal α -Glucosidases, Maltase-glucoamylase and Sucrase-isomaltase. *Journal of Pediatric Gastroenterology and Nutrition*, 66(June), S11–S13. <https://doi.org/10.1097/MPG.0000000000001953>
- Sahid, A. P. N., & Murbawani, E. (2016). *Ayu Prahartini Nur Sahid, Etisa Murbawani* *). 5.
- Şahin, S., & Dege, N. (2021). Synthesis, characterization, X-ray, HOMO-LUMO, MEP, FT-IR, NLO, Hirshfeld surface, ADMET, boiled-egg model properties and molecular docking studies with human cyclophilin D (CypD) of a Schiff base compound: (E)-1-(5-nitro-2-(piperidin-1-yl)phenyl)-N-(3-ni. *Polyhedron*, 205. <https://doi.org/10.1016/j.poly.2021.115320>
- Sari, I. W., Junaidin, J., & Pratiwi, D. (2020). STUDI MOLECULAR DOCKING SENYAWA FLAVONOID HERBA KUMIS KUCING (*Orthosiphon stamineus*

B.) PADA RESEPTOR α -GLUKOSIDASE SEBAGAI ANTIDIABETES TIPE 2.

Jurnal Farmagazine, 7(2), 54. <https://doi.org/10.47653/farm.v7i2.194>

- Sekar, M., Bin Abdullah, M. Z., Bin Nor Azlan, A. Y. H., Binti Nasir, S. N., Binti Zakaria, Z., & Bin Abdullah, M. S. (2014). Ten commonly available medicinal plants in Malaysia used for the treatment of diabetes - A review. *Asian Journal of Pharmaceutical and Clinical Research*, 7(1), 1–5.
- Setiajidi, A. M. (2012). Analisis Dinamika Molekuler Hasil Penambatan Molekul Kompleks Siklooksigenase-2 Dengan Beberapa Senyawa 3-fenil-2-stiril-4 (3H)-kuinazolinon Tersubstitusi Sulfonamida Atau Sulfasetamida. *Skripsi Program Sarjana, Universitas Indonesia*, 4, 26–38.
- Sim, L., Willemsma, C., Mohan, S., Naim, H. Y., Pinto, B. M., & Rose, D. R. (2010). Structural basis for substrate selectivity in human maltase-glucoamylase and sucrase-isomaltase N-terminal domains. *Journal of Biological Chemistry*, 285(23), 17763–17770. <https://doi.org/10.1074/jbc.M109.078980>
- Sneha, P., & Priya Doss, C. G. (2016). Molecular Dynamics: New Frontier in Personalized Medicine. In *Advances in Protein Chemistry and Structural Biology* (1st ed., Vol. 102). Elsevier Inc. <https://doi.org/10.1016/bs.apcsb.2015.09.004>
- Soelistijo, S. (2021). *Pedoman Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 Dewasa di Indonesia 2021*. 46. www.ginasthma.org.
- Şöhretoğlu, D., & Sari, S. (2020). Flavonoids as alpha-glucosidase inhibitors: mechanistic approaches merged with enzyme kinetics and molecular modelling. *Phytochemistry Reviews*, 19(5), 1081–1092. <https://doi.org/10.1007/s11101-019-09610-6>
- Stumvoll, M., Goldstein, B. J., & Haeften, T. W. Van. (2010). *Type 2 diabetes : principles of pathogenesis and therapy*. 365.
- Syahputra, G., Ambarsari L, & T, S. (2014). Simulasi docking kurkumin enol, bisdemetoksikurkumin dan analognya sebagai inhibitor enzim12-lipoksigenase. *Biofisika*, 10(1), 55–67.
- Wang, J., Wolf, R. M., Caldwell, J. W., Kollman, P. A., & Case, D. A. (2004). 20035_Ftp. *Journal of Computational Chemistry*, 25(11), 1157–1174.
- Williams, L. K., Li, C., Withers, S. G., & Brayer, G. D. (2012). Order and disorder:

- Differential structural impacts of myricetin and ethyl caffeate on human amylase, an antidiabetic target. *Journal of Medicinal Chemistry*, 55(22), 10177–10186. <https://doi.org/10.1021/jm301273u>
- Yang, Y., Lian, G., & Yu, B. (2015). Naturally occurring polyphenolic glucosidase inhibitors. *Israel Journal of Chemistry*, 55(3–4), 268–284. <https://doi.org/10.1002/ijch.201400134>
- Zheng, X., & Pollia, J. (2010). Identification of Inhibitor Concentrations to Efficiently Screen and Measure Inhibition K_i Values against Solute Carrier Transporters. *Bone*, 23(1), 1–7. <https://doi.org/10.1016/j.ejps.2010.05.013>. Identification
- Zheng, Y., Ley, S. H., & Hu, F. B. (2017). Global aetiology and epidemiology of type 2 diabetes mellitus and its complications. *Nature Publishing Group*, 14(2), 88–98. <https://doi.org/10.1038/nrendo.2017.151>
- Zhou, D., & Kong, H. (2015). Encyclopedia of Applied and Computational Mathematics. In *Encyclopedia of Applied and Computational Mathematics* (Issue 2). <https://doi.org/10.1007/978-3-540-70529-1>
- Zikri, A. T., Pranowo, H. D., & Haryadi, W. (2021). Stability, hydrogen bond occupancy analysis and binding free energy calculation from flavonol docked in DAPK1 active site using molecular dynamic simulation approaches. *Indonesian Journal of Chemistry*, 21(2), 383–390. <https://doi.org/10.22146/ijc.56087>