

DAFTAR PUSTAKA

- Andriana, D. D., Utami, E. D., & Sholihat, N. K. (2018). *Evaluasi Penggunaan Obat Antihipertensi pada Pasien Pre-Eklampsia Rawat Inap di RSUD Prof. Dr. Margono Soekarjo Purwokerto. Acta Pharmaciae Indonesia Journal*, 6(1), 29–39. <https://doi.org/10.5281/zenodo.3707186>
- Ardhany S.D, (2019). *Gambaran Penggunaan Obat Antihipertensi Pada Pasien Preeklampsia Di Instalasi Rawat Inap Rumah Sakit Bhayangkara Kota Palangka Raya Tahun 2016*. Jurnal Surya Medika : Palangkaraya
- Askandar Tjokroprawiro. (2015). *Buku ajar ilmu penyakit dalam*. Ed.2. Semarang.
- Brooks MD. 2011. *Pregnancy, Preeclampsia*. St Mary Corwin Medical Center.Department of Emergency Medicine.
- Chambali, M., & Rusli, R. (2019). *Proceeding of Mulawarman Pharmaceuticals Conferences*. 16–17. <https://doi.org/10.25026/mpc.v10i1.358>
- Cunningham G. 2013 Hipertensi dalam kehamilan dalam : *Obstetri Williams* Edisi 23 Vol 1. Jakarta : EGC. hlm 740-94.
- Departemen Kesehatan Republik Indonesia. (2007). *Pedoman Teknis Penemuan Penyakit Hipertensi*. Jakarta: Departemen Kesehatan RI.
- Duro-Gómez J, Rodríguez-Marín AB, Giménez de Azcárete M, et al. A trial of oral nifedipine and oral labetalol in preeclampsia hypertensive emergency treatment. *J Obstet Gynaecol*. 2017;37(7):864-866 doi:10.1080/01443615.2017.1308321
- Easterling, T., Mundle, S., Bracken, H., Parvekar, S., Mool, S., Magee, L. A., von Dadelszen, P., Shochet, T., & Winikoff, B. (2019). *Oral antihypertensive regimens (nifedipine retard, labetalol, and methyldopa) for management of severe hypertension in pregnancy: an open-label, randomised controlled trial. The Lancet*, 394(10203), 1011–1021. [https://doi.org/10.1016/S0140-6736\(19\)31282-6](https://doi.org/10.1016/S0140-6736(19)31282-6)

- Indhayani, L. (2018). *JSTFI Indonesian Journal of Pharmaceutical Science and Technology*. 1. Jakarta.
- Junaidi I. 2010. *Hipertensi, Pengenalan, Pencegahan, dan Pengobatan*. Jakarta : BIP Kelompok Gramedia.
- Kementrian Kesehatan Republik Indonesia (2017). *Profil Kesehatan Indonesia 2016*. Jakarta.
- Lany Gunawan. (2001). *Hipertensi Tekanan Darah Tinggi*. In *Hipertensi* (p.Kanisius). Yogyakarta.
- Michael, Acromite, Ziotopoulou M, Orlova C, and Mantzoros C. *Increased Leptin Levels in Preeclampsia : Associations with BMI, Estrogens and SHBG Levels*. *Hormones* 2004, 3(1):46-52.
- Pratami E. 2013. *Evidence-based Dalam Kebidanan*. Jakarta: EGC.
- Queensland, 2013, *Hypertensive Disorders of Pregnancy* ,Queensland, Queensland Goverment.
- Ristyaningsih, A.(2018). *Studi Eksplorasi Penatalaksanaan Hipertensi pada Wanita Hamil*. JMPF
- Rukiyah A.Y dan Yulianti L. 2012. *Asuhan Kebidanan IV (Patologi Kebidanan)*.Jakarta: Trans Info Media.
- Salama M, Rezk M, Gaber W, et al. Methyldopa versus nifedipine or no medication for treatment of chronic hypertension during pregnancy: A multicenter randomized clinical trial. 2019: <https://doi.org/10.1016/j.preghy.2019.05.009>
- Sirait A.M., 2012, Prevalensi Hipertensi Pada Kehamilan Di Indonesia Dan Berbagai Faktor Yang Berhubungan (Riset Kesehatan Dasar 2007), *Buletin Penelitian Sistem Kesehatan*, 15 (2 April 2012), 103–109.
- Wang Y, Shi D, Chen L. Lipid profile and cytokines in hypertension of pregnancy: A comparison of preeclampsia therapies. *J Clin Hypertens* (Greenwich). 2018;20(2):394-399. doi:10.1111/jch.13161

- Webster LM, Myers JE, Nelson-Piercy C, et al. Labetalol Versus Nifedipine as Antihypertensive Treatment for Chronic Hypertension in Pregnancy: A Randomized Controlled Trial. *Hypertension*. 2017;70(5):915-922. doi:10.1161/HYPERTENSIONAHA.117.09972
- Yesi, A. (2013). *Hipertensi Dalam Kehamilan*. In *Bidan Kita*. Mojokerto

