

DAFTAR PUSTAKA

- Ames, B. N., Gurney, E. G., Miller, J. A., & Bartsch, H. (1972, November). Carcinogens as Frameshift Mutagens: Metabolites and Derivatives of 2-Acetylaminofluorene and Other Aromatic Amine Carcinogens. *Proc. Nat. Acad. Sci. USA*, 69(11), 3128-3133.
- Aniszewski, T. (2007). *Alkaloids – Secrets of Life: Alkaloid Chemistry, Biological Significance, Applications and Ecological Role* (1st ed.). Amsterdam: ELSEVIER.
- Arba, M., & Tjahjono, D. H. (2014, Februari). The binding modes of cationic porphyrinanthraquinone hybrids to DNA duplexes: in silico study. *Journal of Biomolecular Structure and Dynamics*, 1-9. doi:10.1080/07391102.2014.887480
- Arwansyah, Laksmi, A., & Sumaryada, T. I. (2014). Simulasi Docking Senyawa Kurkumin dan Analognya Sebagai Inhibitor Reseptor Androgen pada Kanker Prostat. *Current Biochemistry*, 1(11), 11-19.
- Becker, O. M., Alexander D. MacKerell, J., Roux, B., & Watanabe, M. (2001). Computational Biochemistry and Biophysics. *Journal of American Chemical Society*, 123(50), 12745-12748.
- Center for Structural Biology. (2020). *PROCHECK*. Retrieved Mei 26, 2020, from <https://servicesn.mbi.ucla.edu/PROCHECK/>
- Chen, J.-F., Fredholm, H. K., & B., B. (2013). Adenosine receptors as drug targets — what are the challenges? In *NATURE REVIEWS DRUG DISCOVERY* (Vol. 12, pp. 265-286). Macmillan Publishers Limited. doi:10.1038/nrd3955
- Dermawan, D., Sumirtanurdin, R., & Dewantisari, D. (2019, Juni). Molecular Dynamics Simulation of Estrogen Receptor Alpha Against Andrografolid as Anti Breast Cancer. *Indonesian Journal of Pharmaceutical Science and Technology*, 6(2), 65-76.
- Desiraju, G. R., & Steiner, T. (2001). *The Weak Hydrogen Bond In Structural Chemistry and Biology*. New York: Oxford University Press.
- Dias, R., & de Azevedo Jr, W. F. (2008). Molecular Docking Algorithms. *Current Drug Targets*, 9(12), 1040-1047.
- Dipiro, J. T., Talbert, R. L., Yee, G. C., Matzke, G. R., Wells, B. G., & Posey, L. M. (2008). *Pharmacotherapy A Pathophysiologic Approach* (7th ed.). New York: The McGraw-Hill Companies, Inc.
- Farkhani, A. (2012). *Analisis Dinamika Molekuler Hasil Penambatan Kompleks α -Glukosidase Dengan Sulokrin*. Depok: Universitas Indonesia.
- Ferreira, L. G., Santos, R. N., Oliva, G., & Andricopulo, A. D. (2015). Molecular Docking and Structure-Based Drug Design Strategies. *molecules*, 20, 13384-13421.

- Ferwadi, S., Gunawan, R., & Astuti, W. (2017, Mei). Studi Docking Molekular Senyawa Asam Sinamat Dan Derivatnya Sebagai Inhibitor Protein IJ4X Pada Sel Kanker Serviks. *Jurnal Kimia Mulawarman*, 14(2), 84-90.
- Fuhrmann, J., Rurainski, A., Lenhof, H.-P., & Neumann, D. (2010, Januari). A New Lamarckian Genetic Algorithm for Flexible Ligand-Receptor Docking. *Journal of Computational Chemistry*, 31(9). doi:10.1002/jcc.21478
- GBD 2016 Parkinson's Disease Collaborators. (2018). Global, regional, and national burden of Parkinson's disease, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *Lancet Neurol*, 17, 939-953. doi:10.1016/S1474-4422(18)30295-3
- Genheden, S., & Ryde, U. (2015). The MM/PBSA and MM/GBSA methods to estimate ligand-binding affinities. *Expert Opin. Drug Discov.*, 10(5), 1-13. doi:10.1517/17460441.2015.1032936
- Girdhar, S., Girdhar, A., Verma, S. K., Lather, V., & Pandita, D. (2015). Plant derived alkaloids in major neurodegenerative diseases: from animal models to clinical trials. *Ayurvedic and Herbal Medicine*, 1(3), 91-100.
- Grably, M. (2010). GPCR Pathways. In M. Grably (Ed.), *The Brains on Adenosine Receptors* (pp. 5-7). Alomone.
- Gunawan, G., Dalhar, M., & Kurniawan, S. N. (2017). Parkinson Dan Terapi Stem Sel. *MNJ*, 3(1), 39-46.
- Hehre, W. J. (2003). *A Guide In Molecular Mechanics and Quantum Chemical Calculations*. Irvine: Wavefunction, Inc.
- Irwin, J. J., & Shoichet, B. K. (2019). *ZINC Database*. Retrieved Desember 1, 2019, from <http://zinc.docking.org/>
- J.Geldenhuys, W., E.Gaasch, K., Watson, M., D.Allen, D., & Schyf, C. J. (2006). Optimizing the use of open-source software applications in drug discovery. *DDT*, 11(3/4), 127-132.
- Joint Formulary Committee. (2018). *The British National Formulary (BNF) 76*. London: British Medical Association and the Royal Pharmaceutical Society.
- Junaid, M., Muhseen, Z. T., Uhlah, A., Wadood, A., Liu, J., & Zhang, H. (2014, Desember). Molecular modeling and molecular dynamics simulation study of the human Rab9 and RhoBTB3 C-terminus complex. *Bioinformation*, 10(12), 757-763.
- Kalia, L. V., & Lang, A. E. (2015). *Parkinson's disease*. Canada: Lancet.
- Kar, A. (2007). *Pharmacognosy And Pharmacobiotechnology* (2nd ed.). New Delhi: New Age International (P) Ltd.

- KB POM RI. (2014). *PERATURAN KEPALA BADAN PENGAWAS OBAT DAN MAKANAN REPUBLIK INDONESIA NOMOR 875 TAHUN 2014 TENTANG PEDOMAN UJI TOKSISITAS NONKLINIK SECARA IN VIVO*. Jakarta: KB POM RI.
- Krieger, E., Nabuurs, S. B., & Vriend, G. (2003). Homology Modeling. In P. E. Bourne, & H. Weissig (Eds.), *Structural Bioinformatics* (pp. 507-521). Wiley-Liss, Inc.
- Kulisevsky, J., & Poyurovsky, M. (2012). Adenosine A2A-receptor antagonism and pathophysiology of Parkinson's disease and drug-induced movement disorders. *European neurology*, 67(1), 4–11.
- Kurniawan, I., Prasetya, A. T., & Harjito. (2013). PENGARUH ENKAPSULASI Cu DAN Fe TERHADAP BAND GAP SILIKON NANOTUBE (10,0) MENGGUNAKAN DFT. *Indonesian Journal of Chemical Science*, 2(1), 35-39.
- Laskowski, R. A. (1993). PROCHECK: a program to check the stereochemical quality of protein structures. *J. Appl. Cryst.*, 26, 283-291.
- Leach, A. R. (2001). *Molecular Modelling: Principles and Applications* (2nd ed.). Harlow: Pearson Education Limited.
- Leach, A. R., Shoichet, B. K., & Peishoff, C. E. (2006). Prediction of Protein-Ligand Interactions. Docking and Scoring: Successes and Gaps. *Journal of Medicinal Chemistry*, 49(20), 5851-5855.
- Lee, C.-H., Huang, H.-C., & Juan, H.-F. (2011). Reviewing Ligand-Based Rational Drug Design: The Search for an ATP Synthase Inhibitor. *International Journal of Molecular Sciences*, 12, 5304-5318.
- Lipinski, C. A., Lombardo, F., Dominy, B. W., & Feeney, P. J. (2001). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Advanced Drug Delivery Reviews*, 46, 3-26.
- Lopez-Camacho, E., Godoy, M. J., Garcia-Nieto, J., Nebro, A. J., & Aldana-Montes, J. F. (2016). A New Multi-Objective Approach for Molecular Docking Based on RMSD and Binding Energy. *Khaos Research Group*, 1-12.
- MacLeod, J. M., & Rosei, F. (2011). Directed Assembly of Nanostructures. Elsevier B.V.
- Makkar, H. P., Siddhuraju, P., & Becker, K. (2007). *Plant Secondary Metabolites*. New Jersey: Humana Press Inc.
- Marchese Robinson, R. L., Glen, R. C., & Mitchell, J. B. (2011). Development and Comparison of hERG Blocker Classifiers: Assessment on Different Datasets Yields Markedly Different Results. *Molecular Informatics*, 30, 443-458. doi:10.1002/minf.201000159
- Marlina, E. (2017). *Studi Docking dan Dinamika Molekul Senyawa Turunan Kurkumin Terhadap Reseptor MCL-1 Sebagai Antileukimia dan Prediksi Toksisitasnya*. Bandung: Sekolah Tinggi Farmasi Bandung.

- Muttaqin, F. Z., Pratama, M. F., & Kurniawan, F. (2019, Agustus). MOLECULAR DOCKING AND MOLECULAR DYNAMIC STUDIES OF STILBENE DERIVATIVE COMPOUNDS AS SIRTUIN-3 (SIRT3) HISTONE DEACETYLASE INHIBITOR ON MELANOMA SKIN CANCER AND THEIR TOXICITIES PREDICTION. *Journal of Pharmacopolium*, 2(2), 112-121.
- Narko, T., Permana, B., Prasetiawati, R., Soni, D., & Khairiyah, F. (2017, Juli). MOLECULAR DOCKING STUDY OF BULB OF BAWANG DAYAK (Eleutherine Palmifolia (L) Merr) COMPOUND AS ANTI SERVICAL CANCER. *Farmako Bahari*, 8(2), 1-14.
- Noviani, E., Gunarto, U., & Setyono, J. (2010). Hubungan Antara Merokok Dengan Penyakit Parkinson Di RSUD Prof. DR. Margono Soekarjo Purwokerto. *Mandala of Health*, 4(2), 81-86.
- Pamungkas, G., & Sanjaya, I. M. (2013, Januari). KAJIAN TEORITIS UNTUK MENENTUKAN CELAH ENERGI PORFIRIN TERKONJUGASI LOGAM KALSIUM MENGGUNAKAN TEORI FUNGSIONAL KERAPATAN (DFT). *UNESA Journal of Chemistry*, 2(1).
- Pongajow, N., Juliandri, & Hastiawan, I. (2013). Density Functional Theory Untuk Penentuan Geometri dan Karakteristik Ikatan Dari Kompleks Ni (II)-Dibutilditiokarbamat dan Co (II)-Dibutilditiokarbamat. *PTNBR-BATAN*, (pp. 197-201). Bandung.
- Ramadhanty, H. (2019). *Pencarian Senyawa Antagonis Reseptor Adenosine A2A Sebagai Kandidat Penyakit Parkinson Melalui Virtual Screening*. Bandung: Sekolah Tinggi Farmasi Bandung.
- Rana, H. Q., Balwani, M., Bier, L., & Alcalay, R. N. (2013). Age-specific Parkinson disease risk in GBA mutation carriers: information for genetic counseling. *Genetics in medicine*, 15(2), 146-149.
- RCSB PDB. (2020). *RCSB Protein Data Bank*. Retrieved Desember 1, 2019, from <https://www.rcsb.org/structure/5IU4>
- Robinson, T. (1995). *Kandungan Organik Tumbuhan Tinggi* (6 ed.). Bandung: ITB Press.
- Ruiz, M. d., Lim, Y.-H., & Zheng, J. (2013). Adenosine A2A Receptor as a Drug Discovery Target. *Journal of Medical Chemistry*. doi:10.1021/jm4011669
- Ruslin, Febriantara, S., & Yamin. (2016). Studi In Silico Senyawa 2-amino-5-(3-(4-hydroxy-3,5-dimethoxybenzoyl) guanidino)pentanoic acid dan Turunannya sebagai Inhibitor Phospodiesterase-5. *Pharmauho*, 2(1), 22-26.
- Ruswanto, Ratnasari, A., & Tuslinah, L. (2015). Sintesis Senyawa N'-(3,5-Dinitrobenzoyl) – Isonicotinohydrazide dan Studi Interaksi Pada Mycobacterium Tuberculosis Enoyl Acyl Carrier Protein Reductase (INHA). *Jurnal Kesehatan Bakti Tunas Husada*, 14(1), 63-73.

- Santoso, B. (2017). *Pengaruh Volume Gridbox pada Docking Senyawa dalam Stelechocarpus burahol terhadap Protein Homolog antiinflamasi TRPV1*. University Research Colloquium, Universitas Muhammadiyah, Fakultas Farmasi, Surakarta.
- Savica, R., Cannon-Albright, L. A., & Pulst, S. (2016). Familial aggregation of Parkinson disease in Utah: A population-based analysis using death certificates. *Neurology Genetics*, 2, 1-6.
- Segala, E., Guo, D., Cheng, R. K., Bortolato, A., Deflorian, F., Dore, A. S., . . . Cooke, R. M. (2016, Juni). Controlling the dissociation of ligands from the Adenosine A2A receptor through modulation of salt bridge strength. *Journal of Medicinal Chemistry*, 1-40. doi:10.1021/acs.jmedchem.6b00653
- Segall, M. D., & Barber, C. (2014). Addressing toxicity risk when designing and selecting compounds in early drug discovery. *Drug Discovery Today*, 1-6. doi:10.1016/j.drudis.2014.01.006
- Sharif, F., Yunus, A. M., Saedudin, R. R., Hamid, A. A., & Kasim, S. (2018). Molecular Docking and Dynamics (MD) Simulation of 6-gingerol and 6-shogaol Against Human Estrogen Receptor Alpha (ER α). *International Journal of Integrated Engineering*, 10(6), 119-127. doi:10.30880/ijie.2018.10.06.016
- Simanjuntak, R. M. (2015). *Analisis Dinamika Molekuler Hasil Penambatan Molekuler Kompleks α -Glukosidase Dengan Sepuluh Senyawa Kimia Tanaman Hasil Virtual Screening Dari Basis Data Herbal*. Depok: Universitas Indonesia.
- Sveinbjornsdottir, S., Hicks, A. A., Jonsson, T., Petursson, H., Guomundsson, G., Frigge, M. L., . . . Stefansson, K. (2000). Familial Aggregation Of Parkinson's Disease In Iceland. *The New England Journal of Medicine*, 343(24), 1765-1770.
- Swiss Institute of Bioinformatics. (2020). *SWISS-MODEL*. Retrieved Februari 27, 2020, from SWISS-MODEL: <https://swissmodel.expasy.org/>
- Syahputra, G., Ambarsari, L., & Sumaryada, T. (2014, Maret). Simulasi Docking Kurkumin Enol, Bisdemetoksikurkumin Dan Analognya Sebagai Inhibitor Enzim 12-Lipoksigenase. *Jurnal Biofisika*, 10(1), 55-67.
- Tan, K. T. (2013). *Docking Senyawa Bahan Alam Golongan Alkaloid Terhadap Protein Glioma (GLI) Dengan Menggunakan Plants(R)*. Makasar: Universitas Hasanudin.
- Thenawidjaja, M., Ismaya, W. T., & Retnoningrum, D. S. (2017). *Protein - Serial Biokimia Mudah dan Menggugah* (1st ed.). Jakarta: Gramedia Widiasarana Indonesia.
- Tomberg, A. (2013). *Barrett Research Group: GAUSSIAN 09W TUTORIAL AN INTRODUCTION TO COMPUTATIONAL CHEMISTRY USING G09W AND AVOGADRO SOFTWARE*. Dipetik Desember 9, 2019, dari <https://barrett-group.mcgill.ca/tutorials/Gaussian%20tutorial.pdf>

- Trott, O., & Olson, A. J. (2010). AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization and multithreading. *J Comput Chem*, 31(2), 455-461.
- Valerio Jr., L. G. (2009). In silico toxicology for the pharmaceutical sciences. *Toxicology and Applied Pharmacology*, 241, 356-370. doi:10.1016/j.taap.2009.08.022
- Wijaya, K., Tahir, I., & Harnowo. (2003). Studi Mekanisme Migrasi Proton Ganda Pada Struktur Supramolekul Asam Asetat-Air dan Asam Asetat-Ammoniak dengan Metode Ab Initio. *Indonesian Journal of Chemistry*, 3(2), 102-110.
- Xie, H., Li, Y., Yu, F., Xie, X., Qiu, K., & Fu, J. (2015, November). An Investigation of Molecular Docking and Molecular Dynamic Simulation on Imidazopyridines as B-Raf Kinase Inhibitors. *International Journal of Molecular Sciences*, 16, 27350-27361. doi:10.3390/ijms161126026
- Xu, D., Tsai, C.-J., & Nussinov, R. (2012). Hydrogen bonds and salt bridges across protein-protein interfaces. *Protein Engineering*, 10(9), 999-1012.
- Yang, H., Sun, L., Li, W., Liu, G., & Tang, Y. (2018). In Silico Prediction of Chemical Toxicity for Drug Design Using Machine Learning Methods and Structural Alerts. *Frontiers in Chemistry*, 6(30), 1-12. doi:10.3389/fchem.2018.00030
- Yanuar, A., Setiajid, M. A., & Hayun. (2014). Analisis Penambatan dan Simulasi Dinamika Molekular Kompleks Siklooksigenase-2 dengan Beberapa Senyawa Turunan Kuinazolinon. *Jurnal Farmasi Indonesia*, 7(1), 50-59.
- Yi, X. S., Hu, L., Zhi, W., & Xia, Y. A. (2013, Oktober). Classification of blocker and non-blocker of hERG potassium ion channel using a support vector machine. *Science China Chemistry*, 56(10), 1413-1423. doi:10.1007/s11426-013-4946-1
- Yonsei Engineering Research. (2017). *PreADMET*. Retrieved Mei 8, 2020, from PreADMET: <https://preadmet.bmdrc.kr/>
- Yunta, M. J. (2016). Docking and Ligand Binding Affinity: Uses and Pitfalls. *American Journal of Modeling and Optimization*, 4(3), 74-114. doi:10.12691/ajmo-4-3-2