

DAFTAR PUSTAKA

- Abe, M. (n.d.). *Measurement Techniques and Practices of Colloid and Interface*.
- Abla, M. J., Singh, N. D., & Banga, A. K. (2016). *Role of Nanotechnology in Skin Delivery of Drugs*. <https://doi.org/10.1007/978-3-662-47862-2>
- Akbari, B., Tavandashti, M. P., & Zandrahimi, M. (2011). *Particle Size Characterization Of Nanoparticles – A*. 8(2), 48–56.
- Aliasgharlou, L., Ghanbarzadeh, S., Azimi, H., Zarrintan, M. H., & Hamishehkar, H. (2016). Nanostructured Lipid Carrier for Topical Application of N-Acetyl Glucosamine. *Tabriz University of Medical Sciences*, 6(4), 581–587. <https://doi.org/10.15171/apb.2016.072>
- Aljaeid, B. M., & Hosny, K. M. (2016). Miconazole-loaded solid lipid nanoparticles: Formulation and evaluation of a novel formula with high bioavailability and antifungal activity. *International Journal of Nanomedicine*, 11(January), 441–447. <https://doi.org/10.2147/IJN.S100625>
- Banerjee, P., Mahanty, A., Heriniaina, R. M., & Wang, B. (2017). (NLC): A Promising New Generation Lipid Carrier For the Delivery World Journal Of Pharmaceutical Research Comprehensive Interpretation Of Nanostructured Lipid Carriers (Nlc): A Promising New Generation Lipid Carrier For The Delivery Of Cancer. May. <https://doi.org/10.20959/wjpr20175-8459>
- Basak, S. A., & Zaenglein, A. L. (2013). Acne and its management. *Pediatrics in Review*, 34(11), 479–497. <https://doi.org/10.1542/pir.34-11-479>
- Bavarsad, N., Akhgari, A., Seifmanesh, S., Salimi, A., & Rezaie, A. (2016). Statistical optimization of tretinoin-loaded penetration-enhancer vesicles (PEV) for topical delivery. *DARU, Journal of Pharmaceutical Sciences*, 24(1), 1–12. <https://doi.org/10.1186/s40199-016-0142-0>
- Contassot, E. (2018). Vaccinating against Acne: Benefits and Potential Pitfalls. *Journal of Investigative Dermatology*, 138(11), 2304–2306. <https://doi.org/10.1016/j.jid.2018.06.177>
- Danaei, M., Dehghankhold, M., Ataei, S., Hasanzadeh Davarani, F., Javanmard, R., Dokhani, A., Khorasani, S., & Mozafari, M. R. (2018). Impact of particle size and polydispersity index on the clinical applications of lipidic nanocarrier systems. *Pharmaceutics*, 10(2), 1–17. <https://doi.org/10.3390/pharmaceutics10020057>
- Ekambaram, P., Sathali, A. H., & Priyanka, K. (2012). Solid lipid nanoparticles- A review. *International Journal of Applied Pharmaceutics*, 2(2), 80–102.

- Eptember, S., & Iego, S. A. N. D. (2012). *Z ETA P OTENTIAL A NALYSIS OF N ANOPARTICLES Sample Preparation*. 1–6.
- Ghasemiyeh, P., & Mohammadi-Samani, S. (2018). Solid lipid nanoparticles and nanostructured lipid carriers as novel drug delivery systems: Applications, advantages and disadvantages. *Research in Pharmaceutical Sciences*, 13(4), 288–303. <https://doi.org/10.4103/1735-5362.235156>
- Ginat, D. T., & Cipriani, N. A. (2019). *Introduction: Skin Anatomy, Imaging Approaches, and Dermatology Terminology*. 1–6. <https://doi.org/10.1007/978-3-319-90931-8>
- Gupta, R.B. dan Kompella, U. B. (2006). *Nanoparticle Technology for Drug Delivery*, Taylor & Francis Group, New York. 2006.
- Gupta, R. B., & Kompella, U. B. (2006). *No Title* ایران سنتی گیاهان منداولترین. 300.
- Hamdani, J., Moës, A. J., & Amighi, K. (2003). Physical and thermal characterisation of Precirol® and Compritol® as lipophilic glycerides used for the preparation of controlled-release matrix pellets. *International Journal of Pharmaceutics*, 260(1), 47–57. [https://doi.org/10.1016/S0378-5173\(03\)00229-1](https://doi.org/10.1016/S0378-5173(03)00229-1)
- Kabashima, K., Honda, T., Ginhoux, F., & Egawa, G. (n.d.). The immunological anatomy of the skin. *Nature Reviews Immunology*. <https://doi.org/10.1038/s41577-018-0084-5>
- Kahraman, E., Kaykin, M., & Sahin, H. (2019). *Recent Advances on Topical Application of Ceramides to Restore Barrier Function of Skin*.
- Knorr, F., Lademann, J., Patzelt, A., Sterry, W., Blume-Peytavi, U., & Vogt, A. (2009). Follicular transport route - Research progress and future perspectives. *European Journal of Pharmaceutics and Biopharmaceutics*, 71(2), 173–180. <https://doi.org/10.1016/j.ejpb.2008.11.001>
- Kumar, V., & Banga, A. K. (2016). Intradermal and follicular delivery of adapalene liposomes. *Drug Development and Industrial Pharmacy*, 42(6), 871–879. <https://doi.org/10.3109/03639045.2015.1082580>
- Lopez-garcia, R., & Gonem-Rondero, A. (2015). *Solid Lipid Nanoparticles (SLN) and Nanostructured Lipid Carriers (NLC) : Occlusive Effect and Penetration Enhancement Ability*. June, 62–72.
- Luís, A., Ruela, M., Perissinato, A. G., Esselin, M., & Lino, D. S. (2016). *Evaluation of skin absorption of drugs from topical and transdermal formulations*. 52.
- Madelina, W., & Sulistiyarningsih. (2018). Resistensi Antibiotik Pada Terapi Pengobatan Jerawat. *Jurnal Farmaka*, 16(2), 105–117. <https://doi.org/10.24198/JF.V15I2.13366>
- Müller, R. H., Alexiev, U., Sinambela, P., & Keck, C. M. (2016). *of Solid Lipid Nanoparticles*.

- <https://doi.org/10.1007/978-3-662-47862-2>
- Nadal, J. M., dos Anjos Camargo, G., Novatski, A., Macenhan, W. R., Dias, D. T., Barboza, F. M., Lyra, A., Roik, J. R., de Paula, J. P., Somer, A., & Farago, P. V. (2019). Adapalene-loaded poly(ϵ -caprolactone) microparticles: Physicochemical characterization and in vitro penetration by photoacoustic spectroscopy. *PLoS ONE*, 14(3), 1–20. <https://doi.org/10.1371/journal.pone.0213625>
- Nazemiyeh, E., Eskandani, M., Sheikhloie, H., & Nazemiyeh, H. (2016). Formulation and physicochemical characterization of lycopene-loaded solid lipid nanoparticles. *Advanced Pharmaceutical Bulletin*, 6(2), 235–241. <https://doi.org/10.15171/apb.2016.032>
- Noor, S. U., & Nurdyastuti, D. (2009). Lauret-7-Sitrat sebagai Detergensia dan Peninngkat Busa pada Sabun Cair Wajah Glycine soja (Sieb.) Zucc. In *Jurnal iimu Kefarmasiun Indonesia* (Vol. 7, Issue 1, pp. 39–47).
- Pardeike, J., Hommoss, A., & Müller, R. H. (2009). Lipid nanoparticles (SLN, NLC) in cosmetic and pharmaceutical dermal products. *International Journal of Pharmaceutics*, 366(1–2), 170–184. <https://doi.org/10.1016/j.ijpharm.2008.10.003>
- Pravst, I. (2014). *Oleic acid and its potential health effects Complimentary Contributor Copy* (Issue January).
- Profile, S. E. E. (2018). *Anatomy , Skin (Integument), Epidermis. December 2017*.
- Qadrina, A. (2016). *Qadrina 2016*. 2016.
- Ramezanli, T., Zhang, Z., & Michniak-Kohn, B. B. (2017). Development and characterization of polymeric nanoparticle-based formulation of adapalene for topical acne therapy. *Nanomedicine: Nanotechnology, Biology, and Medicine*, 13(1), 143–152. <https://doi.org/10.1016/j.nano.2016.08.008>
- Rohmah, M., Raharjo, S., Hidayat, C., & Martien, R. (2019). Formulasi dan Stabilitas Nanostructured Lipid Carrier dari Campuran Fraksi Stearin dan Olein Minyak Kelapa Sawit. *Jurnal Aplikasi Teknologi Pangan*, 8(1), 23–30. <https://doi.org/10.17728/jatp.3722>
- Sáez, V., & Mason, T. J. (2009). Sonoelectrochemical synthesis of nanoparticles. *Molecules*, 14(10), 4284–4299. <https://doi.org/10.3390/molecules14104284>
- Sanna, V., Gavini, E., Cossu, M., Rassu, G., & Giunchedi, P. (2007). Solid lipid nanoparticles (SLN) as carriers for the topical delivery of econazole nitrate: in-vitro characterization, ex-vivo and in-vivo studies. *Journal of Pharmacy and Pharmacology*, 59(8), 1057–1064. <https://doi.org/10.1211/jpp.59.8.0002>
- Scanning, D. (n.d.). *Differential Scanning Calorimetry (DSC) A Beginner ’ s Guide*.
- Sciences, B., Building, H., Road, L., & Lau, W. M. (2015). *Skin Deep: The Basics of Human*

- Skin Structure and Drug Penetration*. 3–11. <https://doi.org/10.1007/978-3-662-45013-0>
- Shah, I. (2011). Development and Characterization of Oil-in-Water Nanoemulsions from Self-Microemulsifying Mixtures. *Msc Theses, University of Toledo*, 1–114.
- Shah, K. A., Date, A. A., Joshi, M. D., & Patravale, V. B. (2007). *Solid lipid nanoparticles (SLN) of tretinoin: Potential in topical delivery*. 345, 163–171. <https://doi.org/10.1016/j.ijpharm.2007.05.061>
- Sharma, R., Bisen, D. P., Shukla, U., & Sharma, B. G. (2012). *X-ray diffraction: a powerful method of characterizing nanomaterials*. 4(8), 77–79.
- Shekhawat, D. (2003). A review of carbon dioxide selective membranes: A topological report. *US Department of ...*, 1–93. http://www.fischer-tropsch.org/DOE/DOE_reports/NETL/2003-1200/NETL-2003-1200.pdf
- Sriarumtias, F. F., Tarini, S., & Damayanti, S. (2017). *Lipid Carrier (Nlc) Retinil Palmitat*. 1.
- Svilenov, H., & Tzachev, C. (2014). Solid lipid nanoparticles—a promising drug delivery system. *Nanomedicine*, 187–237.
- Tamjidi, F., Shahedi, M., Varshosaz, J., & Nasirpour, A. (2013). Nanostructured lipid carriers (NLC): A potential delivery system for bioactive food molecules. *Innovative Food Science and Emerging Technologies*, 19, 29–43. <https://doi.org/10.1016/j.ifset.2013.03.002>
- Tofani, R. P., Sumirtapura, Y. C., & Darijanto, S. T. (2016). *Formulation, Characterisation, and in Vitro Skin Diffusion of Nanostructured Lipid Carriers for Deoxyarbutin Compared to a Nanoemulsion and Conventional Cream*. 634–645. <https://doi.org/10.3390/scipharm84040634>
- Trujillo, C. C., & Wright, A. J. (2010). Solid lipid nanoparticles: production, characterization and applications. *Journal of the American Oil Chemists' Society*, 87(7), 165–196. <https://doi.org/10.1039/9781847550842-00103>
- Tuchayi, S. M., Makrantonaki, E., Ganceviciene, R., Dessinoti, C., Feldman, S. R., & Zouboulis, C. C. (2015). Acne vulgaris. *Nature Publishing Group*, 1, 1–20. <https://doi.org/10.1038/nrdp.2015.29>
- Üner, M., Karaman, E. F., & Aydoğmuş, Z. (2014). Solid lipid nanoparticles and nanostructured lipid carriers of loratadine for topical application: Physicochemical stability and drug penetration through rat skin. *Tropical Journal of Pharmaceutical Research*, 13(5), 653–660. <https://doi.org/10.4314/tjpr.v13i5.1>
- Waugh, J., Noble, S., & Scott, L. J. (2015). *A Review of its Use in the Treatment of Acne Vulgaris. September*. <https://doi.org/10.2165/00003495-200464130-00005>

- Yoon, G., Park, J. W., & Yoon, I. S. (2013). Solid lipid nanoparticles (SLNs) and nanostructured lipid carriers (NLCs): Recent advances in drug delivery. *Journal of Pharmaceutical Investigation*, 43(5), 353–362. <https://doi.org/10.1007/s40005-013-0087-y>
- Zhang, Q., Flach, C. r r, & Mendelsohn, I. (2015). *Topically applied ceramide accumulates in skin glyphs*. July. <https://doi.org/10.2147/CCID.S83857>