

ABSTRAK

Latar Belakang Angka Kematian Ibu (AKI) di Indonesia saat ini masih tinggi yaitu 305 per 100.000 kelahiran hidup dan target AKI di Indonesia belum mencapai target. Masa nifas terjadi 42 hari dimulai setelah bayi lahir hingga alat kandungan kembali seperti semula, penyembuhan yang lama dapat menyebabkan infeksi. Penyebab tidak diketahuinya masalah infeksi nifas yaitu karena kurangnya pengetahuan ibu nifas, faktor yang mempengaruhi kurangnya pengetahuan pada ibu nifas yaitu umur, pendidikan, pekerjaan dan konseling dari tenaga kesehatan. Pengetahuan merupakan segala informasi yang diketahui oleh seseorang yang terdiri atas sejumlah fakta dan teori. Tujuan Penelitian untuk mengetahui gambaran pengetahuan ibu nifas tentang perawatan luka perineum di PMB Bidan Deti Sudarti Pasirbiru Kota Bandung. Metode Penelitian penelitian ini menggunakan deskriptif. Populasi seluruh ibu nifas yang mempunyai luka perineum dalam penelitian ini sebanyak 30 responden. Teknik pengambilan sampel menggunakan *Total Sampling*. Pengambilan data menggunakan kuesioner berupa *link google form*. Analisa data menggunakan analisa univariat. Hasil Penelitian menunjukkan bahwa sebagian kecil 2 responden (6.7%) berpengetahuan baik, 1 responden (3.3%) berpengetahuan cukup, dan sebagian besar 27 responden (90%) memiliki pengetahuan kurang. Kesimpulan Pengetahuan ibu nifas tentang perawatan luka perineum di kategorikan kurang pengetahuan yaitu sebanyak 27 responden (90.%). Saran diharapkan kepada petugas di Pmb Bidan Deti Sudarti dapat memberikan penyuluhan kesehatan mengenai perawatan luka perineum untuk meningkatkan pengetahuan ibu nifas dan meningkatkan kesejahteraan ibu.

Kata kunci : Nifas, Pengetahuan, Perawatan Luka Perineum

Daftar Pustaka : 8 buku (2013-2020)

3 jurnal (2019-2021)

7 website (2015-2020)

ABSTRAC

Background Maternal Mortality Rate (MMR) in Indonesia is currently still high at 305 per 100,000 live births and the MMR target in Indonesia has not yet reached the target. The postpartum period occurs 42 days starting after the baby is born until the uterus returns to its original state, long healing can cause infection. The cause of the unknown problem of puerperal infection is the lack of knowledge of postpartum mothers, the factors that influence the lack of knowledge of postpartum mothers are age, education, work and counseling from health workers. Knowledge is all information that is known by someone which consists of a number of facts and theories. The purpose of the study was to describe the knowledge of postpartum mothers about perineal wound care at PMB Midwife Deti Sudarti Pasirbiru, Bandung City. *Research Methods* This research uses descriptive. The population of all postpartum mothers who had perineal injuries in this study were 30 respondents. The sampling technique used was Total Sampling. Collecting data using a questionnaire in the form of a google form link. Data analysis using univariate analysis. The results showed that a small portion of 2 respondents (6.7%) had good knowledge, 1 respondent (3.3%) had sufficient knowledge, and most of 27 respondents (90%) had less knowledge. *Conclusion* The knowledge of postpartum mothers about perineal wound care is categorized as lacking knowledge, namely as many as 27 respondents (90.%). Suggestions are expected to officers at Pmb Midwife Deti Sudarti to provide health education regarding perineal wound care to increase knowledge of postpartum mothers and improve maternal welfare.

Keywords: Knowledge, Perineal Wound Care, Postpartum

Bibliography : 8 books (2013-2020)

3 journals (2019-2021)

7 websites (2015-2020)