

GAMBARAN KEJADIAN POST DURAL PUNCTURE HEADACHE (PDPH) PASCA SPINAL ANESTHESIA DI RSUD KOTA BANDUNG

REGA NIA SAFITRI

211FI03088

ABSTRAK

Post Dural Puncture Headache (PDPH) merupakan salah satu komplikasi yang sering terjadi setelah tindakan anestesi spinal. Tujuan dalam penelitian ini adalah untuk mengetahui gambaran kejadian post dural puncture headache (pdph) pasca pdph anestesi spinal di RSUD Kota Bandung. Penelitian ini menggunakan desain deskriptif kuantitatif dengan analisa data berupa statistik deskriptif. Sampel dalam penelitian ini berjumlah 30 responden yang diambil dari teknik sampel non probability sampling. Dan instrumen penelitian in menggunakan lembar observasi. Hasil penelitian ini menunjukkan bahwa hampir keseluruhan responden (80%) mengalami Post Dural Puncture Headache (PDPH) sejumlah 24 responden dan sebagian kecil responden (20%) tidak mengalami Post Dural Puncture Headache (PDPH) sejumlah 6 responden, hampir keseluruhan responden (80%) mengalami nyeri kepala sejumlah 24 responden dan sebagian kecil responden (20%) tidak ada nyeri kepala sejumlah 6 responden, dan hampi setengah responden (36,7%) mengalami nyeri berat (skala 7-9) sejumlah 11 responden, hampir setengah responden (33,3%) mengalami nyeri sedang (skala 4-6) sejumlah 10 responden, sebagian kecil responden (20%) tidak mengalami nyeri sejumlah 6 responden dan sebagian kecil responden (10%) mengalami nyeri sangat berat sejumlah 3 responden. Kesimpulan tersebut menunjukkan adanya tingkat kejadian Post Dural Puncture Headache (PDPH) yang tinggi pada pasien yang menjalani anestesi spinal, di mana sebagian besar pasien mengalami nyeri kepala dengan berbagai tingkat keparahan.

Kata kunci : Post Dural Puncture Headache (PDPH), Pasca PDPH, Anestesi Spinal

DESCRIPTION OF POST DURAL PUNCTURE HEADACHE (PDPH) OCCURRENCES AFTER SPINAL ANESTHESIA AT BANDUNG CITY HOSPITAL

REGANIA SAFITRI

211FI03088

ABSTRACT

Post-Dural Puncture Headache (PDPH) is a common complication following spinal anesthesia. The purpose of this study was to determine the incidence of post-dural puncture headache (PDPH) following spinal anesthesia at Bandung City Hospital. This study used a quantitative descriptive design with descriptive statistics for data analysis. The sample size was 30 respondents, drawn using a non-probability sampling technique. The research instrument used was an observation sheet. The results of this study indicate that almost all respondents (80%) experienced Post Dural Puncture Headache (PDPH) amounting to 24 respondents and a small portion of respondents (20%) did not experience Post Dural Puncture Headache (PDPH) amounting to 6 respondents, almost all respondents (80%) experienced headache amounting to 24 respondents and a small portion of respondents (20%) did not have headache amounting to 6 respondents, and almost half of respondents (36.7%) experienced severe pain (scale 7-9) amounting to 11 respondents, almost half of respondents (33.3%) experienced moderate pain (scale 4-6) amounting to 10 respondents, a small portion of respondents (20%) did not experience pain amounting to 6 respondents and a small portion of respondents (10%) experienced very severe pain amounting to 3 respondents. This conclusion indicates a high incidence of Post Dural Puncture Headache (PDPH) in patients undergoing spinal anesthesia, where most patients experience headaches with varying degrees of severity.

Keywords: *Post Dural Puncture Headache (PDPH), Post PDPH, Spinal Anesthesia*