

DAFTAR PUSTAKA

- Aksu, N. T., Erdogan, A., Ozgur, N. (2018). *Effects of progressive muscle relaxation training on sleep and quality of life in patients with pulmonary resection, Sleep Breath.* 22 (2018) 695–702, doi: 10.1007/s11325-017-1614-2
- Alfiyanti, N. E., Setyawan, D. & Kusuma, M. A. B. (2014). Pengaruh relaksasi otot progresif terhadap tingkat depresi pada pasien gagal ginjal kronik yang menjalani hemodilisis di Unit HD RS Telogorejo Semarang.
- Arikunto, S. (2016). *Prosedur Penelitian Suatu Pendekatan Praktik*. Jakarta: PT. Rineka Cipta.
- Astuti, H. T. & Ruhyana (2015). Pengaruh pemberian terapi relaksasi progresif terhadap tingkat kecemasan pasien pre operasi di RS PKU Muhammadiyah Bantul.
- Bayoumi, M., Al Harbi, A., Al Suwaida, A., Al Ghonaim, M., Al Wakeel, J., Mishkiry, A. (2013). *Predictors of quality of life in hemodialysis patients*. Saudi J Kidney Disease Transplantation 2013;24(2):254-9. Epub2013/03/30.
- Bostani, S., Rambod, M., Sabaghzadeh Irani, P., & Torabizadeh, C. (2020). *Comparing the effect of progressive muscle relaxation exercise and support group therapy on the happiness of nursing students: A randomized clinical trial study*. International Journal of Africa Nursing Sciences, 100218. doi:10.1016/j.ijans.2020.100218
- Brunner & Suddarth. (2015). *Buku Ajar Keperawatan Medikal-Bedah Brunner & suddarth*. Edisi 12. Jakarta: EGC.
- Cedeño, S., Vega, A., Macías, N., Sánchez, L., Abad, S., López-Gómez, J. M., & Luño, J. (2020). *Definiciones de hipotensión intradiálisis con poder predictivo de mortalidad en una cohorte de hemodiálisis*. Nefrología. doi:10.1016/j.nefro.2020.01.003
- Cohen, S.D., Cukor, D., & Kimmel, P.L. (2016). *Anxiety in patients treated with Hemodialysis*. Clin. J. Am. Soc. Nephrol. 11 (2016) 2250–2255.
- Cukor, D., Coplan, J., Brown, C., Friedman, S., Newville, H., Safier, M., ... Kimmel, P. L. (2008). *Anxiety disorders in adults treated by hemodialysis: A single-center study*. American Journal of Kidney Diseases, 52(1), 128–136. doi.org/10.1053/j.ajkd.2008.02.300.

- Damanik, H. (2018). Pengaruh teknik relaksasi otot progresif terhadap penurunan tekanan darah pada pasien hipertensi di RSUD Imelda. *Jurnal Keperawatan Priority*, Vol. 1(2).
- Departemen Kesehatan RI. (2009). *Kategori Usia*. Dalam <http://kategori-umurmenurut-Depkes.html>
- Ekarini, N. L. P., Heryati, & Maryam, R. S. (2019). Pengaruh terapi relaksasi otot progresif terhadap respon fisiologis pasien hipertensi. *Jurnal Kesehatan*. Vol. 10(1), ISSN 2086-7751 (Print), ISSN 2548-5695 (Online).
- Feroze, U., Martin, D., Reina-Patton, A., Kalantar-Zadeh, K., & Kopple, J. D. (2010). *Mental health, depression, and anxiety in patients on maintenance dialysis*. *Iranian Journal of Kidney Diseases*, 4(3), 173.
- Forbes, H., Fichera, E., Rogers, A., & Sutton, M. (2017). The Effects of Exercise and Relaxation on Health and Wellbeing. *Health Econ*, 26(12), e67-e80. doi:10.1002/hec.347
- Gallego-Gómez, J. I., Balanza, S., Leal-Llopis, J., García-Méndez, J. A., Oliva-Pérez, J., Doménech-Tortosa, J., ... Rivera-Caravaca, J. M. (2019). *Effectiveness of music therapy and progressive muscle relaxation in reducing stress before exams and improving academic performance in Nursing students: A randomized trial*. *Nurse Education Today*, 104217. doi:10.1016/j.nedt.2019.104217
- Genç, A., Oğuz, S. (2018). *The Effect of Progressive Relaxation Exercises on Side Effects of Chemotherapy in Cancer Patients*. *Iran. Journal Nurse and Midwifery Res*. 5..
- Harorani, M., Davodabady, F., Masmouei, B., & Barati, N. (2019). *The effect of progressive muscle relaxation on anxiety and sleep quality in burn patients: A randomized clinical trial*. *Burns*. doi:10.1016/j.burns.2019.11.021
- Hassanzadeh, M., Kiani, F., Bouya, S., & Zarei, M. (2018). *Comparing the effects of relaxation technique and inhalation aromatherapy on fatigue in patients undergoing hemodialysis*. *Complementary Therapies in Clinical Practice*, 31, 210–214. doi:10.1016/j.ctcp.2018.02.019
- Hastono, S., & Sabri, L. (2014). *Statistik Kesehatan*. Jakarta: PT. Raja Grafindo Persada.
- Heshmati Far, N., Salari, M., Rakhshani, M. H., Borzooee, F., & Sahebkar, M. (2020). *The effects of Benson relaxation technique on activities of daily living in hemodialysis patients; A single-blind, randomized, parallel-group*,

controlled trial study. *Complementary Therapies in Clinical Practice*, 101133. doi:10.1016/j.ctcp.2020.101133

Irawan, D., Hasballah, K. & Kamil, H. (2018). Pengaruh Relaksasi Otot Progresif Terhadap Stres dan Tekanan Darah Pada Klien Hipertensi. *Jurnal Ilmu Keperawatan*, 6(1), 70-82. ISSN: 2338-6371, e-ISSN 2550-018X

Kamil, I., Agustina, R., & Wahid, A. (2018). Gambaran tingkat kecemasan pasien gagal ginjal kronik yang menjalani hemodialisis di RSUD Ulin Banjarmasin. *Jurnal Dinamika Kesehatan*, Vol. 9 No. 2 (366-377).

Kanda, E., Usui, T., Kashihara, N., Iseki, C., Iseki, K., Nangaku, M., (2018). *Importance of glomerular filtration rate change as surrogate endpoint for the future incidence of end-stage renal disease ,in general Japanese population: community-based cohort study*. *Clin. Exp. Nephrol.* 22 (2) (2018) 318–327. doi.org/10.1007/s10157-017-1463-0.

KDIGO. (2012). *Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease*. Official Journal of the International Society of Nephrology, Vol.3 (1). <https://kdigo.org/guidelines/ckd-evaluation-and-management/>

Lestari, A. (2017). Gambaran tingkat kecemasan pasien gagal ginjal kronis yang menjalani hemodialysis berdasarkan kuesioner *Zung Self-Rating Anxiety Scale* di RSUD Wates tahun 2017.

Lew, Q.-L. J., Jafar, T. H., Koh, H. W. L., Jin, A., Chow, K. Y., Yuan, J.-M., & Koh, W.-P. (2016). *Red Meat Intake and Risk of ESRD*. *Journal of the American Society of Nephrology*, 28(1), 304–312. doi:10.1681/asn.2016030248

Li, Y., Wang, R., Tang, J., Chen, C., Tan, L., Wu, Z., Wang, X. (2015). *Progressive muscle relaxation improves anxiety and depression of pulmonary arterial hypertension patients*. *Evidence-Based Complementary and Alternative Medicine*

Lira, S. (2017). Pengaruh Teknik Relaksasi Otot Progresif Terhadap Penurunan Tingkat Kecemasan pada Ibu Persalinan Pervaginam Fase Laten. repository.usu.ac.id/handle/123456789/1517

Liu, K., Chen, Y., Wu, D., Lin, R., Wang, Z., & Pan, L. (2020). *Effects of progressive muscle relaxation on anxiety and sleep quality in patients with COVID-19*. *Complementary Therapies in Clinical Practice*, 101132. doi:10.1016/j.ctcp.2020.101132

Ma, T. K.-W., & Li, P. K.-T. (2016). *Depression in dialysis patients*. *Nephrology*, 21(8), 639–646. doi:10.1111/nep.12742

- Macaron, G., Fahed, M., Matar, D., Bou-Khalil, R., Kazour, F., Nehme-Chlela, D., & Richa, S. (2014). *Anxiety, depression and suicidal ideation in Lebanese patients undergoing hemodialysis*. *Community Mental Health Journal*, 50(2), 235–238. doi.org/10.1007/s10597-013-9669-4.
- McMahon, J., Handley, T. P. B., Bobinskas, A., Elsapagh, M., Anwar, H. S., Ricciardo, P. V., ... Campbell, R. (2017). *Postoperative complications after head and neck operations that require free tissue transfer - prevalent, morbid, and costly*. *British Journal of Oral and Maxillofacial Surgery*, 55(8), 809–814. doi:10.1016/j.bjoms.2017.07.015.
- Moledina, D. G., & Perry Wilson, F. (2015). *Pharmacologic treatment of common symptoms in dialysis patients: A narrative review*. *Seminars in Dialysis*, 28(4), 377-383.
- Morais, E. M., Moreira, P. R., & Winkelmann, E. R. (2020). *Movie watching during dialysis sessions reduces depression and anxiety and improves quality of life: A randomized clinical trial*. *Complementary Therapies in Medicine*, 52, 102488. doi:10.1016/j.ctim.2020.102488
- Murtagh, F. E. M., Addington-Hall, J., & Higginson, I. J. (2007). *The prevalence of symptoms in end-stage renal disease: A systematic review*. *Advances in Chronic Kidney Disease*, 14(1), 82–99. doi.org/10.1053/j.ackd.2006.10.001.
- Notoatmodjo, S. (2015). *Metodologi Penelitian Kesehatan* (Ed. Revisi). Jakarta: PT. Rineka Cipta
- Nova, R. R. & Tumanggor, R. D. (2018). Pengaruh Terapi Relaksasi Otot Progresif Terhadap Tingkat Kecemasan Pasien Kanker Payudara di RSUP Haji Adam Malik, Medan. *TALENTA Conference Series: Tropical Medicine (TM)*. Vol. 1(01), 59-66, dio: 10.32734/tm.v1i1.33
- Nursalam. (2017). *Metodologi Penelitian Ilmu Keperawatan: Pendekatan Praktis*. (P. P. Lestari, Ed.) (4th ed.). Jakarta: Salemba Medika
- Ozgundondur, B., & Gok Metin, Z. (2019). *Effects of progressive muscle relaxation combined with music on stress, fatigue, and coping styles among intensive care nurses*. *Intensive and Critical Care Nursing*. doi:10.1016/j.iccn.2019.07.007
- Pawlow, L.A. & Jones, G.E. (2005). *The impact of abbreviated progressive muscle relaxation on salivary cortisol and salivary immunoglobulin A (sIgA)*, *Appl. Psychophysiol. Biofeedback* 30 (4) (2005) 375–387 doi: 10.1007/s10484-005-8423-2.

- Perico N, Remuzzi G. (2015). *Need for chronic kidney disease prevention programs in disadvantaged populations*. Clin Nephrology 2015;83(7Suppl. 1): 42-8.
- Persatuan Nefrologi Indonesia (2018). *Report of Indonesian Renal Registry 2018 11th*.<https://www.indonesianrenalregistry.org>
- Polit, F. D., & Beck, T. C. (2012). *Resource Manual for Nursing Research. Generating and Assessing Evidence for Nursing Practice*. Ninth Edition. USA: Lippincott.
- Potter, P. A. & Perry, A. G. (2010). *Fundamental of Nursing: Konsep, Proses and Practice*. Edisi 7. Vol. 3. Jakarta: EGC
- PPNI. (2019). *Standar Diagnosa Keperawatan Indonesia (2thed.)*. Jakarta: Dewan Pengurus Pusat Persatuan Perawat Nasional Indonesia. Retrieved from <http://www.inna-ppni.or.id>
- Pramono, C., Hamranani, S. S. T. & Sanjaya, M. Y. (2019). Pengaruh teknik relaksasi otot progresif terhadap tingkat kecemasan pasien hemodialysis di RSUD Wonosari. *Jurnal Ilmu Keperawatan Medikal Bedah* 2 (2), November 2019, 1-51. ISSN 2338-2058 (print), ISSN 2621-2986 (online).
- Prasetya, Z. (2016). Pengaruh terapi relaksasi otot progresif terhadap perubahan tingkat insomnia pada lansia.
- Preljevic, V. T., Østhus, T. B. H., Os, I., Sandvik, L., Opjordsmoen, S., Nordhus, I. H., & Dammen, T. (2013). *Anxiety and depressive disorders in dialysis patients: Association to health-related quality of life and mortality*. General Hospital Psychiatry, 35(6), 619–624. doi.org/10.1016/j.genhosppsych.2013.05.006.
- Rahayu, S. M., Hayati, N. I. & Asih, S. L. (2020). Pengaruh Teknik Relaksasi Otot Progresif terhadap Tekanan Darah Lansia dengan Hipertensi. *Jurnal Media Karya Kesehatan*, Vol. 3(1), 91-98.
- Rajeswari, S. & Sanjeeva Reddy, N. (2019). *Efficacy of progressive muscle relaxation on pregnancy outcome among anxious Indian primi mothers*, Iran. J. Nurs. Midwifery Res. 25 (2019) 23–30, doi: 10.4103/ijnmr.IJNMR_207_18.
- Sadeghimoghaddam, S., Alavi, M., Mehrabi, T., Bankpoor-Fard, A. (2019). *The effect of two methods of relaxation and prayer therapy on anxiety and hope in patients with coronary artery disease: a quasi-experimental study*, Iran. J. Nurs. Midwifery Res. 24 (2) (2019) 102.

- Schouten, R. W., Haverkamp, G. L., Loosman, W. L., Chandie Shaw, P. K., van Ittersum, F. J., Smets, Y. F. C., ... Siegert, C. E. H. (2019). *Anxiety Symptoms, Mortality, and Hospitalization in Patients Receiving Maintenance Dialysis: A Cohort Study*. *American Journal of Kidney Diseases*. doi:10.1053/j.ajkd.2019.02.017
- Schouten, R. W., Nadort, E., Harmse, V., Honig, A., van Ballegooijen, W., Broekman, B. F. P., & Siegert, C. E. H. (2020). *Symptom dimensions of anxiety and their association with mortality, hospitalization and quality of life in dialysis patients*. *Journal of Psychosomatic Research*, 133, 109995. doi:10.1016/j.jpsychores.2020.109995
- Semaan, V., Nouredine, S., & Farhood, L. (2018). *Prevalence of depression and anxiety in end-stage renal disease: A survey of patients undergoing hemodialysis*. *Applied Nursing Research*, 43, 80–85. doi:10.1016/j.apnr.2018.07.009
- Setyowati, Chung M. H., Ah. Yusuf (2019). *Development of self-report assessment tool for anxiety among adolescents: Indonesian version of the Zung self-rating anxiety scale*. *Journal of Public Health in Africa* 2019 volume 10(s1):1172
- Silaen, H. (2018). Pengaruh pemberian konseling dengan tingkat kecemasan pada pasien yang menjalani hemodialisis di Rumah Sakit Kota Medan. *Jurnal Ilmiah Keperawatan IMELDA*. Vol.4 (1), 421-426
- Smeltzer, S., Bare, B., Hinkle, J., Cheever, K. (2014). *Biophysical and Psychological Concepts in Nursing Practice*, Brunner & Suddarths. Text Book of Medical Surgical Nursing, thirteenth ed., Lippincott Williams & Wilkins, Philadelphia.
- Sopha, R. F. & Wardani, I. Y. (2016). Stres dan Tingkat Kecemasan Saat Ditetapkan Perlu Hemodialisis Berhubungan dengan Karakteristik Pasien. *Jurnal Keperawatan Indonesia*. Vol.19 No. 1. (55-61). pISSN 1410-4490, eISSN 2354-9203.
- Stuart, G. W. & Laraia, M. T. (2009). *Principles and Practice of Psychiatric Nursing 9th*. Elsever. St.Louis: Mosby.
- Sugiyono. (2017). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: Alfabeta, CV.
- Thomas, B., Wulf, S., Bikbov, B., et al. (2015). *Maintenance dialysis throughout the World in Years 1990 and 2010*. *J Am Soc Nephrol* 2015;26:2621-033.

- Trillini, M., Perico, N., & Remuzzi, G. (2017). *Epidemiology of End-Stage Renal Failure: the Burden of Kidney Diseases to Global Health*. *Kidney Transplantation, Bioengineering and Regeneration*, 5–11. doi:10.1016/b978-0-12-801734-0.00001-1
- Ulya, Z. I. & Faidah, N. (2017). Pengaruh terapi relaksasi otot progresif terhadap penurunan tekanan darah pada penderita hipertensi di Desa Koripandriyo Kecamatan Gabus Kabupaten Pati. *Jurnal Keperawatan & Kesehatan Masyarakat*. Vol. 6(2).
- Wakhid, A. & Suwanti (2019). Gambaran Tingkat Kecemasan Pasien yang Mnejalani Hemodialisa. *Jurnal Ilmiah Permas: Jurnal Ilmiah STIKES Kendal*. Vol. 9 No 2. ISSN 2089-0834 (Cetak), ISSN 2549-8134 (Online).
- Wetmore, J. B., & Collins, A. J. (2019). *Dialysis and End-Stage Kidney Disease*. *Chronic Kidney Disease, Dialysis, and Transplantation*, 311–338.e4. doi:10.1016/b978-0-323-52978-5.00021-5